§	Weeks ending Dec. 31st	Jan. 7th *	Jan. 1831-40.
Mean height of barometer	in. 29.860	in. 30.026	in. 29.880
Rain (weekly)	.183	.195	.227
Mean Dryness	1°.9	1°.9	1°.8

* Wind, N.W. 2 days; S. 1; S.S.W. 1; W. 3. Rain on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th January, 1843.

1843.

Temperature §	Weeks ending Dec. 31st	Jan. 7th	Jan. 1831-40.
Highest	55°	56°	55°
Lowest	35°	30°	11°
Daily Mean	45°	39°	38°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	14	..	..	‖14	30	27
Measles	24	..	..	24	17	23
Scarlatina	26	1	..	27	22	30
Hooping Cough	31	..	..	31	47	32
Croup	9	..	..	9	8	7
Thrush	3	..	..	3	3	5
Diarrhœa	4	2	5	11	5	9
Dysentery	2	..	..	2	1	2
Cholera	1	..	1	2	..	1
Influenza	..	..	1	1	4	2
Typhus (1)	8	9	3	20	44	37
Erysipelas	3	3	1	7	6	6
Syphilis	1	1	..	2	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	126	16	11	153	187	182
Cephalitis	11	2	..	13	11	11
Hydrocephalus	24	..	..	24	34	34
Apoplexy	..	8	9	17	20	17
Paralysis	1	6	2	9	17	14
Convulsions	62	..	..	62	59	57
Epilepsy	..	3	2	5	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c. (2)	4	11	1	16	9	9
Diseases of the Brain, Nerves, and Senses.	102	30	14	146	157	148
Quinsey	2	..	..	2	1	1
Bronchitis	3	5	6	14	17	10
Pleurisy	..	..	..	..	2	1
Pneumonia	78	15	1	94	90	73
Hydrothorax	..	..	1	1	7	5
Asthma	..	11	15	26	47	24
Consumption	16	95	5	116	141	140
Dis. of Lungs, &c.	5	8	1	14	17	14
Diseases of the Lungs, and other Organs of Respiration	104	134	29	267	322	268
Pericarditis	..	1	..	1	1	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	4	20	12	36	19	17
Diseases of the Heart and Bloodvessels.	4	21	12	37	21	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	7	5	..	12	14	18
Peritonitis	1	1	..	2	1	1
Tabes Mesenterica	3	..	..	3	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	1	..	1	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	..	..	1	1	2	2
Dis. of Stomach, &c (3)	2	4	1	7	6	6
Hepatitis	..	..	..	..	1	1
Jaundice	2	..	1	3	2	2
Dis. of Liver, &c. (4)	2	6	..	8	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	31	18	4	53	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	1	..	1	.5	.3
Stone	..	..	1	1	.4	.4
Stricture	..	1	1	2	.4	.4
Dis. of Kidneys, &c.	..	1	1	2	3	3
Diseases of the Kidneys, &c	..	3	3	6	5	5
Childbed	..	8	..	8	8	7
Ovarian Dropsy	..	..	1	1	.3	.2
Dis. of Uterus, &c.	..	..	1	1	2	2
Childbed, Diseases of the Uterus, &c.	..	8	2	10	10	9
Rheumatism	..	3	1	4	3	3
Dis. of Joints, &c.	..	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	..	5	1	6	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	1	..	..	1	.6	.3
Diseases of the Skin, &c.	1	1	..	2	2	1
Inflammation	1	..	..	1	12	9
Hæmorrhage	2	1	..	3	3	3
Dropsy	2	24	16	42	37	34
Abscess	1	..	1	2	4	4
Mortification	1	2	3	6	5	4
Scrofula	..	1	..	1	2	2
Carcinoma	..	3	3	6	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	2	2	1	1
Atrophy	4	..	1	5	5	6
Debility	9	2	..	11	20	18
Malformations	..	..	..	..	1	1
Sudden Deaths	4	13	7	24	17	14
Diseases of Uncertain Seat	24	46	33	103	116	105
Old Age, or Natural Decay	..	..	73	73	88	68
Intemperance	..	1	..	1	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	4	3	3	10	26	24
Deaths by Violence, Privation, or Intemperance	4	4	3	11	27	25
Causes not specified	..	1	1	2	7	6
Deaths from all Causes	396	287	186	869	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Intermittent Fever 2, Ages 1 & 49.
(2) Tetanus 1, Age 12 days.
(3) Worms 1, Age 2 months. Convulsions, with stoppage in the Gullet, 1, Age 1. Hematemesis 1, Age 44.
(4) Perforation of Gall Bladder 1, Age 49.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	130
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	151
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	164
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	213
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	211
TOTAL. Males, 451. Females, 418. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	869

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 14 cases of Small Pox, 8 were Unvaccinated; in 4 the circumstance is not stated.

General Register Office, January 11th, 1843.

§	Weeks ending Jan. 7th	Jan. 14th*	Jan. 1831-40.
Mean height of barometer §	in. 30.026	in. 28.994	in. 29.880
Rain (weekly)	.195	.617	.227
Mean Dryness	1°.9	2°.1	1°.8

Wind, N. 1 day; S. 1; W. 4; S.W. 1. Rain 3; Snow 1 day.

A TABLE OF THE MORTALITY IN THE Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th January, 1843.

1843.

Temperature. §	Weeks ending Jan. 7th	Jan. 14th	Jan. 1831-40.
Highest	56°	47°	55°
Lowest	30°	31°	11°
Daily Mean	39°	39°	38°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Winters 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Small Pox	13	4	..	‖17	30	27
Measles	35	..	..	35	17	23
Scarlatina	19	3	..	22	22	30
Hooping Cough	30	..	..	30	47	32
Croup	5	..	..	5	8	7
Thrush	3	..	..	3	3	5
Diarrhœa	1	..	1	2	5	9
Dysentery	..	..	1	1	1	2
Cholera	..	..	..	..	..	1
Influenza	..	..	..	..	4	2
Typhus (1)	13	15	3	31	44	37
Erysipelas	3	2	1	6	6	6
Syphilis	1	..	..	1	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	123	24	6	153	187	182
Cephalitis	13	4	..	17	11	11
Hydrocephalus	36	..	..	36	34	34
Apoplexy	1	13	12	‡27	20	17
Paralysis	..	9	9	18	17	14
Convulsions	57	..	..	57	59	57
Epilepsy	..	3	..	3	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	7	..	7	1	1
Dis. of Brain, &c. (2)	6	3	1	10	9	9
Diseases of the Brain, Nerves, and Senses.	113	39	22	‡175	157	148
Quinsey	..	..	..	..	1	1
Bronchitis	10	7	7	24	17	10
Pleurisy	..	1	..	1	2	1
Pneumonia	95	16	4	115	90	73
Hydrothorax	2	2	1	5	7	5
Asthma	..	19	17	36	47	24
Consumption	17	91	6	114	141	140
Dis. of Lungs, &c.	5	7	1	13	17	14
Diseases of the Lungs, and other Organs of Respiration	129	143	36	308	322	268
Pericarditis	..	..	..	..	1	.5
Aneurism	..	..	1	1	.6	.5
Dis. of Heart, &c.	4	11	8	23	19	17
Diseases of the Heart and Bloodvessels.	4	11	9	24	21	18
Teething	15	..	..	15	15	17
Gastritis—Enteritis	5	8	5	18	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	1	..	..	1	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	..	1	2	3	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c. (3)	1	2	1	4	6	6
Hepatitis	1	..	..	1	1	1
Jaundice	1	..	..	1	2	2
Dis. of Liver, &c.	..	6	1	7	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	24	17	9	50	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Winters 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Nephritis	..	..	1	1	.6	.4
Diabetes	..	2	1	3	.5	.3
Stone	..	1	..	1	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	1	1	2	3	3
Diseases of the Kidneys, &c.	..	4	3	7	5	5
Childbed	..	4	..	4	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c. (4)	..	4	1	5	2	2
Childbed, Diseases of the Uterus, &c.	..	8	1	9	10	9
Rheumatism	..	2	..	2	3	3
Dis. of Joints, &c.	2	1	1	4	3	3
Diseases of the Joints, Bones and Muscles	2	3	1	6	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	1	1	.3	.3
Dis. of Skin, &c.	..	..	1	1	.6	.3
Diseases of the Skin, &c.	..	..	2	2	2	1
Inflammation	2	..	..	2	12	9
Hæmorrhage	..	..	..	..	3	3
Dropsy	3	24	14	41	37	34
Abscess	2	1	..	3	4	4
Mortification	1	2	2	5	5	4
Scrofula	2	..	..	2	2	2
Carcinoma	..	4	6	10	7	7
Tumor	..	..	..	..	2	2
Gout	..	1	2	3	1	1
Atrophy	8	..	2	10	5	6
Debility	17	4	..	21	20	18
Malformations	..	..	..	..	1	1
Sudden Deaths	2	8	5	15	17	14
Diseases of Uncertain Seat	37	44	31	112	116	105
Old Age, or Natural Decay	..	..	79	79	88	68
Intemperance	..	2	..	2	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	8	12	3	23	26	24
Deaths by Violence, Privation, or Intemperance	8	14	3	25	27	25
Causes not specified	2	1	..	3	7	6
Deaths from all Causes	442	308	202	‡953	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Fever & Ague 1, Age 19.
(2) Locked Jaw 1, Age 21.
(3) Stricture of œsophagus 1, Age 48.
(4) Menorrhagia 1, Age 46.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	131
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	194
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	186
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	203
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	239
TOTAL. Males, 502. Females, 451. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	953

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 17 cases of Small Pox, 11 were Unvaccinated; in 5 the circumstance is not stated.

‡ The Total includes 1 case of Apoplexy of which the age is not stated.

General Register Office, January 18th, 1843.

§	Weeks ending Jan. 14th	Jan. 21st*	Jan. 1831-40.
Mean height of barometer	in. 28.994	in. 29.952	in. 29.880
†Rain (weekly)	.617	.182	.227
Mean Dryness	2°.1	1°.6	1°.8

* Wind, S. 1 day; W. 3; N.W. 1; E. 2. Rain on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st January, 1843.

1843.

Temperature. §	Weeks ending Jan. 14th	Jan. 21st	Jan. 1831-40.
Highest....	47°	49°	55°
Lowest....	31°	31°	11°
Daily Mean	39°	39°	38°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Small Pox	10	1	..	‖11	30	27
Measles	29	1	..	‡31	17	23
Scarlatina	26	4	..	30	22	30
Hooping Cough	38	..	..	38	47	32
Croup	5	..	..	5	8	7
Thrush	1	..	..	1	3	5
Diarrhœa	1	..	1	2	5	9
Dysentery	..	2	1	3	1	2
Cholera	..	..	..	..	..	1
Influenza	1	..	..	1	4	2
Typhus	8	15	4	27	44	37
Erysipelas	2	1	1	4	6	6
Syphilis	..	..	..	..	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	121	24	7	‡153	187	182
Cephalitis	6	2	..	8	11	11
Hydrocephalus	32	..	..	32	34	34
Apoplexy	1	8	13	22	20	17
Paralysis	..	12	9	21	17	14
Convulsions	64	1	..	65	59	57
Epilepsy	..	3	2	5	5	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	6	8	4	18	9	9
Diseases of the Brain, Nerves, and Senses.	109	38	28	175	157	148
Quinsey (1)	3	..	..	3	1	1
Bronchitis	3	4	5	12	17	10
Pleurisy	..	3	..	3	2	1
Pneumonia	63	10	4	77	90	73
Hydrothorax	..	3	5	8	7	5
Asthma	..	19	21	40	47	24
Consumption	13	115	14	142	141	140
Dis. of Lungs, &c.	3	14	3	20	17	14
Diseases of the Lungs, and other Organs of Respiration	85	168	52	305	322	268
Pericarditis	..	1	..	1	1	.5
Aneurism	..	1	..	1	.6	.5
Dis. of Heart, &c.	1	16	9	26	19	17
Diseases of the Heart and Bloodvessels.	1	18	9	28	21	18
Teething	21	..	..	21	15	17
Gastritis—Enteritis	10	6	..	16	14	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	4	..	..	4	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	..	1	2	3	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c	..	3	2	5	6	6
Hepatitis	..	1	..	1	1	1
Jaundice	..	2	1	3	2	2
Dis. of Liver, &c.	1	10	3	14	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	36	25	8	69	56	62

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	2	2	.4	.4
Dis. of Kidneys, &c.	1	2	1	4	3	3
Diseases of the Kidneys, &c.	1	2	3	6	5	5
Childbed	..	8	..	8	8	7
Ovarian Dropsy	..	1	..	1	.3	.2
Dis. of Uterus, &c. (2)	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	11	1	12	10	9
Rheumatism	2	5	..	7	3	3
Dis. of Joints, &c.	..	1	..	1	3	3
Diseases of the Joints, Bones and Muscles	2	6	..	8	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.6	.3
Diseases of the Skin, &c.	..	..	..	..	2	1
Inflammation	3	..	..	3	12	9
Hæmorrhage	3	1	..	4	3	3
Dropsy	3	17	15	35	37	34
Abscess	1	1	1	3	4	4
Mortification	1	..	..	1	5	4
Scrofula	1	..	..	1	2	2
Carcinoma	..	8	..	8	7	7
Tumor	..	2	..	2	2	2
Gout	..	..	..	..	1	1
Atrophy	2	..	..	2	5	6
Debility	14	6	..	20	20	18
Malformations	2	..	..	2	1	1
Sudden Deaths	4	3	4	11	17	14
Diseases of Uncertain Seat	34	38	20	92	116	105
Old Age, or Natural Decay	..	..	87	87	88	68
Intemperance	..	2	..	2	.4	.6
Privation (3)	..	1	..	1	1	.5
Violent Deaths	8	10	2	20	26	24
Deaths by Violence, Privation, or Intemperance	8	13	2	23	27	25
Causes not specified	1	1	..	2	7	6
Deaths from all Causes	398	344	217	‡960	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Laryngitis 1, Age 4.
(2) Menorrhagia 1, Age 52.
(3) Diarrhœa, produced by want, 1 Male, Age 45.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	145
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	152
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	193
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	234
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	236
TOTAL	Males, 510. Females, 450. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	960

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 11 cases of Small Pox, 7 were Unvaccinated; in 2 the circumstance is not stated.

‡ The Total includes 1 case of Measles of which the age is not stated.

General Register Office, January 25th, 1843.

§	Weeks ending Jan. 21st	Jan. 28th*	Jan. 1831-40.
Mean height of barometer §	in. 29.952	in. 29.939	in. 29.880
Rain (weekly)	.182	.027	.227
Mean Dryness	1°.6	1°.7	1°.8

*Wind, S. 6 days; E. 1. Rain on 1 day.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 28th January, 1843.

1843.

Temperature §	Weeks ending Jan. 21st	Jan. 28th	Jan. 1831-40.
Highest ...	49°	56°	55°
Lowest....	31°	34°	11°
Daily Mean	39°	46°	38°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	10	4	..	‖14	30	27
Measles	26	2	..	28	17	23
Scarlatina	20	3	..	23	22	30
Hooping Cough	39	..	..	39	47	32
Croup	13	..	..	13	8	7
Thrush	5	..	..	5	3	5
Diarrhœa	2	..	1	3	5	9
Dysentery	1	..	..	1	1	2
Cholera	..	..	..	..	..	1
Influenza	..	..	..	..	4	2
Typhus	14	23	4	41	44	37
Erysipelas	..	..	1	1	6	6
Syphilis	..	..	..	..	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	130	32	6	168	187	182
Cephalitis	5	4	..	9	11	11
Hydrocephalus	36	..	..	36	34	34
Apoplexy	3	4	5	12	20	17
Paralysis	1	8	17	26	17	14
Convulsions	51	..	1	52	59	57
Epilepsy	..	1	1	2	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	5	4	..	9	9	9
Diseases of the Brain, Nerves, and Senses.	101	22	24	147	157	148
Quinsey	2	..	1	3	1	1
Bronchitis	6	9	6	21	17	10
Pleurisy	1	..	..	1	2	1
Pneumonia	59	21	1	81	90	73
Hydrothorax	1	2	3	6	7	5
Asthma	2	16	17	35	47	24
Consumption	24	104	9	137	141	140
Dis. of Lungs, &c.	5	13	9	‡28	17	14
Diseases of the Lungs, and other Organs of Respiration	100	165	46	‡312	322	268
Pericarditis	..	..	..	..	1	.5
Aneurism	..	2	..	2	.6	.5
Dis. of Heart, &c.	3	11	9	23	19	17
Diseases of the Heart and Bloodvessels.	3	13	9	25	21	18
Teething	23	..	..	23	15	17
Gastritis—Enteritis	8	5	2	15	14	18
Peritonitis	..	1	1	2	1	1
Tabes Mesenterica	5	..	..	5	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	1	3	1	5	1	1
Hernia	..	4	1	5	2	2
Colic or Ileus	1	..	1	2	2	2
Dis. of Stomach, &c (1)	2	2	1	5	6	6
Hepatitis	..	..	1	1	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	1	5	1	7	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	41	21	9	71	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c. (2)	..	3	2	5	3	3
Diseases of the Kidneys, &c.	..	3	2	5	5	5
Childbed	..	10	..	10	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c. (3)	1	2	..	3	2	2
Childbed, Diseases of the Uterus, &c.	1	12	..	13	10	9
Rheumatism	..	2	..	2	3	3
Dis. of Joints, &c.	..	5	..	5	3	3
Diseases of the Joints, Bones and Muscles	..	7	..	7	6	6
Ulcer	1	..	..	1	.6	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.6	.3
Diseases of the Skin, &c.	1	1	..	2	2	1
Inflammation	4	..	2	6	12	9
Hæmorrhage	1	3	..	4	3	3
Dropsy	4	11	11	26	37	34
Abscess	..	..	..	..	4	4
Mortification	..	1	2	3	5	4
Scrofula	..	..	1	1	2	2
Carcinoma	..	9	..	9	7	7
Tumor	..	2	..	2	2	2
Gout	..	..	2	2	1	1
Atrophy	10	1	3	14	5	6
Debility	17	5	..	22	20	18
Malformations	1	..	..	1	1	1
Sudden Deaths	5	6	6	17	17	14
Diseases of Uncertain Seat	42	38	27	107	116	105
Old Age, or Natural Decay	..	..	88	88	88	68
Intemperance	..	..	..	..	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	7	17	3	27	26	24
Deaths by Violence, Privation, or Intemperance	7	17	3	27	27	25
Causes not specified	2	..	..	2	7	6
Deaths from all Causes	428	331	214	‡974	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Infantile Remittent Fever 1, Age 2. Stricture of Intestines 1, Age 45.
(2) Inflammation of Bladder 1, Age 61.
(3) Amenorrhea 1, Age 27.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	140
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	203
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	174
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	216
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	241
TOTAL. Males, 468. Females, 506. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	974

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 14 cases of Small Pox, 6 were Unvaccinated; in 6 the circumstance is not stated.

‡ The Total includes 1 case of "Fever and Diseased Lungs" of which the age is not stated.

General Register Office, February 1st, 1843.

§	Weeks ending Jan. 28th	Feb. 4th*	Feb. 1831-40.
Mean height of barometer	in. 29.939	in. 29.675	in. 29.811
Rain (weekly)	.027	.545	.276
Mean Dryness	1°.7	1°.8	2°.0

* Wind, S. 4 days; S.W. 1; W 2. Rain on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th February, 1843.

1843.

Temperature. §	Weeks ending Jan. 28th	Feb. 4th	Feb. 1831-40.
Highest	56°	58°	60°
Lowest	34°	35°	25°
Daily Mean	46°	48°	41°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Small Pox	10	3	..	‖13	30	27
Measles	16	..	..	16	17	23
Scarlatina	19	..	..	19	22	30
Hooping Cough	33	..	..	33	47	32
Croup	11	..	..	11	8	7
Thrush	1	..	..	1	3	5
Diarrhœa	3	..	1	4	5	9
Dysentery	..	1	1	2	1	2
Cholera	..	..	..	..	..	1
Influenza	1	..	..	1	4	2
Typhus	3	23	9	35	44	37
Erysipelas	1	2	2	5	6	6
Syphilis	..	..	..	..	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	98	29	13	140	187	182
Cephalitis	7	2	..	9	11	11
Hydrocephalus	33	..	..	33	34	34
Apoplexy	..	14	7	21	20	17
Paralysis	..	6	4	10	17	14
Convulsions	43	..	..	43	59	57
Epilepsy	..	2	1	3	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	2	6	1	9	9	9
Diseases of the Brain, Nerves, and Senses.	85	31	13	129	157	148
Quinsey (1)	2	..	..	2	1	1
Bronchitis	3	3	5	11	17	10
Pleurisy	..	1	..	1	2	1
Pneumonia	52	8	10	70	90	73
Hydrothorax	1	2	1	4	7	5
Asthma	..	10	12	22	47	24
Consumption	18	74	4	‡97	141	140
Dis. of Lungs, &c.	4	6	4	14	17	14
Diseases of the Lungs, and other Organs of Respiration	80	104	36	‡221	322	268
Pericarditis	..	1	..	1	1	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	2	12	7	21	19	17
Diseases of the Heart and Bloodvessels.	2	13	7	22	21	18
Teething	17	..	..	17	15	17
Gastritis—Enteritis	3	4	..	7	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	2	..	..	2	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	..	1	..	1	2	2
Dis. of Stomach, &c (2)	4	2	1	7	6	6
Hepatitis	..	1	1	2	1	1
Jaundice	1	1	..	2	2	2
Dis. of Liver, &c.	..	4	4	8	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	27	13	6	46	56	62

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	1	1	1	3	3	3
Diseases of the Kidneys, &c.	1	1	1	3	5	5
Childbed	..	11	..	11	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	1	1	2	2	2
Childbed, Diseases of the Uterus, &c.	..	12	1	13	10	9
Rheumatism	1	2	1	4	3	3
Dis. of Joints, &c.	2	4	..	6	3	3
Diseases of the Joints, Bones and Muscles	3	6	1	10	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.6	.3
Diseases of the Skin, &c.	1	..	..	1	2	1
Inflammation	3	2	..	5	12	9
Hæmorrhage	1	3	..	4	3	3
Dropsy	1	15	11	27	37	34
Abscess	1	1	..	2	4	4
Mortification	..	2	3	5	5	4
Scrofula	1	..	..	1	2	2
Carcinoma	..	7	1	8	7	7
Tumor	..	..	2	2	2	2
Gout	..	..	3	3	1	1
Atrophy	7	..	2	9	5	6
Debility	12	2	..	14	20	18
Malformations	3	..	..	3	1	1
Sudden Deaths	1	5	6	12	17	14
Diseases of Uncertain Seat	30	37	28	95	116	105
Old Age, or Natural Decay	..	..	83	83	88	68
Intemperance	..	..	..	..	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	5	5	1	11	26	24
Deaths by Violence, Privation, or Intemperance	5	5	1	11	27	25
Causes not specified	2	4	..	6	7	6
Deaths from all Causes	334	255	190	‡780	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Laryngitis 1, Age 3.
(2) Stricture of the Rectum 1, Age 59. Hematemesis 1, Age 36.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	125
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	153
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	142
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	176
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	184
TOTAL. Males, 390. Females, 390. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	780

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 13 cases of Small Pox, 10 were Unvaccinated; in 2 the circumstance is not stated.

‡ The Total includes 1 case of Consumption of which the age is not stated.

General Register Office, February 8th, 1843.

§	Weeks ending Feb. 4th	Feb. 11th	Feb. 1831-40.
Barometer	in. 29.675	in. 29.889	in 29.811
in (weekly)	.545	.482	.276
Dryness	1°.8	1°.5	2°.0

Wind N. 4 days; N.W. 2; E. 1.
Rain on 5 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th February, 1843.

1843.

Temperature. §	Weeks ending Feb. 4th	Feb. 11th	Feb. 1831-40.
Highest ...	58°	40°	60°
Lowest....	35°	32°	25°
Daily Mean	48°	37°	41°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Small Pox	10	1	..	‖11	30	27
Measles	12	1	..	13	17	23
Scarlatina	11	4	..	15	22	30
Hooping Cough	36	..	..	36	47	32
Croup	4	..	..	4	8	7
Thrush	1	..	..	1	3	5
Diarrhœa	2	2	2	6	5	9
Dysentery	1	2	1	4	1	2
Cholera	..	1	..	1	..	1
Influenza	1	..	1	2	4	2
Typhus (1)	6	23	2	31	44	37
Erysipelas	2	5	1	8	6	6
Syphilis	..	..	..	..	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	86	39	7	132	187	182
Cephalitis	7	1	..	8	11	11
Hydrocephalus	35	1	..	36	34	34
Apoplexy	1	11	9	21	20	17
Paralysis	..	7	6	13	17	14
Convulsions	47	..	..	47	59	57
Epilepsy	1	1	..	2	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	8	5	5	18	9	9
Diseases of the Brain, Nerves, and Senses.	99	27	20	146	157	148
Quinsey (2)	1	2	..	3	1	1
Bronchitis	6	9	6	21	17	10
Pleurisy	1	1	..	2	2	1
Pneumonia	62	10	7	‡80	90	73
Hydrothorax	..	1	3	4	7	5
Asthma	..	6	10	16	47	24
Consumption	24	113	3	140	141	140
Dis. of Lungs, &c.	5	9	4	18	17	14
Diseases of the Lungs, and other Organs of Respiration	99	151	33	‡284	322	268
Pericarditis	..	1	..	1	1	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	1	6	7	14	19	17
Diseases of the Heart and Bloodvessels.	1	7	7	15	21	18
Teething	19	..	..	19	15	17
Gastritis—Enteritis	3	9	2	14	14	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	6	..	..	6	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	1	..	1	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus	..	..	1	1	2	2
Dis. of Stomach, &c (3)	..	3	3	6	6	6
Hepatitis	..	1	..	1	1	1
Jaundice	..	1	1	2	2	2
Dis. of Liver, &c.	2	7	3	12	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	30	24	11	65	56	62

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average† during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	1	..	1	.4	.4
Stricture	..	..	1	1	.4	.4
Dis. of Kidneys, &c.	..	1	2	3	3	3
Diseases of the Kidneys, &c.	..	2	3	5	5	5
Childbed	..	11	..	11	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	4	..	4	2	2
Childbed, Diseases of the Uterus, &c.	..	15	..	15	10	9
Rheumatism	1	1	1	3	3	3
Dis. of Joints, &c.	..	1	..	1	3	3
Diseases of the Joints, Bones and Muscles	1	2	1	4	6	6
Ulcer	..	1	..	1	.6	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c. (4)	1	1	..	2	.6	.3
Diseases of the Skin, &c.	1	2	..	3	2	1
Inflammation	3	..	..	3	12	9
Hæmorrhage	1	2	..	3	3	3
Dropsy	3	18	17	38	37	34
Abscess	1	..	..	1	4	4
Mortification	2	..	5	7	5	4
Scrofula	1	2	..	3	2	2
Carcinoma	..	2	2	4	7	7
Tumor	..	2	..	2	2	2
Gout	..	1	..	1	1	1
Atrophy	4	1	..	5	5	6
Debility	13	4	..	17	20	18
Malformations	2	..	..	2	1	1
Sudden Deaths	3	2	3	8	17	14
Diseases of Uncertain Seat	33	34	27	94	116	105
Old Age, or Natural Decay	..	..	67	67	88	68
Intemperance	..	1	..	1	.4	.6
Privation (5)	1	..	..	1	1	.5
Violent Deaths	7	8	5	20	26	24
Deaths by Violence, Privation, or Intemperance	8	9	5	22	27	25
Causes not specified	4	8	..	12	7	6
Deaths from all Causes	362	320	181	‡864	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Remittent Fever 1, Age 2.
(2) Laryngitis 1, Age 36.
(3) Hematemesis 1, Age 64.
(4) Absorbent Inflammation of Arm, and Fever 1, Age 17.
(5) Found dead—death caused by neglect, newly born.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	120
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	161
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	174
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	176
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	233
TOTAL. Males, 143. Females, 421. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	864

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 11 cases of Small Pox, 7 were Unvaccinated; in 2 the circumstance is not stated.

‡ The Total includes 1 case of Pneumonia of which the age is not stated.

General Register Office, February 16th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th February, 1843.

§	Weeks ending Feb. 11th	Feb. 18th*	Feb. 1831-40.
Mean height of barometer	in. 29.889	in. 29.574	in. 29.811
Rain (weekly)	.482	None	.276
Mean Dryness	1°.5	1°.3	2°.0

Wind N. 2 days; N.E. 2; N.N.W. 1; E. 2.

1843.

Temperature. §	Weeks ending Feb. 11th	Feb. 18th	Feb. 1831-40.
Highest	40°	42°	60°
Lowest	32°	24°	25°
Daily Mean	37°	33°	41°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Small Pox (1)	15	1	..	‖16	30	27
Measles	23	1	..	24	17	23
Scarlatina	24	..	..	24	22	30
Hooping Cough	27	..	..	27	47	32
Croup	11	..	..	11	8	7
Thrush	4	..	..	4	3	5
Diarrhœa	3	..	2	5	5	9
Dysentery	..	3	..	3	1	2
Cholera	..	..	..	..	..	1
Influenza	1	1	2	4	4	2
Typhus	6	12	5	‡24	44	37
Erysipelas	1	4	1	6	6	6
Syphilis	..	1	..	1	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	115	23	10	‡149	187	182
Cephalitis	8	1	1	10	11	11
Hydrocephalus	26	1	..	27	34	34
Apoplexy	4	11	9	24	20	17
Paralysis	..	6	12	18	17	14
Convulsions	54	..	..	54	59	57
Epilepsy	2	1	3	6	5	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c, (2)	6	6	2	14	9	9
Diseases of the Brain, Nerves, and Senses.	100	26	28	154	157	148
Quinsey	1	1	..	2	1	1
Bronchitis	6	4	6	16	17	10
Pleurisy	..	2	1	3	2	1
Pneumonia	48	9	4	61	90	73
Hydrothorax	1	1	1	3	7	5
Asthma	..	19	17	36	47	24
Consumption	21	120	6	147	141	140
Dis. of Lungs, &c.	5	15	9	29	17	14
Diseases of the Lungs, and other Organs of Respiration	82	171	44	297	322	268
Pericarditis	..	1	..	1	1	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	5	11	5	21	19	17
Diseases of the Heart and Bloodvessels.	5	12	5	22	21	18
Teething	9	..	..	9	15	17
Gastritis—Enteritis	8	2	..	10	14	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	9	..	..	9	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	1	1	2	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	1	1	..	2	2	2
Dis. of Stomach, &c (3)	1	1	1	3	6	6
Hepatitis	..	..	..	..	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	..	8	1	9	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	28	15	5	48	56	62

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.4	.4
Dis. of Kidneys, &c.	..	3	..	3	3	3
Diseases of the Kidneys, &c.	..	4	..	4	5	5
Childbed	..	12	..	12	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	13	..	13	10	9
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	2	2	..	4	3	3
Diseases of the Joints, Bones and Muscles	2	3	..	5	6	6
Ulcer	..	1	..	1	.6	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c. (4)	1	..	..	1	.6	.3
Diseases of the Skin, &c.	1	2	..	3	2	1
Inflammation	2	2	..	4	12	9
Hæmorrhage	..	4	1	5	3	3
Dropsy	7	24	8	39	37	34
Abscess	1	..	..	1	4	4
Mortification	..	3	..	3	5	4
Scrofula (5)	1	1	..	2	2	2
Carcinoma	..	4	1	5	7	7
Tumor	..	..	2	2	2	2
Gout	..	..	1	1	1	1
Atrophy	2	1	3	6	5	6
Debility	12	4	..	16	20	18
Malformations	1	..	..	1	1	1
Sudden Deaths	2	10	7	19	17	14
Diseases of Uncertain Seat	28	53	23	104	116	105
Old Age, or Natural Decay	..	..	96	96	88	68
Intemperance	..	..	1	1	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	8	9	4	21	26	24
Deaths by Violence, Privation, or Intemperance	8	9	5	22	27	25
Causes not specified	2	2	..	4	7	6
Deaths from all Causes	371	333	216	‡921	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Chicken Pox 1, Age 2.
(2) Tetanus 1, Age 48.
(3) Stricture of the Bowels 1, Age 44.
(4) Inflammation of the Back 1, Age 9 days.
(5) Purpura 1, Age 26.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	132
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	173
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	179
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	215
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	222
TOTAL. Males, 422. Females, 499. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	921

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 15 cases of Small Pox, 8 were Unvaccinated; of these, 1 is stated to be "2nd attack of Small Pox, without previous Vaccination," age 2½ years; in one case the circumstance is not stated.

‡ The Total includes 1 case of Fever of which the age is not stated.

General Register Office, February 22nd, 1843.

§	Weeks ending Feb 18th	Feb. 25th*	Feb. 1831-40.
Mean height of Barometer	in 29.574	in. 29 416	in 29.811
Rain (weekly)	None	.535	.276
Mean Dryness	1°.3	1°.3	2°.0

Wind N. 1 day; N.E. 1; E. 1; E.N.E. 2; S.E. 1; S.S.E. 1. Rain on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th February, 1843.

1843.

Temperature. §	Weeks ending Feb 18th	Feb. 25th	Feb. 1831-40.
Highest ...	42°	50°	60°
Lowest....	24°	32°	25°
Daily Mean	33°	41°	41°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Winters 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Small Pox	5	..	..	‖ 5	30	27
Measles	14	..	..	14	17	23
Scarlatina	20	2	..	22	22	30
Hooping Cough	52	..	..	52	47	32
Croup	11	..	..	11	8	7
Thrush	5	..	..	5	3	5
Diarrhœa	4	..	..	4	5	9
Dysentery	2	..	..	2	1	2
Cholera	1	1	..	2	..	1
Influenza	..	2	1	3	4	2
Typhus	8	23	6	37	44	37
Erysipelas	2	..	1	3	6	6
Syphilis	1	..	..	1	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	125	28	8	161	187	182
Cephalitis	8	..	..	8	11	11
Hydrocephalus	38	1	..	39	34	34
Apoplexy	2	14	9	25	20	17
Paralysis	..	7	8	15	17	14
Convulsions	69	..	..	69	59	57
Epilepsy	..	6	2	8	5	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	3	..	3	1	1
Dis. of Brain, &c.	2	6	1	9	9	9
Diseases of the Brain, Nerves, and Senses.	119	38	20	177	157	148
Quinsey (1)	3	1	..	4	1	1
Bronchitis	1	14	10	25	17	10
Pleurisy	..	2	..	2	2	1
Pneumonia	66	17	6	89	90	73
Hydrothorax	2	3	3	8	7	5
Asthma	..	13	24	37	47	24
Consumption	22	105	10	137	141	140
Dis. of Lungs, &c.	1	11	7	19	17	14
Diseases of the Lungs, and other Organs of Respiration	95	166	60	321	322	268
Pericarditis	..	..	..	..	1	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	5	15	3	23	19	17
Diseases of the Heart and Bloodvessels.	5	15	3	23	21	18
Teething	18	..	..	18	15	17
Gastritis—Enteritis	7	8	2	17	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	6	..	..	6	4	4
Ascites	..	2	..	2	.4	.5
Ulceration	..	1	..	1	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c	1	1	2	4	6	6
Hepatitis	..	..	..	..	1	1
Jaundice	2	..	..	2	2	2
Dis. of Liver, &c.	2	5	1	8	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	36	18	6	60	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Winters 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Nephritis	..	..	1	1	.6	.4
Diabetes	..	1	..	1	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.4	.4
Dis. of Kidneys, &c.	..	4	..	4	3	3
Diseases of the Kidneys, &c	..	6	1	7	5	5
Childbed	..	11	..	11	8	7
Ovarian Dropsy	..	2	..	2	.3	.2
Dis. of Uterus, &c. (2)	..	1	3	4	2	2
Childbed, Diseases of the Uterus, &c.	..	14	3	17	10	9
Rheumatism	1	..	..	1	3	3
Dis. of Joints, &c.	1	1	..	2	3	3
Diseases of the Joints, Bones and Muscles	2	1	..	3	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.6	.3
Diseases of the Skin, &c.	..	..	..	..	2	1
Inflammation	3	1	1	5	12	9
Hæmorrhage	..	..	..	..	3	3
Dropsy	2	16	11	29	37	34
Abscess	1	2	..	3	4	4
Mortification	..	4	3	7	5	4
Scrofula	1	2	..	3	2	2
Carcinoma	..	4	2	6	7	7
Tumor	1	..	..	1	2	2
Gout	..	..	1	1	1	1
Atrophy	4	1	..	5	5	6
Debility	19	5	..	24	20	18
Malformations	3	..	..	3	1	1
Sudden Deaths	7	7	6	20	17	14
Diseases of Uncertain Seat	41	42	24	107	116	105
Old Age, or Natural Decay	..	..	107	107	88	68
Intemperance	..	..	1	1	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	10	6	2	18	26	24
Deaths by Violence, Privation, or Intemperance	10	6	3	19	27	25
Causes not specified	..	..	1	1	7	6
Deaths from all Causes	433	334	236	1003	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Laryngismus stridulus 1, Age 7 months. Laryngitis 2, Ages respectively, 2 and 5 years.

(2) Paramenia 1, Age 50.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	145
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	181
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	206
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	219
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	252
TOTAL.	Males, 515. Females, 488 (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	1003

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,591,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 5 cases of Small Pox, 3 were Unvaccinated; in one the circumstance is not stated.

General Register Office, March 1st, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th March, 1843.

§	Weeks ending Feb. 25th	Mar. 4th	Feb. 1831-40.
Mean height of barometer	in. 29.416	in. 29.648	in. 29.811
Rain (weekly)	.535	.569	.276
Mean Dryness	1°.3	1°.6	2°.0

Wind N. 2 days; N.W. 2; N.N.W. 2; N.E. 1. Rain on 3 days.

1843.

Temperature. §	Weeks ending Feb. 25th	Mar. 4th	Feb. 1831-40.
Highest....	50°	42°	60°
Lowest....	32°	31°	25°
Daily Mean	41°	37°	41°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Small Pox	9	..	..	‖ 9	30	27
Measles	16	..	..	16	17	23
Scarlatina	24	5	..	29	22	30
Hooping Cough	39	..	..	39	47	32
Croup	12	..	..	12	8	7
Thrush	1	..	..	1	3	5
Diarrhœa	5	2	1	8	5	9
Dysentery	1	2	..	3	1	2
Cholera	..	..	..	..	..	1
Influenza	..	2	1	3	4	2
Typhus (1)	16	30	11	‡58	44	37
Erysipelas	4	..	1	5	6	6
Syphilis	1	..	..	1	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	128	41	14	‡184	187	182
Cephalitis	4	1	..	5	11	11
Hydrocephalus	20	1	..	21	34	34
Apoplexy	1	9	10	20	20	17
Paralysis	..	11	12	23	17	14
Convulsions	52	1	..	53	59	57
Epilepsy	..	2	2	4	5	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c.	7	4	1	12	9	9
Diseases of the Brain, Nerves, and Senses.	84	30	25	139	157	148
Quinsey	..	..	..	..	1	1
Bronchitis	4	6	8	18	17	10
Pleurisy	..	..	..	..	2	1
Pneumonia	69	8	5	82	90	73
Hydrothorax	2	3	1	6	7	5
Asthma	1	19	32	52	47	24
Consumption	29	122	12	163	141	140
Dis. of Lungs, &c.	5	9	9	23	17	14
Diseases of the Lungs, and other Organs of Respiration	110	167	67	344	322	268
Pericarditis	..	1	..	1	1	.5
Aneurism	1	1	..	2	.6	.5
Dis. of Heart, &c.	3	18	5	26	19	17
Diseases of the Heart and Bloodvessels.	4	20	5	29	21	18
Teething	16	..	..	16	15	17
Gastritis—Enteritis	7	2	1	10	14	18
Peritonitis	1	1	..	2	1	1
Tabes Mesenterica	6	..	..	6	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	1	1	2	4	2	2
Colic or Ileus (2)	1	2	..	3	2	2
Dis. of Stomach, &c	2	..	1	3	6	6
Hepatitis	..	2	1	3	1	1
Jaundice	1	3	2	6	2	2
Dis. of Liver, &c.	1	6	1	8	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	36	17	8	61	56	62

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.4	.4
Dis. of Kidneys, &c.	..	4	..	4	3	3
Diseases of the Kidneys, &c.	..	5	..	5	5	5
Childbed	..	11	..	11	8	7
Ovarian Dropsy	..	2	..	2	.3	.2
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	14	..	14	10	9
Rheumatism	..	..	1	1	3	3
Dis. of Joints, &c.	3	1	..	4	3	3
Diseases of the Joints, Bones and Muscles	3	1	1	5	6	6
Ulcer	..	1	1	2	.6	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.6	.3
Diseases of the Skin, &c.	..	1	1	2	2	1
Inflammation	3	2	..	5	12	9
Hæmorrhage	..	1	..	1	3	3
Dropsy	3	17	15	35	37	34
Abscess	4	3	..	7	4	4
Mortification	..	4	..	4	5	4
Scrofula	1	..	..	1	2	2
Carcinoma	1	2	1	4	7	7
Tumor	..	1	1	2	2	2
Gout	..	3	..	3	1	1
Atrophy	7	2	5	14	5	6
Debility	21	4	7	32	20	18
Malformations	..	..	..	..	1	1
Sudden Deaths	4	13	5	22	17	14
Diseases of Uncertain Seat	44	52	34	130	116	105
Old Age, or Natural Decay	..	..	86	86	88	68
Intemperance	..	2	..	2	.4	.6
Privation	..	..	1	1	1	.5
Violent Deaths	6	5	7	18	26	24
Deaths by Violence, Privation, or Intemperance	6	7	8	21	27	25
Causes not specified	..	1	..	1	7	6
Deaths from all Causes	415	356	249	‡1021	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Remittent Fever 1, Age 6.
(2) Painters' Colic 1, Age 28.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	155
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	211
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	196
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	194
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	265
TOTAL	Males, 518. Females, 503. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	1021

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ Of 9 cases of Small Pox, 6 were Unvaccinated; in 2 the circumstance was not stated.

‡ The age of 1 person who died of Typhus was not stated.

General Register Office, March 9th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 11th March, 1843.

§	Weeks ending Mar. 4th	Weeks ending Mar. 11th*	Mar. 1831-40.
Mean height of barometer	in. 29.648	in. 30.236	in. 29.856
Rain (weekly)	.569	None	.175
Mean Dryness	1°.6	2°.5	2°.8

*Wind N. 2 days; S. 3; S.S.E. 1; E. 1.

1843.

Temperature. §	Weeks ending Mar. 4th	Weeks ending Mar. 11th	Mar. 1831-40.
Highest....	42°	48°	64°
Lowest....	31°	30°	26°
Daily Mean	37°	38°	42°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	11	..	..	‖11	30	27
Measles	10	..	..	10	17	23
Scarlatina	18	3	..	21	22	30
Hooping Cough	49	..	..	49	47	32
Croup	4	..	..	4	8	7
Thrush	5	..	1	6	3	5
Diarrhœa	3	1	..	4	5	9
Dysentery	..	3	..	3	1	2
Cholera	..	1	..	1	..	1
Influenza	..	1	..	1	4	2
Typhus (1)	9	37	9	¶55	44	37
Erysipelas	2	1	..	3	6	6
Syphilis	1	..	..	1	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	112	47	10	169	187	182
Cephalitis	11	2	..	13	11	11
Hydrocephalus	33	..	..	33	34	34
Apoplexy	..	8	6	14	20	17
Paralysis	..	10	14	24	17	14
Convulsions	60	1	..	61	59	57
Epilepsy	..	5	1	6	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	4	3	2	9	9	9
Diseases of the Brain, Nerves, and Senses.	108	31	23	162	157	148
Quinsey	1	..	..	1	1	1
Bronchitis	4	11	11	26	17	10
Pleurisy	..	3	2	5	2	1
Pneumonia	81	26	7	‡115	90	73
Hydrothorax	1	4	5	10	7	5
Asthma	1	26	20	47	47	24
Consumption	24	112	7	143	141	140
Dis. of Lungs, &c.	5	9	4	18	17	14
Diseases of the Lungs, and other Organs of Respiration	117	191	56	‡365	322	268
Pericarditis	..	1	..	1	1	.5
Aneurism	..	1	..	1	.6	.5
Dis. of Heart, &c.	1	24	2	27	19	17
Diseases of the Heart and Bloodvessels.	1	26	2	29	21	18
Teething	15	..	..	15	15	17
Gastritis—Enteritis	4	5	2	11	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	9	..	..	9	4	4
Ascites	..	1	..	1	.4	.5
Ulceration	..	..	..	..	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	1	2	1	4	2	2
Dis. of Stomach, &c (2)	1	1	2	4	6	6
Hepatitis	..	3	..	3	1	1
Jaundice	1	..	..	1	2	2
Dis. of Liver, &c.	..	5	2	7	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	31	17	7	55	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	1	1	2	.6	.4
Diabetes	..	1	..	1	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	1	1	.4	.4
Dis. of Kidneys, &c.	..	2	2	4	3	3
Diseases of the Kidneys, &c.	..	4	4	8	5	5
Childbed	..	6	..	6	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	10	9
Rheumatism	1	1	1	3	3	3
Dis. of Joints, &c.	..	2	..	2	3	3
Diseases of the Joints, Bones and Muscles	1	3	1	5	6	6
Ulcer	..	..	1	1	.6	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	1	1	..	2	.6	.3
Diseases of the Skin, &c.	1	2	1	4	2	1
Inflammation	4	1	..	5	12	9
Hæmorrhage	1	1	1	3	3	3
Dropsy	2	17	16	35	37	34
Abscess	2	4	1	7	4	4
Mortification	..	1	3	4	5	4
Scrofula (3)	1	2	..	3	2	2
Carcinoma	..	6	1	7	7	7
Tumor	..	3	..	3	2	2
Gout	..	..	1	1	1	1
Atrophy	5	1	1	7	5	6
Debility	12	4	5	21	20	18
Malformations	..	..	..	..	1	1
Sudden Deaths	6	9	2	17	17	14
Diseases of Uncertain Seat	33	49	31	113	116	105
Old Age, or Natural Decay	..	..	101	101	88	68
Intemperance	..	..	..	..	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	5	10	5	20	26	24
Deaths by Violence, Privation, or Intemperance	5	10	5	20	27	25
Causes not specified	..	..	..	..	7	6
Deaths from all Causes	409	389	241	‡1040	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Ague 1, Age 9 Months. Remittent Fever 2, Ages 6 & 3.
(2) Stricture of œsophagus 1, Age 66.
(3) Purpura 1, Age 3.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	149
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	226
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	177
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	228
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	260
TOTAL	Males, 528. Females, 512. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	1040

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 9 of the 11 persons who died of Small Pox had not been vaccinated.

‡ The age of 1 person who died of Pneumonia was not stated.

¶ Of the 55 deaths by TYPHUS, 11 occurred in the District of St. Pancras, (including the Fever Hospital); 8 in Greenwich; 4 in Westminster (St. Margaret); 4 in Bermondsey (St. Mary Magdalen); 3 in Marylebone (Rectory); 3 in West London (North District); 2 in St. Giles in the Fields; 2 in Newington (St. Peter); and 1 in Whitechapel (Spitalfields).

General Register Office, March 16th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th March, 1843.

§	Weeks ending Mar. 11th	Weeks ending Mar. 18th*	Mar. 1831-40.
Mean height of barometer	in. 30.236	in. 29.785	in. 29.856
Rain (weekly)	None	.088	.175
Mean Dryness	2°.5	2°.4	2°.8

*Wind S. 3 days; S.W. 1; W. 2; N. 1. Rain on 2 days.

1843.

Temperature. §	Weeks ending Mar. 11th	Weeks ending Mar. 18th	Mar. 1831-40.
Highest....	48°	59°	64°
Lowest....	30°	39°	26°
Daily Mean	38°	48°	42°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	10	..	..	‖10	30	27
Measles	18	..	..	18	17	23
Scarlatina	17	3	1	21	22	30
Hooping Cough	50	..	..	50	47	32
Croup	8	..	..	8	8	7
Thrush	2	..	..	2	3	5
Diarrhœa	3	..	..	3	5	9
Dysentery	1	2	..	3	1	2
Cholera	..	..	..	..	..	1
Influenza	1	..	2	3	4	2
Typhus	18	33	6	‡ ¶59	44	37
Erysipelas	1	1	..	2	6	6
Syphilis	2	1	..	3	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	131	40	9	‡182	187	182
Cephalitis	8	2	1	11	11	11
Hydrocephalus	32	..	..	32	34	34
Apoplexy	..	11	17	28	20	17
Paralysis	2	9	8	19	17	14
Convulsions	49	2	..	51	59	57
Epilepsy	..	2	1	3	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	3	..	2	5	9	9
Diseases of the Brain, Nerves, and Senses.	94	28	29	151	157	148
Quinsey	1	..	..	1	1	1
Bronchitis	10	7	15	32	17	10
Pleurisy	..	..	1	1	2	1
Pneumonia	73	18	8	‡101	90	73
Hydrothorax	2	2	5	9	7	5
Asthma	..	15	32	47	47	24
Consumption	19	120	6	145	141	140
Dis. of Lungs, &c. (1)	8	6	7	21	17	14
Diseases of the Lungs, and other Organs of Respiration	113	168	74	‡357	322	268
Pericarditis	..	..	..	..	1	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	2	9	3	14	19	17
Diseases of the Heart and Bloodvessels.	2	9	3	14	21	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	4	5	2	11	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	5	..	..	5	4	4
Ascites	..	..	2	2	.4	.5
Ulceration	..	2	..	2	1	1
Hernia	1	..	2	3	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c	..	..	..	..	6	6
Hepatitis	..	1	..	1	1	1
Jaundice	..	2	1	3	2	2
Dis. of Liver, &c.	1	7	3	11	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	25	17	10	52	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	1	1	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	1	1	1	3	3	3
Diseases of the Kidneys, &c.	1	1	2	4	5	5
Childbed	..	7	..	7	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	10	9
Rheumatism	..	5	..	5	3	3
Dis. of Joints, &c.	..	1	1	2	3	3
Diseases of the Joints, Bones and Muscles	..	6	1	7	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	1	1	2	.3	.3
Dis. of Skin, &c.	..	..	..	..	.6	.3
Diseases of the Skin, &c.	..	1	1	2	2	1
Inflammation	2	2	..	4	12	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	2	18	15	35	37	34
Abscess	2	4	1	7	4	4
Mortification	1	1	1	3	5	4
Scrofula	2	2	1	5	2	2
Carcinoma	..	5	1	6	7	7
Tumor	..	..	1	1	2	2
Gout	..	..	..	..	1	1
Atrophy	8	1	1	10	5	6
Debility	15	3	10	28	20	18
Malformations	..	..	..	..	1	1
Sudden Deaths	1	4	3	8	17	14
Diseases of Uncertain Seat	33	42	34	109	116	105
Old Age, or Natural Decay	..	..	91	91	88	68
Intemperance	..	..	..	..	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	6	9	2	17	26	24
Deaths by Violence, Privation, or Intemperance	6	9	2	17	27	25
Causes not specified	..	..	..	..	7	6
Deaths from all Causes	405	330	256	‡995	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Laryngitis 1, Age 2.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	148
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	214
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	184
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	225
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	224
TOTAL. Males, 529. Females, 466. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	995

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 7 of the 10 persons who died of Small Pox had not been vaccinated.

‡ The ages of 2 persons who died of Typhus, and 2 who died of Pneumonia were not stated.

¶ Of the 59 deaths by TYPHUS, 21 occurred in the District of St. Pancras, (including the Fever Hospital); 4 in Kensington; 3 in Marylebone; 3 in St. Luke; 3 in Whitechapel; 3 in St. George, Southwark; 3 in Lambeth; 2 in Westminster; 2 in St. Martin in the Fields; 2 in Hackney; 2 in Holborn; 2 in West London; 2 in Shoreditch; 2 in St. Olave; 1 in St. James, Westminster; 1 in Clerkenwell; 1 in East London; 1 in Stepney; and 1 in Newington (St. Mary).

General Register Office, March 23rd, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th March, 1843.

§	Weeks ending Mar. 11th	Weeks ending Mar. 18th*	Mar. 1831-40.
Mean height of barometer	in. 30.236	in. 29.785	in. 29.856
Rain (weekly)	None	.088	.175
Mean Dryness	2°.5	2°.4	2°.8

Wind S. 3 days; S.W. 1; W. 2; N. 1. Rain on 2 days.

1843.

Temperature. §	Weeks ending Mar. 11th	Weeks ending Mar. 18th	Mar. 1831-40.
Highest....	48°	59°	64°
Lowest....	30°	39°	26°
Daily Mean	38°	48°	42°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	10	..	..	‖10	30	27
Measles	18	..	..	18	17	23
Scarlatina	17	3	1	21	22	30
Hooping Cough	50	..	..	50	47	32
Croup	8	..	..	8	8	7
Thrush	2	..	..	2	3	5
Diarrhœa	3	..	..	3	5	9
Dysentery	1	2	..	3	1	2
Cholera	..	..	..	..	..	1
Influenza	1	..	2	3	4	2
Typhus	18	33	6	‡ ¶59	44	37
Erysipelas	1	1	..	2	6	6
Syphilis	2	1	..	3	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	131	40	9	‡182	187	182
Cephalitis	8	2	1	11	11	11
Hydrocephalus	32	..	..	32	34	34
Apoplexy	..	11	17	28	20	17
Paralysis	2	9	8	19	17	14
Convulsions	49	2	..	51	59	57
Epilepsy	..	2	1	3	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	3	..	2	5	9	9
Diseases of the Brain, Nerves, and Senses.	94	28	29	151	157	148
Quinsey	1	..	..	1	1	1
Bronchitis	10	7	15	32	17	10
Pleurisy	..	..	1	1	2	1
Pneumonia	73	18	8	‡101	90	73
Hydrothorax	2	2	5	9	7	5
Asthma	..	15	32	47	47	24
Consumption	19	120	6	145	141	140
Dis. of Lungs, &c. (1)	8	6	7	21	17	14
Diseases of the Lungs, and other Organs of Respiration	113	168	74	‡357	322	268
Pericarditis	..	..	..	..	1	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	2	9	3	14	19	17
Diseases of the Heart and Bloodvessels.	2	9	3	14	21	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	4	5	2	11	14	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	5	..	..	5	4	4
Ascites	..	..	2	2	.4	.5
Ulceration	..	2	..	2	1	1
Hernia	1	..	2	3	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c	..	..	..	..	6	6
Hepatitis	..	1	..	1	1	1
Jaundice	..	2	1	3	2	2
Dis. of Liver, &c.	1	7	3	11	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	25	17	10	52	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	1	1	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	1	1	1	3	3	3
Diseases of the Kidneys, &c.	1	1	2	4	5	5
Childbed	..	7	..	7	8	7
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	10	9
Rheumatism	..	5	..	5	3	3
Dis. of Joints, &c.	..	1	1	2	3	3
Diseases of the Joints, Bones and Muscles	..	6	1	7	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	1	1	2	.3	.3
Dis. of Skin, &c.	..	..	..	..	.6	.3
Diseases of the Skin, &c.	..	1	1	2	2	1
Inflammation	2	2	..	4	12	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	2	18	15	35	37	34
Abscess	2	4	1	7	4	4
Mortification	1	1	1	3	5	4
Scrofula	2	2	1	5	2	2
Carcinoma	..	5	1	6	7	7
Tumor	..	..	1	1	2	2
Gout	..	..	..	..	1	1
Atrophy	8	1	1	10	5	6
Debility	15	3	10	28	20	18
Malformations	..	..	..	..	1	1
Sudden Deaths	1	4	3	8	17	14
Diseases of Uncertain Seat	33	42	34	109	116	105
Old Age, or Natural Decay	..	..	91	91	88	68
Intemperance	..	..	..	..	.4	.6
Privation	..	..	..	..	1	.5
Violent Deaths	6	9	2	17	26	24
Deaths by Violence, Privation, or Intemperance	6	9	2	17	27	25
Causes not specified	..	..	..	..	7	6
Deaths from all Causes	405	330	256	‡995	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Laryngitis 1, Age 2.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	148
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	214
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	184
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	225
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	224
TOTAL. Males, 529. Females, 466. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	995

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 7 of the 10 persons who died of Small Pox had not been vaccinated.

‡ The ages of 2 persons who died of Typhus, and 2 who died of Pneumonia were not stated.

¶ Of the 59 deaths by TYPHUS, 21 occurred in the District of St. Pancras, (including the Fever Hospital); 4 in Kensington; 3 in Marylebone; 3 in St. Luke; 3 in Whitechapel; 3 in St. George, Southwark; 3 in Lambeth; 2 in Westminster; 2 in St. Martin in the Fields; 2 in Hackney; 2 in Holborn; 2 in West London; 2 in Shoreditch; 2 in St. Olave; 1 in St. James, Westminster; 1 in Clerkenwell; 1 in East London; 1 in Stepney; and 1 in Newington (St. Mary).

General Register Office, March 23rd, 1843.

§	Weeks ending Mar. 18th	Weeks ending Mar. 25th*	Mar. 1831-40.
	in.	in.	in.
Mean height of barometer	29.785	29.569	29.856
Rain (weekly)	.088	.163	.175
Mean Dryness	2°.4	3°.4	2°.8

Wind E. 3 days; N.E. 3; S.S.E. 1. Rain on 1 day.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th March, 1843.

1843.

Temperature. §	Weeks ending Mar. 18th	Weeks ending Mar. 25th	Mar. 1831-40.
Highest....	59°	61°	64°
Lowest....	39°	41°	26°
Daily Mean	48°	52°	42°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	3	2	..	‖ 5	30	27
Measles	22	..	..	22	17	23
Scarlatina	22	..	..	22	22	30
Hooping Cough	38	..	..	38	47	32
Croup	8	..	..	8	8	7
Thrush	2	..	..	2	3	5
Diarrhœa	2	1	3	6	5	9
Dysentery	..	3	..	3	1	2
Cholera	..	..	..	..	..	1
Influenza	..	3	3	6	4	2
Typhus (1)	13	30	6	‡ ¶50	44	37
Erysipelas	2	1	1	4	6	6
Syphilis	1	1	..	2	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	113	41	13	‡168	187	182
Cephalitis	8	..	..	8	11	11
Hydrocephalus	37	..	..	37	34	34
Apoplexy	..	5	9	14	20	17
Paralysis	..	10	7	17	17	14
Convulsions	67	2	..	69	59	57
Epilepsy	1	8	1	10	5	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c.	4	8	3	15	9	9
Diseases of the Brain, Nerves, and Senses.	117	33	20	170	157	148
Quinsey	3	..	..	‡4	1	1
Bronchitis	5	5	4	14	17	10
Pleurisy	..	1	..	1	2	1
Pneumonia	72	7	6	85	90	73
Hydrothorax	1	4	2	7	7	5
Asthma	..	11	18	29	47	24
Consumption	17	107	12	136	141	140
Dis. of Lungs, &c.	1	10	5	16	17	14
Diseases of the Lungs, and other Organs of Respiration	99	145	47	‡292	322	268
Pericarditis	..	1	1	2	1	.5
Aneurism	..	2	..	2	.6	.5
Dis. of Heart, &c.	1	13	4	18	19	17
Diseases of the Heart and Bloodvessels.	1	16	5	22	21	18
Teething	22	..	..	22	15	17
Gastritis—Enteritis	6	7	1	14	14	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	7	1	..	8	4	4
Ascites	..	..	..	..	.4	.5
Ulceration	..	3	..	3	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c (2)	1	2	..	‡4	6	6
Hepatitis	..	..	..	..	1	1
Jaundice	1	..	1	2	2	2
Dis. of Liver, &c.	1	9	3	13	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	38	23	6	‡68	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Winters 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	...	1	..	1	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.4	.4
Dis. of Kidneys, &c. (3)	..	2	2	4	3	3
Diseases of the Kidneys, &c.	..	4	2	6	5	5
Childbed	..	3	..	3	8	7
Ovarian Dropsy	..	1	..	1	.3	.2
Dis. of Uterus, &c.	..	6	..	6	2	2
Childbed, Diseases of the Uterus, &c.	..	10	..	10	10	9
Rheumatism	1	..	..	1	3	3
Dis. of Joints, &c.	1	2	3	6	3	3
Diseases of the Joints, Bones and Muscles	2	2	3	7	6	6
Ulcer	..	..	1	1	.6	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.6	.3
Diseases of the Skin, &c.	..	..	1	1	2	1
Inflammation	2	2	..	4	12	9
Hæmorrhage	..	..	..	..	3	3
Dropsy	3	20	15	38	37	34
Abscess	..	1	1	2	4	4
Mortification	..	..	1	1	5	4
Scrofula	1	..	..	1	2	2
Carcinoma	..	4	6	10	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	2	..	1	3	5	6
Debility	24	5	6	35	20	18
Malformations	2	..	..	2	1	1
Sudden Deaths	5	9	13	27	17	14
Diseases of Uncertain Seat	39	42	43	124	116	105
Old Age, or Natural Decay	..	..	72	72	88	68
Intemperance	..	..	..	..	.4	.6
Privation	..	3	1	**4	1	.5
Violent Deaths	10	16	11	‡38	26	24
Deaths by Violence, Privation, or Intemperance	10	19	12	‡42	27	25
Causes not specified	1	1	2	4	7	6
Deaths from all Causes	420	336	226	‡986	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Remittent Fever 1, Age 6 Months.
(2) Worms 1, Age 3 Months. Hematemesis 1, Age not specified.
(3) Ischuria 1, Age 73. Cystitis 1, Age 70.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2: 5 Years	Average Weekly Deaths, 1838-39-40-1-2: 5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	136
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	220
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	198
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	225
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	207
TOTAL	Males, 512. Females, 474 (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	1004	986

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 3 of the 5 persons who died of Small Pox had not been vaccinated.

‡ The ages of 4 persons were not stated; one died from Typhus, one from Quinsey, one from Hæmatemesis, and one by Violence.

¶ Of the 49 deaths by TYPHUS, 13 occurred in the District of St. Pancras, (including the Fever Hospital; 5 in Lambeth; 4 in Marylebone; 4 in Shoreditch; 2 in Kensington; 2 in St Martin in the Fields; 2 in Hackney; 2 in Holborn; 2 in West London; 2 in Whitechapel; 2 in Stepney; 2 in St. Olave; 2 in Greenwich; 1 in Westminster; 1 in St. Giles & St. George; 1 in St. Saviour; 1 in Newington (St. Mary); and 1 in Camberwell.

** Of the 4 Deaths from Starvation, 2 were registered "Exhaustion, consequent upon the want of the necessaries of life—Inquest," Ages 53 & 80; 1 "Destitution," Age 43; and 1 "Starvation," Age 27.

General Register Office, March 30th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st April, 1843.

§	Weeks ending Mar. 25th	April 1st*	Mar. 1831-40.
Mean height of barometer	in. 29.569	in. 29.682	in. 29.856
Rain (weekly)	.163	.138	.175
Mean Dryness	3°.4	4°.1	2°.8

Wind N. 1 day; N.E. 1; E.N.E. 2; S.3. Rain on 2 days.

1843.

Temperature. §	Weeks ending Mar. 25th	April 1st	Mar. 1831-40.
Highest....	61°	58°	64°
Lowest....	41°	34°	26°
Daily Mean	52°	46°	42°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Winters 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	7	1	..	‖ 8	30	27
Measles	17	..	..	17	17	23
Scarlatina	21	1	..	22	22	30
Hooping Cough	37	..	..	37	47	32
Croup	6	..	..	6	8	7
Thrush	5	..	..	5	3	5
Diarrhœa	6	..	3	9	5	9
Dysentery	1	2	..	3	1	2
Cholera	..	..	..	..	..	1
Influenza	..	1	1	2	4	2
Typhus (1)	5	32	9	‡ ¶ 47	44	37
Erysipelas	..	..	3	3	6	6
Syphilis	..	..	..	..	.7	1
Hydrophobia	..	..	..	..	..	..
Epidemic, Endemic, & Contagious Diseases	105	37	16	‡159	187	182
Cephalitis	9	3	..	12	11	11
Hydrocephalus	27	..	..	27	34	34
Apoplexy	..	4	6	10	20	17
Paralysis	..	10	11	21	17	14
Convulsions	52	..	..	52	59	57
Epilepsy	..	2	..	2	5	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	1	1	2	1	1
Dis. of Brain, &c.	10	3	3	16	9	9
Diseases of the Brain, Nerves, and Senses.	98	23	22	143	157	148
Quinsey	1	..	..	1	1	1
Bronchitis	4	5	8	17	17	10
Pleurisy	1	2	..	3	2	1
Pneumonia	71	17	6	94	90	73
Hydrothorax	..	2	2	4	7	5
Asthma	..	15	18	33	47	24
Consumption	18	122	6	146	141	140
Dis. of Lungs, &c. (2)	3	5	9	17	17	14
Diseases of the Lungs, and other Organs of Respiration	98	168	49	315	322	268
Pericarditis	..	..	..	..	1	.5
Aneurism	..	1	..	1	.6	.5
Dis. of Heart, &c.	5	18	6	29	19	17
Diseases of the Heart and Bloodvessels.	5	19	6	30	21	18
Teething	18	..	..	18	15	17
Gastritis—Enteritis	10	4	1	15	14	18
Peritonitis	2	2	..	4	1	1
Tabes Mesenterica	9	..	..	9	4	4
Ascites	1	2	..	3	.4	.5
Ulceration	1	1	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus (3)	2	5	..	7	2	2
Dis. of Stomach, &c	..	..	..	..	6	6
Hepatitis	..	..	..	..	1	1
Jaundice	2	2	3	7	2	2
Dis. of Liver, &c.	..	4	1	5	8	7
Diseases of the Stomach, Liver, and other Organs of Digestion	45	21	5	71	56	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Winters 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.6	.4
Diabetes	..	..	..	..	.5	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	1	1	.4	.4
Dis. of Kidneys, &c.	..	1	1	2	3	3
Diseases of the Kidneys, &c.	..	1	2	3	5	5
Childbed	..	10	..	10	8	7
Ovarian Dropsy	..	3	..	3	.3	.2
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	14	..	14	10	9
Rheumatism	1	1	1	3	3	3
Dis. of Joints, &c.	..	1	..	1	3	3
Diseases of the Joints, Bones and Muscles	1	2	1	4	6	6
Ulcer	..	..	..	..	.6	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.6	.3
Diseases of the Skin, &c.	1	..	..	1	2	1
Inflammation	2	1	..	3	12	9
Hæmorrhage	..	1	1	2	3	3
Dropsy	..	18	21	39	37	34
Abscess	..	2	..	2	4	4
Mortification	..	2	3	5	5	4
Scrofula (4)	..	1	..	1	2	2
Carcinoma	..	6	4	10	7	7
Tumor	..	3	1	4	2	2
Gout	..	..	1	1	1	1
Atrophy	2	..	..	2	5	6
Debility	17	4	6	27	20	18
Malformations	1	..	..	1	1	1
Sudden Deaths	7	4	11	22	17	14
Diseases of Uncertain Seat	29	42	48	119	116	105
Old Age, or Natural Decay	..	..	58	58	88	68
Intemperance	..	..	..	..	.4	.6
Privation	..	..	1	1	1	.5
Violent Deaths	12	8	4	24	26	24
Deaths by Violence, Privation, or Intemperance	12	8	5	25	27	25
Causes not specified	3	1	..	4	7	6
Deaths from all Causes	397	336	212	‡946	1004	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Ague 1, Age 2.
(2) Laryngitis 2, Ages 45 and 77.
(3) Intussusception 1, Age 54.
(4) Purpura 1, Age 50.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	143
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	168
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	209
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	194
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	232
TOTAL. Males, 461. Females, 485. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	946

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 5 of the 8 persons who died of Small Pox had not been vaccinated.

‡ The age of 1 person who died of Typhus was not stated.

¶ Of the 46 deaths by TYPHUS, 1 occurred in the District of Chelsea; 1 in Westminster; 1 in St. Martin in the Fields; 3 in Marylebone; 4 in St. Giles in the Fields; 1 in Strand; 1 in Holborn; 4 in West London; 1 in Whitechapel; 1 in St. George in the East; 1 in St. Saviour; 1 in St. Olave; 3 in St. George, Southwark; 2 in Newington; 3 in Lambeth; 1 in Camberwell; 4 in Greenwich; (including the Dreadnought Hospital Ship); and 13 in St. Pancras, of which 8 occurred in the Fever Hospital. It was ascertained that of the 8 patients who died in the Fever Hospital 1 came from Lambeth, 1 from Camberwell, 3 from St. Giles, Bloomsbury, and 2 from St. Pancras.

General Register Office, April 6th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th April, 1843.

§	Weeks ending April 1st	April 8th*	April 1831-40.
Mean height of barometer	in. 29.682	in. 29.597	in. 29.870
Rain (weekly)	4°.1	3°.7	4.2
Mean Dryness	.138	1.247	.277

* Wind S. 5 days; S.W. 2. Rain on 6 days.

1843.

Temperature §	Weeks ending April 1st	April 8th	April 1831-40.
Highest	58°	62°	72°
Lowest	34°	44°	28°
Daily Mean	46°	53°	47°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Springs 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Small Pox	8	1	..	‖ 9	27	27
Measles	20	..	..	20	23	23
Scarlatina	20	1	..	21	24	30
Hooping Cough	48	..	..	48	33	32
Croup	7	..	..	7	8	7
Thrush	3	..	..	3	4	5
Diarrhœa	3	1	1	5	5	9
Dysentery	..	1	1	2	1	2
Cholera	1	..	..	1	.2	1
Influenza	..	1	..	1	2	2
Typhus (1)	12	40	3	¶ ‡56	39	37
Erysipelas	1	1	1	3	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, & Contagious Diseases	123	46	6	‡176	170	182
Cephalitis	15	5	..	20	12	11
Hydrocephalus	35	..	..	35	35	34
Apoplexy	1	8	7	16	16	17
Paralysis	1	4	9	14	14	14
Convulsions	51	..	..	51	56	57
Epilepsy	..	3	..	3	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	6	5	2	13	8	9
Diseases of the Brain, Nerves, and Senses.	109	27	18	154	146	148
Quinsey	1	..	..	1	1	1
Bronchitis	2	5	6	13	9	10
Pleurisy	..	..	..	..	2	1
Pneumonia	48	14	6	68	60	73
Hydrothorax	..	..	2	2	4	5
Asthma	..	6	10	16	16	24
Consumption	22	94	7	123	149	140
Dis. of Lungs, &c.	6	9	4	19	12	14
Diseases of the Lungs, and other Organs of Respiration	79	128	35	242	253	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	1	13	6	20	16	17
Diseases of the Heart and Bloodvessels.	1	13	6	20	17	18
Teething	11	..	..	11	15	17
Gastritis—Enteritis	3	5	1	9	15	18
Peritonitis	1	..	..	1	1	1
Tabes Mesenterica	9	..	..	9	4	4
Ascites	..	..	1	1	.5	.5
Ulceration	..	1	..	1	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	2	2	1	5	2	2
Dis. of Stomach, &c (2)	1	3	1	5	5	6
Hepatitis	..	1	..	1	.9	1
Jaundice	1	2	2	5	2	2
Dis. of Liver, &c.	1	4	..	5	7	7
Diseases of the Stomach, Liver, and other Organs of Digestion	29	19	6	54	55	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Springs 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Nephritis	...	..	..	..	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	1	1	..	2	.4	.4
Stricture	..	..	..	..	.3	.4
Dis. of Kidneys, &c.	1	2	1	4	4	3
Diseases of the Kidneys, &c.	2	3	1	6	5	5
Childbed	..	4	..	4	6	7
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	4	..	4	9	9
Rheumatism	1	2	..	3	3	3
Dis. of Joints, &c.	1	3	..	4	3	3
Diseases of the Joints, Bones and Muscles	2	5	..	7	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	3	..	..	3	9	9
Hæmorrhage	1	...	2	3	3	3
Dropsy	1	15	11	27	32	34
Abscess	1	7	..	8	4	4
Mortification	..	..	3	3	4	4
Scrofula (4)	1	1	..	2	2	2
Carcinoma	..	5	4	9	7	7
Tumor	1	..	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	3	..	1	4	5	6
Debility	15	3	..	18	17	18
Malformations	..	..	..	..	.8	1
Sudden Deaths	1	3	2	6	13	14
Diseases of Uncertain Seat	27	34	23	84	100	105
Old Age, or Natural Decay	..	..	83	83	62	68
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	7	14	3	24	24	24
Deaths by Violence, Privation, or Intemperance	7	14	3	24	25	25
Causes not specified	1	..	..	1	5	6
Deaths from all Causes	380	293	181	‡855	854	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—
(1) Intermittent Fever 1, Age 5.
(2) Intussusception 1, Age 10 months.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Winters	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	150	144
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	182	156
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	208	180
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	223	190
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	241	185
TOTAL. Males, 444. Females, 411. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	1004	855

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 3 of the 9 persons who died of Small Pox had not been vaccinated: in 4 cases the circumstance is not stated. One is registered, "2nd attack of Small Pox without previous vaccination."

¶ Of the 55 deaths by TYPHUS, 2 occurred in the District of Kensington; 4 in Westminster; 4 in Marylebone; 7 in St. Giles in the Fields, and St. George; 1 in Strand; 1 in Holborn; 2 in Clerkenwell; 2 in St. Luke; 2 in East London; 2 in West London; 3 in City of London; 2 in Shoreditch; 1 Bethnal Green; 1 in St. George in the East; 1 in Stepney; 1 in St. Olave; 3 in Lambeth; 1 in Rotherhithe; and 15 in St. Pancras, of which 9 occurred in the Fever Hospital. It was ascertained that of the 9 patients who died in the Fever Hospital 2 came from St. Pancras; 3 from St. Giles (one from the Workhouse); 1 from St. John Street; 2 from Holborn Union; and 1 from St. George's, Borough.

‡ The age of 1 person who died of Fever was not stated.

General Register Office, April 12th, 1843.

§	Weeks ending April 8th	April 15th*	April 1831-40.
Mean height of barometer §	in. 29.597	in. 29.879	in. 29.870
Rain (weekly)	3°.7	3°.6	4.2
Mean Dryness	1.247	.121	.277

* Wind N.W. 3 days; W. 2; W.N.W. 1; N.E. 1. Rain on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th April, 1843.

1843.

Temperature. §	Weeks ending April 8th	April 15th	April 1831-40.
Highest....	62°	59°	72°
Lowest....	11°	33°	28°
Daily Mean	53°	43°	47°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	9	1	..	‖10	27	27
Measles	22	..	..	22	23	23
Scarlatina	20	1	..	21	24	30
Hooping Cough	49	..	..	49	33	32
Croup	4	..	..	4	8	7
Thrush	2	..	..	2	4	5
Diarrhœa	5	..	2	7	5	9
Dysentery	..	1	..	1	1	2
Cholera	..	..	..	..	.2	1
Influenza	..	2	1	3	2	2
Typhus (1)	9	38	11	¶‡59	39	37
Erysipelas	3	..	..	3	6	6
Syphilis	1	1	..	2	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, & Contagious Diseases	124	44	14	‡183	170	182
Cephalitis	10	5	..	15	12	11
Hydrocephalus	40	..	..	40	35	34
Apoplexy	3	6	10	19	16	17
Paralysis	..	6	9	15	14	14
Convulsions	36	..	..	36	56	57
Epilepsy	1	1	1	3	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	4	4	1	9	8	9
Diseases of the Brain, Nerves, and Senses.	94	24	21	139	146	148
Quinsey (2)	4	..	..	4	1	1
Bronchitis	5	4	3	12	9	10
Pleurisy	..	1	1	2	2	1
Pneumonia	62	15	2	79	60	73
Hydrothorax	..	1	..	1	4	5
Asthma	..	8	7	15	16	24
Consumption	17	89	2	108	149	140
Dis. of Lungs, &c.	3	10	4	17	12	14
Diseases of the Lungs, and other Organs of Respiration	91	128	19	238	253	268
Pericarditis	..	2	..	2	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	3	5	5	13	16	17
Diseases of the Heart and Bloodvessels.	3	7	5	15	17	18
Teething	20	..	..	20	15	17
Gastritis—Enteritis	9	4	1	14	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	7	1	..	8	4	4
Ascites	..	1	..	1	.5	.5
Ulceration	..	1	..	1	1	1
Hernia	..	1	3	4	2	2
Colic or Ileus	..	..	..	..	2	2
Dis. of Stomach, &c (3)	3	2	1	6	5	6
Hepatitis	..	..	1	1	.9	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	1	4	..	5	7	7
Diseases of the Stomach, Liver, and other Organs of Digestion	40	15	7	62	55	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.4	.4
Diabetes	..	2	..	2	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	.4
Dis. of Kidneys, &c.	..	2	2	4	4	3
Diseases of the Kidneys, &c.	..	4	2	6	5	5
Childbed	..	4	..	4	6	7
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	4	..	4	9	9
Rheumatism	1	2	3	6	3	3
Dis. of Joints, &c.	2	1	..	3	3	3
Diseases of the Joints, Bones and Muscles	3	3	3	9	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	1	1	..	2	9	9
Hæmorrhage	..	..	1	1	3	3
Dropsy	1	16	12	29	32	34
Abscess	..	..	..	..	4	4
Mortification	1	3	1	5	4	4
Scrofula	1	2	..	3	2	2
Carcinoma	..	4	3	7	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	7	..	3	10	5	6
Debility	13	2	..	15	17	18
Malformations	2	..	..	2	.8	1
Sudden Deaths	7	6	4	17	13	14
Diseases of Uncertain Seat	33	34	24	91	100	105
Old Age, or Natural Decay	..	..	55	55	62	68
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	3	8	1	12	24	24
Deaths by Violence, Privation, or Intemperance	3	8	1	12	25	25
Causes not specified	..	2	..	2	5	6
Deaths from all Cause	391	273	151	‡816	854	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Intermittent Fever 1, Age 75. Remittent Fever 1, Age 6. Remittent Fever, Inflammation of Lungs 1, Age 11.
(2) Laryngismus Stridulus 1, Age 1.
(3) Obstruction of the Bowels, caused by Intussusception 1, Age 3 months. Stricture of the Rectum 1, Age 32.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	136
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	175
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	163
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	166
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	176
TOTAL.	Males, 424. Females, 392. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	854	816

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,670,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 8 of the 10 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

¶ Of 56 deaths by TYPHUS, 2 occurred in the District of Kensington; 1 in St. George, Hanover Square; 1 in Westminster; 2 in St. Martin in the Fields; 1 in St. Marylebone; 1 in Islington; 1 in Hackney; 4 in Strand; 3 in St. Luke; 1 in East London; 1 in City of London; 3 in Shoreditch; 4 in Whitechapel; 1 in St. George in the East; 1 in Stepney; 2 in St. Saviour; 2 in St. Olave; 2 in Bermondsey; 1 in St. Mary, Newington; 1 in Lambeth; 2 in Camberwell; and 19 in St. Pancras, of which 10 occurred in the Fever Hospital. It was ascertained that of the 10 patients who died in the Fever Hospital, 1 was brought by the Mendicity Society; 5 came from St. Giles, (of which 4 were from the Workhouse); 1 from City of London Union; 1 from Camden Town; 1 from Lambeth Workhouse; and 1 from Warwick Court, Gray's Inn.

‡ The age of 1 person who died of Fever was not stated. Under this head is also the following; "Brain Fever and rupture of a Blood-vessel of the head, Age 3.

General Register Office, April 19th, 1843.

§	Weeks ending April 15th	April 22nd*	April 1831-40.
Mean height of barometer	in. 29.879	in. 29.860	in 29.870
Rain (weekly)	.121	.050	.277
Mean Dryness	3°.6	4°.3	4.2

Wind N. 1 day: N.E. 1; S. 1; S.S.W. 1; E. 2: W. 1. Rain on 1 day.

A TABLE OF THE MORTALITY IN THE Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd April, 1843.

1843.

Temperature §	Weeks ending April 15th	April 22nd	April 1831-40.
Highest....	59°	67°	72°
Lowest....	33°	42°	28°
Daily Mean	43°	55°	47°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	5	1	..	‖6	27	27
Measles	22	..	..	22	23	23
Scarlatina	26	1	..	27	24	30
Hooping Cough	37	..	..	37	33	32
Croup	10	..	..	10	8	7
Thrush	5	..	..	5	4	5
Diarrhœa	3	..	1	4	5	9
Dysentery	..	2	..	2	1	2
Cholera	..	..	..	..	.2	1
Influenza	1	..	..	1	2	2
Typhus	10	37	11	¶58	39	37
Erysipelas	1	..	1	2	6	6
Syphilis	..	1	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, & Contagious Diseases	120	42	13	175	170	182
Cephalitis	15	4	1	20	12	11
Hydrocephalus	43	1	..	44	35	34
Apoplexy	2	13	3	18	16	17
Paralysis	..	2	10	12	14	14
Convulsions	40	1	..	41	56	57
Epilepsy	1	2	..	3	4	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	4	3	..	7	8	9
Diseases of the Brain, Nerves, and Senses.	105	28	15	148	146	148
Quinsey (1)	2	1	..	3	1	1
Bronchitis	6	7	4	17	9	10
Pleurisy	..	4	2	6	2	1
Pneumonia	59	10	8	‡78	60	73
Hydrothorax	..	1	1	2	4	5
Asthma	..	7	5	12	16	24
Consumption	34	103	13	150	149	140
Dis. of Lungs, &c.	3	8	5	16	12	14
Diseases of the Lungs, and other Organs of Respiration	104	141	38	‡284	253	268
Pericarditis	..	..	1	1	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	5	14	8	27	16	17
Diseases of the Heart and Bloodvessels.	5	14	9	28	17	18
Teething	16	..	..	16	15	17
Gastritis—Enteritis	8	5	1	14	15	18
Peritonitis	1	1	..	2	1	1
Tabes Mesenterica	9	..	..	9	4	4
Ascites	..	..	..	..	.5	.5
Ulceration	..	1	..	1	1	1
Hernia	..	2	1	3	2	2
Colic or Ileus	..	..	1	1	2	2
Dis. of Stomach, &c	..	3	2	5	5	6
Hepatitis	..	2	..	2	.9	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	2	6	3	11	7	7
Diseases of the Stomach, Liver, and other Organs of Digestion	36	21	8	65	55	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	1	..	1	.4	.4
Diabetes	..	..	..	..	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	2	..	2	.3	.4
Dis. of Kidneys, &c.	..	1	2	3	4	3
Diseases of the Kidneys, &c.	..	4	2	6	5	5
Childbed	..	10	..	10	6	7
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	10	..	10	9	9
Rheumatism	1	2	..	3	3	3
Dis. of Joints, &c.	3	3	1	7	3	3
Diseases of the Joints, Bones and Muscles	4	5	1	10	6	6
Ulcer	..	..	1	1	.4	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, &c.	..	1	1	2	1	1
Inflammation	4	1	..	5	9	9
Hæmorrhage	..	4	1	5	3	3
Dropsy	2	23	18	‡44	32	34
Abscess	1	1	..	2	4	4
Mortification	1	..	1	2	4	4
Scrofula	4	..	..	4	2	2
Carcinoma	..	4	4	8	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	2	2	1	1
Atrophy	4	..	2	6	5	6
Debility	15	2	..	17	17	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	7	7	3	17	13	14
Diseases of Uncertain Seat	39	42	31	‡113	100	105
Old Age, or Natural Decay	..	..	85	85	62	68
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	13	13	2	28	24	24
Deaths by Violence, Privation, or Intemperance	13	13	2	28	25	25
Causes not specified	..	..	1	†7	5	6
Deaths from all Causes	426	321	206	‡961	854	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Laryngitis 1, Age 44.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	150
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	190
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	168
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	†210
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	243
TOTAL. Males, 505. Females, 456. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	961

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 3 of the 6 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

¶ Of 58 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in St. George, Hanover Square; 2 in Westminster; 1 in St. Marylebone; 1 in Islington; 1 in Hackney; 6 in St. Giles in the Fields and St. George; 4 in Strand; 1 in Holborn; 1 in East London; 2 in West London; 1 in Shoreditch; 3 in Whitechapel; 2 in St. George in the East; 3 in Stepney; 1 in Poplar; 2 in St. Saviour; 2 in St. Olave; 2 in St. George, Southwark; 2 in St. Mary, Newington; 7 in Lambeth; 1 in Camberwell; 2 in Greenwich; and 8 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 2 came from St. Giles Workhouse, and 1 from Lambeth Workhouse.

† The Return from the District of Hoxton Old Town has not been received this week, owing to unavoidable circumstances. An average of 6 has been drawn from the 10 weeks preceding, and added to the head of "Causes not Specified."

‡ The ages of 2 persons who died, one from Inflammation of the Lungs, another from Dropsy, are not stated.

General Register Office, April 26th, 1843.

§	Weeks ending April 22nd	Weeks ending April 29th*	April 1831-40.
Mean height of barometer	in. 29.860	in. 29.780	in. 29.870
Rain (weekly)	.050	.467	.277
Mean Dryness	4°.3	4°.1	4.2

* Wind S. 1 day; S.S.E. 1; E. 2; W. 2; N.W. 1. Rain on 4 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th April, 1843.

1843.

Temperature. §	Weeks ending April 22nd	Weeks ending April 29th	April 1831-40.
Highest	67°	64°	72°
Lowest	42°	39°	28°
Daily Mean	55°	49°	47°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	10	..	..	‖10	27	27
Measles	23	..	..	23	23	23
Scarlatina	18	..	..	18	24	30
Hooping Cough	50	..	..	50	33	32
Croup	6	..	..	6	8	7
Thrush	3	..	..	3	4	5
Diarrhœa	3	1	..	4	5	9
Dysentery	..	..	..	..	1	2
Cholera	..	..	1	1	.2	1
Influenza	..	1	..	1	2	2
Typhus	13	36	12	¶‡62	39	37
Erysipelas	1	3	2	6	6	6
Syphilis	..	1	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, & Contagious Diseases	127	42	15	‡185	170	182
Cephalitis	11	4	..	15	12	11
Hydrocephalus	38	2	..	40	35	34
Apoplexy	3	11	7	21	16	17
Paralysis	..	5	12	17	14	14
Convulsions	41	..	..	41	56	57
Epilepsy	1	..	..	1	4	4
Insanity	..	1	1	2	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	..	3	1	4	8	9
Diseases of the Brain, Nerves, and Senses.	94	27	21	142	146	148
Quinsey (1)	3	..	..	3	1	1
Bronchitis	3	4	8	15	9	10
Pleurisy	..	1	..	1	2	1
Pneumonia	54	11	2	67	60	73
Hydrothorax	..	3	..	3	4	5
Asthma	..	12	12	24	16	24
Consumption	22	98	4	124	149	140
Dis. of Lungs, &c.	3	7	5	15	12	14
Diseases of the Lungs, and other Organs of Respiration	85	136	31	252	253	268
Pericarditis	1	1	..	2	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	6	12	4	22	16	17
Diseases of the Heart and Bloodvessels.	7	13	4	24	17	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	13	9	..	22	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	6	..	..	6	4	4
Ascites	..	3	..	3	.5	.5
Ulceration	..	..	1	1	1	1
Hernia	1	..	2	3	2	2
Colic or Ileus	..	1	..	1	2	2
Dis. of Stomach, &c (2)	1	3	3	7	5	6
Hepatitis	..	..	1	1	.9	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	..	4	3	7	7	7
Diseases of the Stomach, Liver, and other Organs of Digestion	35	20	11	66	55	62
Nephritis	..	2	..	2	.4	.4
Diabetes	..	..	1	1	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.3	.4
Dis. of Kidneys, &c.	1	4	3	8	4	3
Diseases of the Kidneys, &c.	1	7	4	12	5	5
Childbed	..	6	..	6	6	7
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c. (3)	..	4	..	4	2	2
Childbed, Diseases of the Uterus, &c.	..	10	..	10	9	9
Rheumatism	..	4	..	4	3	3
Dis. of Joints, &c.	..	3	..	3	3	3
Diseases of the Joints, Bones and Muscles	..	7	..	7	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, &c.	..	..	..	..	1	1
Inflammation	3	..	..	3	9	9
Hæmorrhage	..	1	..	1	3	3
Dropsy	1	12	16	29	32	34
Abscess	..	..	..	..	4	4
Mortification	2	2	5	9	4	4
Scrofula (4)	1	..	..	1	2	2
Carcinoma	..	5	2	7	7	7
Tumor	..	..	..	‡1	2	2
Gout	..	..	..	..	1	1
Atrophy	7	1	2	10	5	6
Debility	11	3	..	14	17	18
Malformations	..	..	..	..	.8	1
Sudden Deaths	5	4	3	12	13	14
Diseases of Uncertain Seat	30	28	28	‡87	100	105
Old Age, or Natural Decay	..	..	73	73	62	68
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	10	14	4	28	24	24
Deaths by Violence, Privation, or Intemperance	10	14	4	28	25	25
Causes not specified	2	1	3	†12	5	6
Deaths from all Causes	391	305	194	‡898	854	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Laryngitis 1, Age 5.
(2) Infantile Fever 1, Age 2. Ascites 3, Ages 28, 50, 51. Stricture of the Colon 1, Age 61. Stricture of Rectum 1, Age 35.
(3) Paramenia 1, Age 40.
(4) Purpura hœmorrhagica 1, Age 1.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	125
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	181
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	160
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	†211
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	221
TOTAL	Males, 489. Females, 409. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	854	898

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 7 of the 10 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

¶ Of 62 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in Chelsea; 2 in Westminster; 2 in St. Marylebone; 1 in Hackney; 4 in St. Giles in the Fields and St. George; 1 in Strand; 1 in Holborn; 4 in West London; 4 in Shoreditch; 2 in Bethnal Green; 6 in Whitechapel; 3 in Stepney; 1 in St. Saviour; 3 in St. Olave; 1 in Bermondsey; 1 in St. George, Southwark; 3 in St. Mary, Newington; 2 in Lambeth; 3 in Camberwell; 5 in Greenwich, of which 2 occurred in the Dreadnought Hospital Ship; and 11 in St. Pancras, of which 7 occurred in the Fever Hospital. It was ascertained that of the 7 patients who died in the Fever Hospital, 1 came from St. Pancras Workhouse; 1 from Lambeth Workhouse; 1 from St. Olave's Workhouse; 1 from Bethnal Green; 2 from the Strand Union; and 1 from St. Giles.

† The Return from the District of Hoxton Old Town has not been received this week, owing to unavoidable circumstances. An average of 6 has been drawn from the 10 weeks preceding, and added to the head of "Causes not specified."

‡ The ages of 2 persons who died, one from Fever, another from Tumor, are not stated.

General Register Office, May 3rd, 1843.

§	Weeks ending April 29th	Weeks ending May 6th*	May 1831-40.
Mean height of barometer	in. 29.780	in. 29.764	in. 29.899
Rain (weekly)	.467	1.313	.275
Mean Dryness	4°.1	4°.8	6.6

* Wind N.E. 1 day; N.N.W. 1; S. 2; E. 3. Rain on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 6th May, 1843.

1843.

Temperature. §	Weeks ending April 29th	Weeks ending May 6th	May 1831-40.
Highest....	64°	68°	81°
Lowest....	39°	44°	34°
Daily Mean	49°	57°	55°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Springs 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Small Pox	9	..	..	‖9	27	27
Measles	23	..	..	23	23	23
Scarlatina	23	1	..	24	24	30
Hooping Cough	39	..	..	39	33	32
Croup	9	..	..	9	8	7
Thrush	4	1	..	5	4	5
Diarrhœa	1	..	..	1	5	9
Dysentery	1	1	1	3	1	2
Cholera	..	..	..	..	.2	1
Influenza	..	..	1	1	2	2
Typhus (1)	17	35	8	¶60	39	37
Erysipelas	1	4	2	7	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, & Contagious Diseases	127	42	12	181	170	182
Cephalitis	7	2	..	9	12	11
Hydrocephalus	28	..	..	28	35	34
Apoplexy	2	6	10	18	16	17
Paralysis	..	6	7	13	14	14
Convulsions	37	2	1	40	56	57
Epilepsy	..	6	..	6	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c. (2)	2	5	2	9	8	9
Diseases of the Brain, Nerves, and Senses.	76	28	20	124	146	148
Quinsey	..	1	..	1	1	1
Bronchitis	6	1	4	11	9	10
Pleurisy	2	1	1	4	2	1
Pneumonia	57	12	3	72	60	73
Hydrothorax	2	2	..	4	4	5
Asthma	..	2	5	7	16	24
Consumption	19	114	6	139	149	140
Dis. of Lungs, &c.	8	10	2	20	12	14
Diseases of the Lungs, and other Organs of Respiration	94	143	21	258	253	268
Pericarditis	1	..	..	1	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	4	20	6	30	16	17
Diseases of the Heart and Bloodvessels.	5	20	6	31	17	18
Teething	16	..	..	16	15	17
Gastritis—Enteritis	4	7	3	14	15	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	6	..	..	6	4	4
Ascites	..	..	1	1	.5	.5
Ulceration	1	..	..	1	1	1
Hernia	..	1	2	3	2	2
Colic or Ileus	1	..	..	1	2	2
Dis. of Stomach, &c. (3)	..	5	1	6	5	6
Hepatitis	..	2	1	3	.9	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	1	9	3	13	7	7
Diseases of the Stomach, Liver, and other Organs of Digestion	29	26	12	67	55	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Springs 1838-9-40-1-2.	Weekly Average† during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.4	.4
Diabetes	..	1	..	1	.3	.3
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.3	.4
Dis. of Kidneys, &c.	..	..	1	1	4	3
Diseases of the Kidneys, &c.	..	1	1	2	5	5
Childbed	..	12	..	12	6	7
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	12	..	12	9	9
Rheumatism	1	2	1	4	3	3
Dis. of Joints, &c.	1	6	1	8	3	3
Diseases of the Joints, Bones and Muscles	2	8	2	12	6	6
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	2	2	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, &c.	..	..	2	2	1	1
Inflammation	..	1	..	1	9	9
Hæmorrhage	..	2	1	3	3	3
Dropsy	1	12	14	27	32	34
Abscess	..	1	..	1	4	4
Mortification	..	1	2	3	4	4
Scrofula	2	..	..	2	2	2
Carcinoma	1	7	4	12	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	2	2	1	1
Atrophy	6	..	1	7	5	6
Debility	8	5	..	13	17	18
Malformations	..	..	..	..	.8	1
Sudden Deaths	2	10	6	18	13	14
Diseases of Uncertain Seat	20	39	30	89	100	105
Old Age, or Natural Decay	..	..	63	63	62	68
Intemperance	..	1	1	2	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	12	11	5	28	24	24
Deaths by Violence, Privation, or Intemperance	12	12	6	30	25	25
Causes not specified	1	1	..	‡8	5	6
Deaths from all Causes	366	332	175	‡879	854	903
Weekly Average, 1838-9-40-1-2	428	307	167			903

N.B.—The following Diseases are included under the heads of those to which the accompanying numerals are respectively subjoined:—

(1) Ague 1, Age 12. Remittent Fever 1, Age 4.
(2) Chorea, hysteria tetanoides 1, Age 19.
(3) Intussusception 1, Age 26. Stricture of œsophagus 1, Age 73.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	160
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	159
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	‡177
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	193
TOTAL. Males, 151. Females, 428. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	879

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society. The "Highest" and "Lowest" Temperatures are the highest and lowest during each *Week*. The "Daily Mean" is deduced from the highest and lowest of each *Day*. The "Dryness" is the difference in degrees between the wet and dry bulbs of the Thermometer. The height of the Barometer is corrected for the Temperature.

‖ 5 of the 9 persons who died of Small Pox had not been vaccinated; of the remaining cases 1 is registered "Small Pox, natural, within 30 days after vaccination," age 7 months; and in 1 the circumstance is not stated.

¶ Of 58 deaths by TYPHUS, 2 occurred in the District of Kensington; 3 in St. George, Hanover Square; 3 in Westminster; 1 in St. Martin in the Fields; 3 in St. Marylebone; 6 in St. Giles in the Fields and St. George; 4 in the Strand; 1 in Holborn; 1 in St. Luke; 1 in East London; 7 in West London; 2 in City of London; 3 in Shoreditch; 1 in Bethnal Green; 6 in Whitechapel; 1 in St. Saviour; 2 in St. Mary, Newington; 2 in Lambeth; 3 in Greenwich (of which 2 occurred in the Dreadnought Hospital Ship); and 6 in St. Pancras.

‡ It continues necessary to substitute an average of 6 for the Return from the District of Hoxton Old Town. It has been added as before to "Causes not specified."

General Register Office, May 10th, 1843.

§	Weeks ending May 6th	Weeks ending May 13th*	May 1831-40.
Mean height of barometer §	in. 29.764	in. 29.838	in. 29.899
Rain (weekly)	1.313	.832	.275
Mean Dryness	4°.8	3°.5	6°.6

* Wind N. 3 days; S. 3; N.N.E. 1. Rain on 4 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 13th May, 1843.

1843.

Temperature. §	Weeks ending May 6th	Weeks ending May 13th	May 1831-40.
Highest....	68°	71°	81°
Lowest....	44°	40°	34°
Daily Mean	57°	53°	55°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	10	2	..	‖12	27	27
Measles	28	..	..	28	23	23
Scarlatina	10	..	..	10	24	30
Hooping Cough	54	..	..	54	33	32
Croup	10	..	..	10	8	7
Thrush	3	..	..	3	1	5
Diarrhœa	1	..	2	3	5	9
Dysentery	..	..	..	..	1	2
Cholera	..	..	..	..	.2	1
Influenza	..	..	..	..	2	2
Ague	1	..	..	1		
Remittent Fever	..	..	..	..		
Typhus	11	36	10	‡¶58	30	37
Erysipelas	3	1	2	6	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	131	39	14	185	170	182
Cephalitis	3	5	..	8	12	11
Hydrocephalus	34	1	..	35	35	34
Apoplexy	3	8	15	26	16	17
Paralysis	..	6	7	13	14	14
Convulsions	40	1	1	42	56	57
Tetanus	1	..	..	1		
Chorea	..	..	..	..		
Epilepsy	..	3	..	3	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	3	5	1	9	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	84	31	24	139	146	148
Laryngitis	..	..	..	..		
Quinsey	..	1	..	1	1	1
Bronchitis	3	3	7	13	9	10
Pleurisy	..	..	..	..	2	1
Pneumonia	56	6	4	66	60	73
Hydrothorax	1	1	6	8	4	5
Asthma	..	6	10	16	16	24
Consumption	28	111	8	147	149	143
Dis. of Lungs, &c.	9	9	4	22	12	14
Diseases of the Lungs, and of the other Organs of Respiration	97	137	39	273	253	268
Pericarditis	..	..	1	1	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	3	17	4	21	16	17
Diseases of the Heart and Blood Vessels.	3	17	5	25	17	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	8	7	1	16	15	18
Peritonitis	1	1	1	3	1	1
Tabes Mesenterica	9	..	..	9	4	4
Worms	..	..	..	..		
Ascites	..	..	2	2	.5	.
Ulceration (of Intest, &c.)	..	..	1	1	1	1
Hernia	1	..	..	1	2	2
Colic or Ileus	2	..	1	3	2	2
Intussusception	..	..	..	..		
Stricture	..	..	..	..		
Hematemesis	..	..	..	..		
Dis. of Stomach, &c.	1	1	4	6	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	..	..	1	1	.9	1
Jaundice	1	2	1	4	2	2
Dis. of Liver, &c.	..	2	2	4	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	37	13	14	64	55	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	1	1	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	1	1		
Stone	..	..	..	..	.4	.4
Stricture	..	..	2	2	.4	.4
Dis. of Kidneys, &c.	..	3	..	3	3	3
Diseases of the Kidneys, &c.	..	3	4	7	5	5
Childbed	..	8	..	8	6	7
Paramenia	..	..	..	..		
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	1	1	..	2	2	2
Childbed, Diseases of the Uterus, &c.	1	9	..	10	9	9
Arthritis	..	..	..	..		
Rheumatism	1	2	3	6	3	3
Dis. of Joints, &c.	..	3	1	4	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	5	4	10	6	6
Carbuncle	..	..	1	1		
Phlegmon	..	..	..	..		
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	1	1	1	1
Inflammation	1	..	..	1	9	9
Hœmorrhage	1	2	..	3	3	3
Dropsy	3	23	10	36	32	34
Abscess	..	..	..	..	4	4
Mortification	1	..	2	3	4	4
Purpura	..	..	..	..		
Scrofula	3	1	..	4	2	2
Carcinoma	..	5	6	11	7	7
Tumor	..	..	..	..	2	2
Gout	..	3	2	5	1	1
Atrophy	7	..	1	8	5	6
Debility	14	5	..	19	17	18
Malformations	..	..	1	1	8	1
Sudden Deaths	6	2	4	‡13	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	36	41	26	‡104	100	105
Old Age, or Natural Decay	..	..	49	49	62	68
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	5	7	2	14	24	24
Deaths by Violence, Privation, or Intemperance	5	7	2	14	25	25
Causes not specified	2	..	..	2	5	5
Deaths from all Causes	397	302	182	‡883	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	142
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	161
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	182
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	178
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	220
TOTAL.	Males, 437. Females, 446. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	854	883

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 9 of the 12 persons who died of Small Pox had not been vaccinated.

‡ The ages of 2 persons, 1 under "Fever," another under "Sudden Deaths," are not stated.

¶ Of 58 deaths by TYPHUS, 1 occurred in the District of Chelsea; 3 in Westminster; 5 in St. Marylebone; 1 in Islington; 3 in St. Giles in the Fields and St. George; 1 in the Strand; 1 in Holborn; 1 in Clerkenwell; 6 in West London; 1 in Bethnal Green; 1 in Shoreditch; 1 in Whitechapel; 2 in St. George in the East; 2 in Stepney; 1 in Poplar; 3 in St. George, Southwark; 3 in St. Mary, Newington; 3 in Lambeth; 4 in Greenwich (of which 2 were in the Dreadnought Hospital Ship); and 15 in St. Pancras, of which 8 occurred in the Fever Hospital. It was ascertained that, of 7 patients who died in the Fever Hospital, 3 came from St. Giles; 2 from Whitechapel; 1 from St. Saviour; and 1 belonged to St. Pancras. The 8th is registered, "Fever (erysipelas) in Hospital."

General Register Office, May 17th, 1843.

§	Weeks ending May 13th	Weeks ending May 20th*	May 1831-40.
Mean height of barometer	in. 29.838	in. 29.649	in. 29.899
Rain (weekly)	.832	.645	.275
Mean Dryness	3°.5	3°.8	6°.6

Wind E. 3 days; S. 2; W. 1; N. 1. Rain on 5 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 20th May, 1843.

1843.

Temperature. §	Weeks ending May 13th	Weeks ending May 20th	May 1831-40.
Highest....	71°	69°	81°
Lowest....	40°	45°	34°
Daily Mean	53°	55°	55°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	5	..	..	‖ 5	27	27
Measles	33	..	..	33	23	23
Scarlatina	21	..	..	21	24	30
Hooping Cough	56	..	..	56	33	32
Croup	7	..	..	7	8	7
Thrush	4	..	..	4	1	5
Diarrhœa	1	2	1	4	5	9
Dysentery	..	1	..	1	1	2
Cholera	..	..	1	1	.2	1
Influenza	1	1	..	2	2	2
Ague	..	..	..	..		
Remittent Fever	..	..	..	..		
Typhus	9	24	6	¶ 39	30	37
Erysipelas	1	..	1	2	6	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	139	28	9	176	170	182
Cephalitis	7	4	..	11	12	11
Hydrocephalus	47	2	..	49	35	34
Apoplexy	..	9	11	20	16	17
Paralysis	..	6	9	15	14	14
Convulsions	33	..	..	33	56	57
Tetanus	..	..	..	..		
Chorea	..	..	..	..		
Epilepsy	1	6	2	9	4	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	6	1	..	7	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	94	31	22	147	146	148
Laryngitis	1	1	..	2		
Quinsey	2	..	..	2	1	1
Bronchitis	5	8	5	18	9	10
Pleurisy	1	2	..	3	2	1
Pneumonia	48	6	2	56	60	73
Hydrothorax	3	3	4	10	4	5
Asthma	..	7	5	12	16	24
Consumption	26	123	4	153	149	143
Dis. of Lungs, &c.	4	10	1	15	12	14
Diseases of the Lungs, and of the other Organs of Respiration	90	160	21	271	253	268
Pericarditis	2	..	..	2	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	1	7	7	15	16	17
Diseases of the Heart and Blood Vessels.	3	7	7	17	17	18
Teething	15	..	..	15	15	17
Gastritis—Enteritis	4	2	5	11	15	18
Peritonitis	..	..	1	1	1	1
Tabes Mesenterica	11	1	..	12	4	4
Worms	..	..	..	..		
Ascites	..	1	..	1	.5	.
Ulceration (of Intest, &c.)	1	..	1	2	1	1
Hernia	1	1	..	2	2	2
Colic or Ileus	1	2	..	3	2	2
Intussusception	2	..	..	2		
Stricture	..	..	..	..		
Hematemesis	..	..	1	1		
Dis. of Stomach, &c.	1	2	2	5	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	1	3	..	4	.9	1
Jaundice	..	1	2	3	2	2
Dis. of Liver, &c.	2	3	3	8	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	39	16	15	70	55	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..		
Stone	..	..	..	..	.4	.4
Stricture	..	..	1	1	.4	.4
Dis. of Kidneys, &c.	..	2	2	4	3	3
Diseases of the Kidneys, &c.	..	2	3	5	5	5
Childbed	..	9	1	10	6	7
Paramenia	..	..	..	..		
Ovarian Dropsy	..	..	1	1	.2	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	9	2	11	9	9
Arthritis	..	..	..	..		
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	..	1	..	‡2	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	2	..	‡3	6	6
Carbuncle	..	..	..	..		
Phlegmon	..	..	..	..		
Ulcer	..	..	..	..	.4	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	..	1	1	1
Inflammation	..	2	..	2	9	9
Hœmorrhage	..	..	1	1	3	3
Dropsy	4	11	7	22	32	34
Abscess	..	1	..	1	4	4
Mortification	1	..	3	4	4	4
Purpura	..	..	..	..		
Scrofula	2	..	1	3	2	2
Carcinoma	..	8	3	11	7	7
Tumor	..	..	..	..	2	2
Gout	..	3	..	3	1	1
Atrophy	3	1	3	7	5	6
Debility	18	2	..	20	17	18
Malformations	2	..	..	2	8	1
Sudden Deaths	5	5	3	13	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	35	33	21	89	100	105
Old Age, or Natural Decay	..	..	64	64	62	68
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	3	9	..	‡13	24	24
Deaths by Violence, Privation, or Intemperance	3	9	..	‡13	25	25
Causes not specified	3	..	1	4	5	5
Deaths from all Causes	406	298	165	‡871	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	139
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	164
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	181
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	192
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	195
TOTAL. Males, 472. Females, 399. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	871

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ The 5 persons who died of Small Pox had not been vaccinated.

‡ The ages of 2 persons who died, one from disease of Wrist-joint, another from Violence, are not stated.

¶ Of 39 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 1 in St. Martin in the Fields; 5 in St. Marylebone; 2 in Hackney; 4 in St. Giles in the Fields and St. George; 2 in Holborn; 1 in West London; 1 in City of London; 5 in Shoreditch; 2 in Bethnal Green; 1 in Poplar; 2 in St. Olave; 2 in Bermondsey; 2 in St. George, Southwark; 1 in Lambeth; 1 in Rotherhithe; and 5 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 1 came from St. Saviour; 1 from St. Pancras; and 1 from the Strand Union Workhouse.

General Register Office, May 25th, 1843.

§	Weeks ending May 20th	Weeks ending May 27th*	May 1831-40.
Mean height of barometer	in. 29.649	in. 29.581	in. 29.899
Rain (weekly)	.645	.867	.275
Mean Dryness	3°.8	4°.9	6°.6

Wind S. 3 days; S.S.E. 2; S.E.1; E. 1. Rain on 5 days.

A TABLE OF THE MORTALITY IN THE Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 27th May, 1843.

1843.

Temperature. §	Weeks ending May 20th	Weeks ending May 27th	May 1831-40.
Highest....	69°	73°	81°
Lowest....	45°	48°	34°
Daily Mean	55°	58°	55°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	8	2	..	‖10	27	27
Measles	34	..	..	34	23	23
Scarlatina	27	..	..	27	24	30
Hooping Cough	35	..	..	35	33	32
Croup	5	..	..	5	8	7
Thrush	2	..	..	2	1	5
Diarrhœa	2	..	1	3	5	9
Dysentery	..	1	..	1	1	2
Cholera	1	..	1	2	.2	1
Influenza	..	..	..	..	2	2
Ague	..	..	..	..		
Remittent Fever	..	..	..	..		
Typhus	14	35	7	¶‡59	30	37
Erysipelas	1	..	3	4	6	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	130	38	12	183	170	182
Cephalitis	11	3	1	15	12	11
Hydrocephalus	33	..	..	33	35	34
Apoplexy	1	7	14	22	16	17
Paralysis	..	13	9	22	14	14
Convulsions	32	..	..	32	56	57
Tetanus	..	..	..	..		
Chorea	..	..	..	..		
Epilepsy	1	1	..	2	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	..	1	..	1	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	78	27	24	129	146	148
Laryngitis	..	..	..	..		
Quinsey	2	..	..	2	1	1
Bronchitis	2	7	7	16	9	10
Pleurisy	1	2	..	3	2	1
Pneumonia	29	9	2	40	60	73
Hydrothorax	..	2	1	3	4	5
Asthma	..	8	11	19	16	24
Phthisis or Consumption	25	130	8	163	149	143
Dis. of Lungs, &c.	3	2	5	10	12	14
Diseases of the Lungs, and of the other Organs of Respiration	62	160	34	256	253	268
Pericarditis	1	..	1	2	.5	.5
Aneurism	..	3	..	3	.6	.5
Dis. of Heart, &c.	1	9	8	18	16	17
Diseases of the Heart and Blood Vessels.	2	12	9	23	17	18
Teething	12	..	..	12	15	17
Gastritis—Enteritis	4	6	1	11	15	18
Peritonitis	1	2	1	4	1	1
Tabes Mesenterica	6	..	..	6	4	4
Worms	..	..	..	..		
Ascites	..	..	1	1	.5	.
Ulceration (of Intest, &c.)	1	2	1	4	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus	1	1	..	2	2	2
Intussusception	..	..	..	..		
Stricture	..	..	..	..		
Hæmatemesis	..	1	2	3		
Dis. of Stomach, &c.	2	4	1	7	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	..	..	..	..	.9	1
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c.	..	10	4	14	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	28	27	13	68	55	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..		
Stone	..	..	..	..	.4	.4
Stricture	..	3	1	4	.4	.4
Dis. of Kidneys, &c.	..	2	1	3	3	3
Diseases of the Kidneys, &c.	..	5	2	7	5	5
Childbed	..	9	..	9	6	7
Paramenia	..	..	..	..		
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	1	2	3	2	2
Childbed, Diseases of the Uterus, &c.	..	10	2	12	9	9
Arthritis	..	..	..	..		
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	5	3	..	8	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	5	3	..	8	6	6
Carbuncle	..	..	..	..		
Phlegmon	..	..	..	..		
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	..	..	1	1
Inflammation	1	..	..	1	9	9
Hæmorrhage	..	..	..	..	3	3
Dropsy	3	15	14	32	32	34
Abscess	..	..	..	..	4	4
Mortification	1	2	1	§4	4	4
Purpura	..	..	..	..		
Scrofula	2	..	..	2	2	2
Carcinoma	..	8	4	12	7	7
Tumor	..	2	1	3	2	2
Gout	..	..	..	..	1	1
Atrophy	1	1	4	6	5	6
Debility	14	3	..	17	17	18
Malformations	2	..	..	2	8	1
Sudden Deaths	..	7	2	9	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	24	38	26	88	100	105
Old Age, or Natural Decay	..	..	65	65	62	68
Intemperance	..	..	..	..	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	3	12	1	‡17	24	24
Deaths by Violence, Privation, or Intemperance	3	12	1	‡17	25	25
Causes not specified	1	2	..	3	5	5
Deaths from all Causes	333	334	188	‡859	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

§ Under this head, the following entry has been placed: "Natural death, accelerated by his own dirty habits," age 76.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	155
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	156
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	163
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	175
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	210
TOTAL.	Males, 457. Females, 402. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	854	859

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 5 of the 10 persons who died of Small Pox had not been vaccinated; 4 of the remaining cases are thus described: "Small Pox; other particulars unknown, the child having been left at the Workhouse door," (Stepney) Male, age 10 days; "Small Pox, 3rd week after vaccination of doubtful success," age 3 years; Small Pox, 8th day after vaccination of doubtful success," age 5 years; and "Malignant Small Pox after vaccination, 62 hours (Childbirth 5 days)" age 32 years.

‡ The ages of 3 cases of Fever, and 1 of Violence, are not stated.

¶ Of 57 deaths by TYPHUS, 1 occurred in the District of Kensington; 3 in Westminster; 1 in St. Marylebone; 3 in St. Giles; 1 in Holborn; 1 in East London; 1 in West London; 6 in Shoreditch; 6 in Whitechapel; 4 in St. George in the East; 1 in Stepney; 1 in Poplar; 1 in St. Saviour; 1 in St. Olave; 1 in St. George, Southwark; 4 in St. Mary, Newington; 2 in Lambeth, 3 in Greenwich (of which 1 occurred in the Dreadnought, and 1 in the Union Workhouse); and 10 in St. Pancras, of which 10 occurred in the Fever Hospital. It was ascertained that of the 10 patients who died in the Fever Hospital, 4 came from the Strand Union, 2 from St. Giles, 1 from Clerkenwell, 1 from East London Union, 1 from Holborn Union, and 1 from Lambeth Workhouse. Of the 6 in Shoreditch, 5 occurred in St. Luke's Workhouse. Two cases of "Cynanche parotidea" have been classed under the same head with Typhus for the sake of convenience.

General Register Office, May 31st, 1843.

§	Weeks ending May 27th	Weeks ending June 3rd*	May 1831-40.
Mean height of barometer §	in. 29.581	in. 29.655	in. 29.899
Rain (weekly)	.867	.740	.275
Mean Dryness	4°.9	4°.5	6°.6

* Wind S. 3 days; S.W. 1; E. 3. Rain on 7 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 3rd June, 1843.

1843.

Temperature. §	Weeks ending May 27th	Weeks ending June 3rd	May 1831-40.
Highest....	73°	68°	81°
Lowest....	48°	42°	34°
Daily Mean	58°	58°	55°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	6	..	..	‖ 6	27	27
Measles	33	..	..	33	23	23
Scarlatina	28	1	..	29	24	30
Hooping Cough	39	..	..	39	33	32
Croup	9	..	..	9	8	7
Thrush	4	..	..	4	1	5
Diarrhœa	3	..	..	3	5	9
Dysentery	..	2	..	2	1	2
Cholera	..	..	1	1	.2	1
Influenza	..	..	..	..	2	2
Ague	..	1	..	1		
Remittent Fever	1	..	..	1		
Typhus	20	39	14	¶ 73	30	37
Erysipelas	1	2	3	6	6	6
Syphilis	1	..	1	2	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	145	45	19	209	170	182
Cephalitis	8	1	..	9	12	11
Hydrocephalus	28	..	..	28	35	34
Apoplexy	2	8	15	25	16	17
Paralysis	2	8	9	19	14	14
Convulsions	43	..	..	43	56	57
Tetanus	..	..	..	..		
Chorea	..	..	..	..		
Epilepsy	..	1	..	1	4	4
Insanity	..	..	1	1	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	1	4	2	7	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	84	23	27	134	146	148
Laryngitis	..	2	..	2		
Quinsey	1	1	..	2	1	1
Bronchitis	3	7	4	14	9	10
Pleurisy	1	1	1	3	2	1
Pneumonia	47	9	6	62	60	73
Hydrothorax	..	3	..	3	4	5
Asthma	..	4	7	11	16	24
Phthisis or Consumption	26	94	8	128	149	143
Dis. of Lungs, &c.	8	8	2	18	12	14
Diseases of the Lungs, and of the other Organs of Respiration	86	129	28	243	253	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	2	..	2	.6	.5
Dis. of Heart, &c.	2	19	12	33	16	17
Diseases of the Heart and Blood Vessels.	2	21	12	35	17	18
Teething	18	..	..	18	15	17
Gastritis—Enteritis	7	3	4	14	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	7	..	..	7	4	4
Worms	..	..	..	..		
Ascites	..	2	1	3	.5	.
Ulceration (of Intest, &c.)	1	1	1	3	1	1
Hernia	1	..	1	2	2	2
Colic or Ileus	..	1	..	1	2	2
Intussusception	..	..	..	..		
Stricture	..	..	..	..		
Hæmatemesis	..	1	..	1		
Dis. of Stomach, &c.	1	3	..	4	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	1	1	..	2	.9	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c.	1	3	4	8	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	37	15	11	63	55	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..		
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	1	1	..	2	3	3
Diseases of the Kidneys, &c.	1	1	..	2	5	5
Childbed	..	11	..	11	6	7
Paramenia	..	..	..	..		
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	11	..	11	9	9
Arthritis	..	..	..	..		
Rheumatism	..	2	1	3	3	3
Dis. of Joints, &c.	2	7	..	9	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	9	1	12	6	6
Carbuncle	..	..	..	..		
Phlegmon	..	..	..	..		
Ulcer	..	..	..	..	.4	.4
Fistula	..	1	..	1	.4	.3
Dis. of Skin, &c.	1	..	..	1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	1	..	2	1	1
Inflammation	1	2	..	3	9	9
Hæmorrhage	1	3	..	4	3	3
Dropsy	..	7	11	18	32	34
Abscess	..	1	..	1	4	4
Mortification	..	..	3	3	4	4
Purpura	..	..	..	..		
Scrofula	4	..	..	4	2	2
Carcinoma	..	2	2	4	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	1	1	1	1
Atrophy	4	1	..	5	5	6
Debility	11	4	..	15	17	18
Malformations	3	1	..	4	8	1
Sudden Deaths	6	6	2	14	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	30	28	19	77	100	105
Old Age, or Natural Decay	..	..	54	54	62	68
Intemperance	..	..	..	..	.5	.6
Privation(1)	2	..	..	2	.3	.5
Violent Deaths	4	13	4	21	24	24
Deaths by Violence, Privation, or Intemperance	6	13	4	23	25	25
Causes not specified	1	2	..	‡10	5	5
Deaths from all Causes	395	298	175	‡875	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

(1) Under Privation, the following cases have been included:
"Convulsions, debility, want of natural nourishment," Age 4 days.
"Inanition," Age 1 year.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	130
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	161
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	194
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	‡187
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	203
TOTAL. Males, 445. Females, 430. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	875

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 3 of the 6 persons who died of Small Pox were unvaccinated; of the remaining cases, 1 is registered "Confluent Small Pox, natural, 10 days—vaccinated 23rd May," age 12 days; and in 1 the circumstance is not stated.

‡ No Return has been received from the District of Shadwell and Wapping, in consequence of the death of the Registrar. An average of 7 has been taken from the 10 weeks preceding, and added to the head of "Causes not specified."

¶ Of 73 deaths by TYPHUS, 1 occurred in the District of Chelsea; 1 in St. George, Hanover Square; 1 in Westminster; 1 in St. Martin-in-the-Fields; 3 in St. Marylebone; 2 in Islington; 5 in St. Giles; 2 in Clerkenwell; 1 in St. Luke; 5 in East London; 5 in West London; 1 in City of London; 6 in Shoreditch; 1 in Bethnal Green; 7 in Whitechapel; 3 in St. George in the East; 1 in Stepney; 1 in St. Saviour; 1 in St. Olave; 1 in Bermondsey; 3 in Newington; 4 in Lambeth; 2 in Camberwell; 3 in Greenwich (of which 1 occurred in the Union Workhouse); and 9 in St. Pancras, of which 8 occurred in the Fever Hospital. It was ascertained that of the 8 patients who died in the Fever Hospital, 1 came from the City of London Union, 2 from St. Giles, 2 from St. Giles' Workhouse, 1 from St. James, Clerkenwell, 1 a Prisoner from Coldbath Fields, and 1 from Somers Town.

General Register Office, June 7th, 1843.

§	Weeks ending June 3rd	June 10th*	June 1841-40.
Mean height of barometer	in. 29.65	in. 29.40	in. 29.859
Rain (weekly)	.740	.628	.428
Mean Dryness	4°.5	6°.3	7°.0

* Wind S. 4 days; S.E. 1; E. 1; W. 1. Rain on 6 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 10th June, 1843.

1843.

Temperature. §	Weeks ending June 3rd	June 10th	Jun 1841-40.
Highest....	68°	79°	87°
Lowest....	42°	48°	43°
Daily Mean	58°	59°	62°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	5 Years
Small Pox	10	..	..	‖10	27	27
Measles	29	..	..	29	23	23
Scarlatina	33	..	..	33	24	30
Hooping Cough	56	..	..	56	33	32
Croup	4	..	..	4	8	7
Thrush	3	..	..	3	1	5
Diarrhœa	2	1	1	4	5	9
Dysentery	..	..	1	1	1	2
Cholera	..	..	..	..	.2	1
Influenza	1	..	..	1	2	2
Ague	1	..	..	1		
Remittent Fever	..	..	..	..		
Typhus	14	25	9	¶48	30	37
Erysipelas	2	3	2	7	6	6
Syphilis	..	2	..	2	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	155	31	13	199	170	182
Cephalitis	8	5	..	13	12	11
Hydrocephalus	26	..	..	26	35	34
Apoplexy	1	9	7	17	16	17
Paralysis	..	6	12	18	14	14
Convulsions	36	1	1	38	56	57
Tetanus	1	..	..	1		
Chorea	..	..	..	..		
Epilepsy	1	3	..	4	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	7	3	1	11	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	80	29	21	130	146	148
Laryngitis	1	..	..	1		
Quinsey	1	1	..	2	1	1
Bronchitis	1	2	8	11	9	10
Pleurisy	..	..	..	..	2	1
Pneumonia	40	9	4	53	60	73
Hydrothorax	..	..	2	2	4	5
Asthma	..	8	7	15	16	24
Phthisis or Consumption	21	107	9	137	149	143
Dis. of Lungs, &c.	4	8	1	13	12	14
Diseases of the Lungs, and of the other Organs of Respiration	68	135	31	234	253	268
Pericarditis	1	1	..	2	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	1	9	10	20	16	17
Diseases of the Heart and Blood Vessels.	2	10	10	22	17	18
Teething	21	..	..	21	15	17
Gastritis—Enteritis	5	4	..	9	15	18
Peritonitis	..	2	1	3	1	1
Tabes Mesenterica	13	..	..	13	4	4
Worms	..	..	..	..		
Ascites	..	..	..	..	.5	.
Ulceration (of Intest, &c.)	..	..	..	..	1	1
Hernia	..	..	2	2	2	2
Colic or Ileus	..	..	1	1	2	2
Intussusception	1	..	..	1		
Stricture	..	..	..	..		
Hæmatemesis	..	..	1	1		
Dis. of Stomach, &c.	..	..	2	2	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	..	..	..	..	.9	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c.	4	9	1	14	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	44	15	8	67	55	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	5 Years
Nephritis	..	..	..	..	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..		
Stone	..	..	..	..	.4	.4
Stricture	..	1	1	2	.4	.4
Dis. of Kidneys, &c.	1	3	3	7	3	3
Diseases of the Kidneys, &c.	1	4	4	9	5	5
Childbed	..	2	..	2	6	7
Paramenia	..	..	..	..		
Ovarian Dropsy	..	..	1	1	.2	.2
Dis. of Uterus, &c.	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	4	2	6	9	9
Arthritis	..	1	..	1		
Rheumatism	..	2	..	2	3	3
Dis. of Joints, &c.	2	4	2	8	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	7	2	11	6	6
Carbuncle	..	..	..	..		
Phlegmon	..	..	..	..		
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	..	..	1	1
Inflammation	7	..	..	7	9	9
Hæmorrhage	..	..	..	..	3	3
Dropsy	..	15	14	29	32	34
Abscess	..	..	..	..	4	4
Mortification	1	..	4	5	4	4
Purpura	..	..	..	..		
Scrofula	2	2	..	4	2	2
Carcinoma	..	7	4	11	7	7
Tumor	..	1	..	1	2	2
Gout	..	2	..	2	1	1
Atrophy	5	1	2	8	5	6
Debility	12	4	..	16	17	18
Malformations	3	..	..	3	8	1
Sudden Deaths	..	2	4	6	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	30	34	28	92	100	105
Old Age, or Natural Decay	..	..	58	58	62	68
Intemperance	..	..	..	..	.5	.6
Privation (1)	..	..	..	..	.3	.5
Violent Deaths	3	10	3	‡17	24	24
Deaths by Violence, Privation, or Intemperance	3	10	3	‡17	25	25
Causes not specified	1	2	..	3	5	5
Deaths from all Causes	386	281	180	‡848	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	122
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	163
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	189
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	199
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	175
TOTAL. Males, 417. Females, 431. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	848

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 2 of the 10 persons who died of Small Pox had not been vaccinated; in 5 cases the circumstance is not stated.

‡ The age of 1 person, under deaths by violence, is not stated.

¶ Of 48 deaths by TYPHUS, 2 occurred in the District of Chelsea; 4 in Westminster; 1 in St. Martin-in-the-Fields; 2 in St. Marylebone; 1 in Islington; 5 in St. Giles; 1 in Strand; 1 in East London; 2 in West London; 4 in Shoreditch; 2 in Bethnal Green; 3 in Whitechapel; 3 in St. George in the East; 2 in Stepney; 1 in St. Olave; 1 in Bermondsey; 1 in Southwark; 1 in St. Mary, Newington; 4 in Lambeth; 1 in Greenwich (in the Union Workhouse); and 6 in St. Pancras.

General Register Office, June 14th, 1843.

§	Weeks ending June 10th	June 17th*	June 1831-40.
Mean height of barometer §	in. 29.646	in. 29.930	in. 29.859
Rain (weekly)	.628	.393	.428
Mean Dryness	6°.3	3°.7	7°.0

* Wind N. 4 days; N.E. 1; N.N.W. 1; W. 1. Rain on 4 days.

A TABLE OF THE MORTALITY IN THE Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 17th June, 1843.

1843.

Temperature. §	Weeks ending June 10th	June 17th	June 1831-40.
Highest	79°	73°	87°
Lowest	48°	49°	43°
Daily Mean	59°	58°	62°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Small Pox	10	..	..	‖10	27	27
Measles	39	1	..	40	23	23
Scarlatina	30	1	..	31	24	30
Hooping Cough	51	..	..	51	33	32
Croup	6	..	..	6	8	7
Thrush	5	..	..	5	1	5
Diarrhœa	1	1	2	4	5	9
Dysentery	2	..	1	3	1	2
Cholera	..	..	..	..	.2	1
Influenza	1	3	1	5	2	2
Ague	1	..	..	1		
Remittent Fever	..	..	..	..		
Typhus	11	21	14	‡¶47	30	37
Erysipelas	..	4	1	5	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	157	31	19	‡208	170	182
Cephalitis	7	4	1	12	12	11
Hydrocephalus	44	..	..	44	35	34
Apoplexy	1	7	7	15	16	17
Paralysis	..	8	11	19	14	14
Convulsions	47	..	..	47	56	57
Tetanus	..	..	..	..		
Chorea	..	..	..	..		
Epilepsy	..	5	..	5	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	3	5	..	8	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	102	32	19	153	146	148
Laryngitis	2	..	..	2		
Quinsey	2	1	1	4	1	1
Bronchitis	8	8	7	23	9	10
Pleurisy	1	2	..	3	2	1
Pneumonia	44	15	3	62	60	73
Hydrothorax	1	2	3	6	4	5
Asthma	..	3	11	14	16	24
Phthisis or Consumption	31	140	8	179	149	143
Dis. of Lungs, &c.	7	5	4	16	12	14
Diseases of the Lungs, and of the other Organs of Respiration	96	176	37	309	253	268
Pericarditis	1	1	..	2	.5	.5
Aneurism	..	1	..	1	.6	.5
Dis. of Heart, &c.	1	13	9	23	16	17
Diseases of the Heart and Blood Vessels.	2	15	9	26	17	18
Teething	12	..	..	12	15	17
Gastritis—Enteritis	5	4	..	9	15	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	5	2	..	7	4	4
Worms	..	..	..	..		
Ascites	..	1	..	1	.5	.
Ulceration (of Intest, &c.)	..	1	..	1	1	1
Hernia	..	1	2	3	2	2
Colic or Ileus	1	1	..	2	2	2
Intussusception	1	..	..	1		
Stricture	..	..	..	..		
Hæmatemesis	..	1	1	2		
Dis. of Stomach, &c.	1	1	..	2	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	..	..	1	1	.9	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	1	5	3	9	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	26	20	7	53	55	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average during 5 Springs 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Nephritis	..	..	1	1	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.2	.3
Cystitis	..	1	1	2		
Stone	..	..	..	..	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	5	2	7	3	3
Diseases of the Kidneys, &c.	..	6	4	10	5	5
Childbed	..	7	..	7	6	7
Paramenia	..	1	..	1		
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	11	..	11	9	9
Arthritis	..	..	..	..		
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	1	2	..	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	2	..	3	6	6
Carbuncle	..	..	..	..		
Phlegmon	..	..	..	..		
Ulcer	..	..	1	1	.4	.4
Fistula	..	..	1	1	.4	.3
Dis. of Skin, &c.	1	..	..	1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	..	2	3	1	1
Inflammation	2	1	..	3	9	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	5	12	8	25	32	34
Abscess	..	..	..	..	4	4
Mortification	..	2	5	7	4	4
Purpura	..	..	..	..		
Scrofula	2	1	..	3	2	2
Carcinoma	..	10	7	17	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	6	..	4	10	5	6
Debility	17	4	..	‡22	17	18
Malformations	..	..	..	..	8	1
Sudden Deaths	1	4	4	9	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	33	37	28	‡99	100	105
Old Age, or Natural Decay	..	..	59	59	62	68
Intemperance	..	1	..	1	.5	.6
Privation	1	..	..	1	.3	.5
Violent Deaths	3	9	1	13	24	24
Deaths by Violence, Privation, or Intemperance	4	10	1	15	25	25
Causes not specified	2	2	1	‡6	5	5
Deaths from all Causes	424	342	186	‡955	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

The particulars of 3 cases are thus entered:—

"Inflammation arising from Vaccination," a Male, age 10 weeks.

"Wilfully murdered by exposure to cold and want of attention at birth, a Male, newly born" (placed under *Privation*).

"Obstruction of the Bowels," Female, age 51. On a *post-mortem* examination of this case, there was found Occlusion of the Ileum, and the contraction so complete, that no fluid could be made to pass.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	130
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	192
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	185
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	245
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	203
TOTAL. Males, 476. Females, 479. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	955

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 4 of the 10 persons who died of Small Pox had not been vaccinated; in 3 cases the circumstance is not stated.

‡ The ages of 3 persons, severally under the heads of *Typhus*, *Debility*, and *Causes not specified*, are not stated.

¶ Of 47 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 4 in Westminster; 4 in St. Marylebone; 1 in Islington; 3 in St. Giles; 2 in Strand; 2 in Holborn; 1 in Clerkenwell; 1 in East London; 3 in West London; 3 in Shoreditch; 2 in Whitechapel; 2 in St. George in the East; 3 in Stepney; 1 in Poplar; 1 in St. Olave; 1 in Camberwell; 3 in Greenwich; and 8 in St. Pancras, of which 1 occurred in the Fever Hospital. It was ascertained that of the 4 Patients who died in the Fever Hospital, 1 came from St. Martin-in-the-Fields, 1 from St. Mary, Newington, 1 from Fitzroy Square, and 1 from St. Pancras Workhouse.

General Register Office, June 21st, 1843.

§	Weeks ending June 17th	Weeks ending June 24th*	June 1831-40.
Mean height of barometer	in. 29.930	in. 29.963	in. 29.850
Rain (weekly)	.393	None	.428
Mean Dryness	3°.7	5°.1	7°.0

* Wind N. 5 days; N.E. 1; W. 1. Rain, none.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 24th June, 1843.

1843.

Temperature. §	Weeks ending June 17th	Weeks ending June 24th	June 1831-40.
Highest	73°	73°	87°
Lowest	49°	50°	43°
Daily Mean	58°	61°	62°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	3	1	..	‖4	27	27
Measles	38	1	..	39	23	23
Scarlatina	26	..	1	27	24	30
Hooping Cough	54	..	..	54	33	32
Croup	4	..	..	4	8	7
Thrush	2	..	..	2	1	5
Diarrhœa	1	..	1	2	5	9
Dysentery	..	1	..	1	1	2
Cholera	..	..	1	1	.2	1
Influenza	2	1	..	3	2	2
Ague	..	..	..	..		
Remittent Fever	..	..	..	..		
Typhus	7	23	7	‡¶37	30	37
Erysipelas	1	3	1	5	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	138	30	11	179	170	182
Cephalitis	11	3	..	14	12	11
Hydrocephalus	39	..	..	‡40	35	34
Apoplexy	3	6	6	15	16	17
Paralysis	1	2	14	17	14	14
Convulsions	37	..	2	39	56	57
Tetanus	..	..	..	..		
Chorea	..	..	..	..		
Epilepsy	..	5	1	6	4	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	3	2	1	6	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	94	20	24	‡139	146	148
Laryngitis	..	..	..	..		
Quinsey	1	1	..	2	1	1
Bronchitis	4	1	12	17	9	10
Pleurisy	..	3	..	3	2	1
Pneumonia	58	6	10	74	60	73
Hydrothorax	..	4	1	5	4	5
Asthma	..	6	6	12	16	24
Phthisis or Consumption	27	117	8	152	149	143
Dis. of Lungs, &c.	5	7	6	18	12	14
Diseases of the Lungs, and of the other Organs of Respiration	95	145	43	283	253	268
Pericarditis	..	2	..	2	.5	.5
Aneurism	..	1	1	2	.6	.5
Dis. of Heart, &c.	2	10	9	21	16	17
Diseases of the Heart and Blood Vessels.	2	13	10	25	17	18
Teething	14	..	..	14	15	17
Gastritis—Enteritis	8	2	1	11	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	6	..	..	6	4	4
Worms	1	..	..	1		
Ascites	..	1	..	1	.5	.
Ulceration (of Intest, &c.)	..	2	..	2	1	1
Hernia	1	1	1	3	2	2
Colic or Ileus	1	1	1	3	2	2
Intussusception	1	1	..	2		
Stricture	..	..	..	..		
Hæmatemesis	..	2	..	2		
Dis. of Stomach, &c.	1	2	3	6	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	..	1	1	2	.9	1
Jaundice	1	2	..	3	2	2
Dis. of Liver, &c.	..	2	4	6	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	34	17	11	62	55	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	1	..	1	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..		
Stone	..	..	..	..	.4	.4
Stricture	..	1	..	1	.4	.4
Dis. of Kidneys, &c.	..	3	3	6	3	3
Diseases of the Kidneys, &c.	..	5	3	8	5	5
Childbed	..	5	..	5	6	7
Paramenia	..	..	..	..		
Ovarian Dropsy	..	2	..	2	.2	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	7	..	7	9	9
Arthritis	..	..	..	..		
Rheumatism	..	..	1	1	3	3
Dis. of Joints, &c.	2	3	..	5	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	3	1	6	6	6
Carbuncle	..	..	..	..		
Phlegmon	..	..	..	..		
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	..	..	1	1
Inflammation	2	..	..	2	9	9
Hæmorrhage	..	1	2	3	3	3
Dropsy	3	16	16	35	32	34
Abscess	2	..	..	2	4	4
Mortification	1	..	1	2	4	4
Purpura	..	..	..	..		
Scrofula	1	2	..	3	2	2
Carcinoma	..	5	1	6	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	7	..	3	10	5	6
Debility	15	5	..	20	17	18
Malformations	2	..	..	2	8	1
Sudden Deaths	7	3	4	14	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	40	32	27	99	100	105
Old Age, or Natural Decay	..	..	57	57	62	68
Intemperance	..	1	..	1	.5	.6
Privation	..	..	..	..	.3	.5
Violent Deaths	3	11	2	16	24	24
Deaths by Violence, Privation, or Intemperance	3	12	2	17	25	25
Causes not specified	2	..	1	3	5	5
Deaths from all Causes	410	284	190	‡885	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 36 deaths by TYPHUS, 1 occurred in the District of St. George, Hanover Square; 3 in Westminster; 3 in St. Marylebone; 1 in Hackney; 2 in St. Giles in the Fields; 1 in Strand; 1 in Holborn; 2 in St. Luke; 4 in Shoreditch (of which 2 were in St. Luke's Workhouse); 2 in Bethnal Green; 1 in Whitechapel; 2 in Stepney; 1 in Bermondsey; 1 in St. Mary, Newington; 2 in Lambeth; 4 in Greenwich (of which 1 was in the Union Workhouse); and 5 in St. Pancras, of which 4 occurred in the Fever Hospital. It was ascertained that of the 4 Patients who died in the Fever Hospital, 1 came from the Strand Union Workhouse, 1 from the West London Union Workhouse; 1 from St. Giles, and 1 from Farringdon-street.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	Average Weekly Deaths, 1838-39-40-1-2. 5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	139
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	175
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	190
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	182
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	199
TOTAL. Males, 450. Females, 435. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	885

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 1 of the 4 persons who died of Small Pox had not been vaccinated; in 2 cases the circumstance is not stated.

‡ The age of 1 person who died of Water in the head is not stated. For the sake of convenience, 1 case of Cynanche Parotidæa, age 11 months, is included under Typhus.

Abstract of cases of CHILDBIRTH, registered in the Metropolis, during 9 weeks, from the 23rd of April to the present date:—

Puerperal fever, 8 cases, of which 1 is stated to be "11th day after parturition," and another 18 hours. Besides these there is 1 case "with syphilitic ulceration," and another with "erysipelas and hepatitis, 4 days." Puerperal peritonitis, 3 cases, one of which is stated to be 17 days after labour, another 5 days. Puerperal mania, 1 case, to which may be added 1 case of suicide in puerperal fever (verdict, temporary insanity). Phlegmasia dolens, 2 cases.—Tubercles in womb, 6 hours after confinement with first child. Serous effusion after childbirth, 1 case. Under uterine hæmorrhage the following occur:—"Hæmorrhage from an attempt at miscarriage (inquest)"—"Internal hæmorrhage by separation of the placenta without delivery (*p. mort.*)"—"Debility, produced by excessive uterine hæmorrhage, 1 month after confinement."—"Flooding during pregnancy."—"Exhaustion from flooding in childbirth."—"Uterine hæmorrhage from placental presentation."—"Flooding 3 days after premature labour, from over exertion."—"Hæmorrhage previous to and after delivery, 1 day."—"Hæmorrhage after parturition."—"Exhaustion from hæmorrhage during labour."—"Abortion, uterine hæmorrhage," and 2 cases simply of "flooding." Premature labour, 2 cases, also "Phthisis, fatal, soon after childbirth."—"Consumption, attended with premature childbirth."—"Pneumonia during puerperal state."—"Debility after confinement (4 days)."—"Debility after childbirth."—"Exhaustion shortly after childbirth."—"Miscarriage from long-standing illness."—"Convulsions after childbirth."—"Collapse after delivery."—"Neglect of herself after childbirth (inquest)."—"Umbilical and ventral hernia after parturition, 30 years since."—"Typhus fever supervening on flooding."— and "Malignant small-pox, after vaccination 62 hours, childbirth 6 days."—"Childbirth, 9 days after parturition."— 27 cases are reported under the general designation of childbirth, no further particulars being given. It must be observed that several of the above were not classified under *childbirth* in the tables of mortality, as for example, "Phthisis, fatal, soon after childbirth."

General Register Office, June 28th, 1843.

§	Weeks ending June 24th	Weeks ending July 1st*	June 1831-40.
Mean height of barometer	in. 29.963	in. 29.795	in 29.859
Rain (weekly)	None	0.16	.428
Mean Dryness	5°.1	5°.9	7°.0

* Wind N. 2 days; N. W. 1; N.N.W. 1; E. 1; W. 2. Rain, 1 day.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 1st July, 1843.

1843.

Temperature. §	Weeks ending June 24th	Weeks ending July 1st	June 1831-40.
Highest....	73°	80°	87°
Lowest....	50°	47°	43°
Daily Mean	61°	60°	62°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	3	1	..	‖4	27	27
Measles	23	..	..	23	23	23
Scarlatina	30	2	..	32	24	30
Hooping Cough	52	..	..	52	33	32
Croup	5	..	..	5	8	7
Thrush	6	..	..	6	1	5
Diarrhœa	3	2	1	6	5	9
Dysentery	..	..	..	..	1	2
Cholera	..	1	..	1	.2	1
Influenza	1	..	2	3	2	2
Ague	..	..	..	..		
Remittent Fever	..	..	..	..		
Typhus	12	17	6	¶ 35	30	37
Erysipelas	1	1	..	2	6	6
Syphilis	..	1	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	136	25	9	170	170	182
Cephalitis	9	4	2	15	12	11
Hydrocephalus	32	2	..	34	35	34
Apoplexy	3	2	7	12	16	17
Paralysis	..	2	18	20	14	14
Convulsions	47	..	..	47	56	57
Tetanus	..	..	..	..		
Chorea	..	..	..	..		
Epilepsy	2	4	..	6	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	5	..	5	2	1
Dis. of Brain, &c.	5	2	..	7	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	98	21	27	146	146	148
Laryngitis	1	..	..	1		
Quinsey	1	1	..	2	1	1
Bronchitis	3	2	5	10	9	10
Pleurisy	..	2	..	2	2	1
Pneumonia	38	4	7	‡ 50	60	73
Hydrothorax	..	3	1	4	4	5
Asthma	..	1	14	15	16	24
Phthisis or Consumption	24	112	4	140	149	143
Dis. of Lungs, &c.	2	7	4	13	12	14
Diseases of the Lungs, and of the other Organs of Respiration	69	132	35	‡ 237	253	268
Pericarditis	1	1	..	2	.5	.5
Aneurism	..	..	..	..	.6	.5
Dis. of Heart, &c.	1	10	9	20	16	17
Diseases of the Heart and Blood Vessels.	2	11	9	22	17	18
Teething	15	..	..	15	15	17
Gastritis—Enteritis	8	4	1	13	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	6	..	..	6	4	4
Worms	..	..	..	..		
Ascites	..	..	1	1	.5	.
Ulceration (of Intest, &c.)	1	1	..	2	1	1
Hernia	..	2	1	3	2	2
Colic or Ileus	..	1	..	1	2	2
Intussusception	..	..	..	..		
Stricture	..	..	..	..		
Hæmatemesis	..	..	..	..		
Dis. of Stomach, &c.	1	1	5	7	5	6
Dis. of Pancreas	..	..	..	..		
Hepatitis	..	2	1	3	.9	1
Jaundice	2	..	2	4	2	2
Dis. of Liver, &c.	1	5	3	9	7	7
Dis. of Spleen	..	..	..	..		
Diseases of the Stomach, Liver, and other Organs of Digestion.	34	17	14	65	55	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Springs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.4	.4
Ischuria	..	..	..	..		
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..		
Stone	..	..	1	1	.4	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	6	3	9	3	3
Diseases of the Kidneys, &c.	..	6	4	10	5	5
Childbed	..	4	..	4	6	7
Paramenia	..	..	..	..		
Ovarian Dropsy	..	1	..	1	.2	.2
Dis. of Uterus, &c.	..	1	..	1	2	2
Childbed, Diseases of the Uterus, &c.	..	6	..	6	9	9
Arthritis	..	..	..	..		
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	1	3	..	4	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	4	..	5	6	6
Carbuncle	..	..	..	..		
Phlegmon	..	..	..	..		
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.4	.3
Dis. of Skin, &c.	..	2	..	2	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	2	..	2	1	1
Inflammation	5	1	..	6	9	9
Hæmorrhage	..	1	1	2	3	3
Dropsy	3	14	12	29	32	34
Abscess	1	..	..	1	4	4
Mortification	..	2	1	3	4	4
Purpura	..	..	..	..		
Scrofula	2	..	..	2	2	2
Carcinoma	..	10	3	13	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	8	..	2	10	5	6
Debility	10	5	..	15	17	18
Malformations	1	..	..	1	8	1
Sudden Deaths	5	3	7	15	13	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	35	36	26	97	100	105
Old Age, or Natural Decay	..	..	54	54	62	68
Intemperance	..	..	..	..	.5	.6
Privation	1	..	..	** 1	.3	.5
Violent Deaths	5	16	6	27	24	24
Deaths by Violence, Privation, or Intemperance	6	16	6	28	25	25
Causes not specified	2	3	1	6	5	5
Deaths from all Causes	383	279	185	‡848	854	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 35 deaths by TYPHUS, 1 occurred in the District of Chelsea; 3 in St. George, Hanover Square; 2 in Westminster; 1 in St. Marylebone; 1 in Islington; 2 in St. Giles; 1 in Strand; 1 in Holborn; 1 in Clerkenwell; 1 in St. Luke; 2 in East London; 1 in West London; 4 in Shoreditch (of which 1 occurred in St. Luke's Workhouse); 2 in Whitechapel; 2 in Poplar; 3 in St. Olave; 1 in Southwark; 1 in St. Mary, Newington; 3 in Lambeth; 1 in Greenwich; and 1 in St. Pancras.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	Average Weekly Deaths, 1838-39-40-1-2. 5 Springs	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	134	133
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	154	173
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	173	159
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	186	184
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	207	199
TOTAL. Males, 411. Females, 437. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	854	848

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831. was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 2 of the 4 persons who died of Small Pox had not been vaccinated; of the remaining cases, 1 is entered thus: "Small pox (natural) after vaccination," age 33 years.

‡ The age of 1 case of pneumonia is not stated.

** The following case is included under *privation*, "debility from want of breast milk," age 5 weeks.

Cases of Death in CHILDBIRTH, registered in the Metropolis, during 10 weeks, from the 23rd of April to the 1st of July, inclusive:—

Phlegmasia dolens, age 38; puerperal fever, 11th day after parturition, age 39; tubercles in womb, 6 hours after confinement with 1st child, age 38; puerperal fever, age 24; puerperal fever, with syphilitic ulceration, age 22; childbirth, age 47; hæmorrhage from an attempt at miscarriage (inquest) age 33; puerperal peritonitis, age 29; childbirth: internal hæmorrhage by separation of the placenta without delivery (*p. mort.*), age 33; serous effusion after childbirth, age 37; childbirth: exhaustion from flooding, age 36; premature labour, age 34; childbirth, age 32; childbirth, age 27; childbirth, age 35; debility, produced by excessive uterine hæmorrhage, 1 month after confinement, age 32; debility after childbirth, age 22; childbirth, age 29; childbirth, age 44; childbirth, age 30; childbed, age 31; childbirth, age 20; puerperal fever, age 28; flooding during pregnancy, age 42; puerperal fever, age 43; peritonitis, 17 days after labour, age, 30; debility after confinement 4 days, age 40; childbed fever, age 40; childbed, age 26; flooding, age 32; childbirth, age 38; childbirth, age 19; childbirth, age 25; puerperal mania, age 40; phlegmasia dolens, age 27; childbed, 9 days after parturition, age 24; uterine hæmorrhage from placental presentation, age 26; childbed, age 26; fever subsequent to delivery, age 34; puerperal fever, age 31; childbed, age 22; hæmorrhage after parturition, age 32; flooding, age 34; natural death in labour, age 38; flooding 3 days after premature labour from over exertion, age 39; puerperal fever (4 days) with erysipelas and hepatitis, age 38; childbirth, age 27; hæmorrhage previous to and after delivery, 1 day, age 32; miscarriage from long-standing illness, age 29; childbirth, age 28; premature labour, age 29; childbed, age 32; abortion: uterine hæmorrhage, age 31; childbirth, age 23; childbirth, age 37; convulsions after childbirth, age 26; puerperal fever 18 hours, age 40; natural, from neglect of herself after childbirth (inquest), age 22; exhaustion shortly after childbirth, age 41; collapse after delivery, age 32; childbirth, age 35; childbirth, age 27; puerperal peritonitis 5 days, age 29; exhaustion from hæmorrhage during labour, age 31; childbirth, age 27; childbirth, age 22; childbirth, age 32; childbed, age 21; childbirth 7 days after parturition, age 27; childbirth, age 41; phlegmasia dolens, age 42; puerperal mania, age 23.

ANALYSIS OF THE ABOVE LIST.—Puerperal fever or peritonitis, 13 cases—phlegmasia dolens, 3 cases—puerperal mania, 2 cases—flooding, 13 cases—other specified causes, 11 cases—childbirth, without the specification of any cause, 30 cases—Total, 72 cases.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth. See Statistical Nosology, No. 101.

General Register Office, July 5th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 8th July, 1843.

§	Weeks ending July 1st	July 8th*	July 1831-40.
Mean height of barometer	in. 29.795	in. 29.836	in. 29.902
‡Rain (weekly)	.016	.471	.436
Mean Dryness	5°.9	5°.6	6°.9

* Wind S. 3 days; S.W. 1; S.E. 1; N. 1; E. 1. Rain on 2 days.

1843.

Temperature. §	Weeks ending July 1st	July 8th	July 1831-40.
Highest	80°	86°	87°
Lowest	47°	56°	46°
Daily Mean	60°	69°	65°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Summrs 1838-9-40-1-2.	5 Years
Small Pox	4	1	..	‖5	25	27
Measles	27	1	..	28	27	23
Scarlatina	30	2	..	32	34	30
Hooping Cough	36	..	..	36	20	32
Croup	9	..	..	9	6	7
Thrush	2	..	..	2	3	5
Diarrhœa	3	1	2	6	21	9
Dysentery	..	..	..	..	3	2
Cholera	1	..	..	1	3	1
Influenza	1	..	3	4	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	7	21	8	¶ 36	33	37
Erysipelas	2	..	..	2	5	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	123	26	13	162	187	182
Cephalitis	6	2	..	8	12	11
Hydrocephalus	31	1	..	32	35	34
Apoplexy	1	6	10	17	15	17
Paralysis	..	5	11	16	12	14
Convulsions	41	..	..	41	63	57
Tetanus	..	1	..	1	.3	
Chorea	..	..	..	..	..	
Epilepsy	2	3	1	6	3	4
Insanity	..	..	..	..	.8	1
Delirium Tremens	..	3	..	3	1	1
Dis. of Brain, &c.	8	4	4	16	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	89	25	26	140	150	148
Laryngitis	1	..	..	1	.4	
Quinsey	1	2	..	3	1	1
Bronchitis	3	1	2	6	5	10
Pleurisy	..	1	..	1	1	1
Pneumonia	46	10	5	61	49	73
Hydrothorax	..	1	2	3	3	5
Asthma	..	3	7	10	8	24
Phthisis or Consumption	23	87	6	116	141	143
Dis. of Lungs, &c.	1	6	2	9	9	14
Diseases of the Lungs, and of the other Organs of Respiration	75	111	24	210	219	268
Pericarditis	..	..	1	1	.5	.5
Aneurism	..	..	..	..	.5	.5
Dis. of Heart, &c.	5	16	8	29	15	17
Diseases of the Heart and Blood Vessels.	5	16	9	30	16	18
Teething	19	..	..	19	22	17
Gastritis—Enteritis	12	4	2	18	26	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	7	1	..	8	5	4
Worms	..	..	..	..	.3	
Ascites	..	..	1	1	.6	.
Ulceration (of Intest, &c.)	1	1	..	2	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	..	..	..	..	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	1	..	1	.4	
Hæmatemesis	..	..	..	..	.4	
Dis. of Stomach, &c.	2	5	1	8	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	2	..	2	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	1	3	2	6	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	42	19	7	68	78	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2	5 Years
Nephritis	..	1	..	1	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	1	..	..	1	.3	.3
Cystitis	..	..	1	1	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	2	..	2	.4	.4
Dis. of Kidneys, &c.	..	..	1	1	2	3
Diseases of the Kidneys, &c.	1	3	2	6	4	5
Childbed	..	8	..	‡8	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	3	1	4	2	2
Childbed. Diseases of the Uterus, &c.	..	11	1	12	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	..	1	1	2	3
Dis. of Joints, &c.	..	1	1	2	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	1	2	3	5	6
Carbuncle	..	1	..	1	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	..	1	1	1
Inflammation	1	..	..	1	8	9
Hæmorrhage	..	..	2	2	3	3
Dropsy	1	19	9	29	29	34
Abscess	..	..	2	2	4	4
Mortification	3	2	1	6	4	4
Purpura	2	..	..	2	.3	
Scrofula	5	1	..	6	2	2
Carcinoma	1	11	2	14	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	3	..	1	4	8	6
Debility	11	3	..	14	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	4	6	2	12	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	32	42	19	93	98	105
Old Age, or Natural Decay	..	..	46	46	53	68
Intemperance	..	1	..	1	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	13	17	5	35	22	24
Deaths by Violence, Privation, or Intemperance	13	18	5	36	23	25
Causes not specified	2	2	..	4	5	5
Deaths from all Causes	382	275	154	811	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 36 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 3 in Westminster; 3 in St. Marylebone; 1 in Islington; 2 in St. Giles; 2 in Holborn; 1 in East London; 1 in West London; 4 in Shoreditch (of which 1 occurred in St. Luke's Workhouse); 1 in Bethnal Green; 2 in Whitechapel; 1 in St. George in the East; 2 in Stepney; 1 in Poplar; 1 in St. Saviour; 2 in Bermondsey; 4 in Lambeth: 1 in Greenwich; and 2 in St. Pancras, of which 1 occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from St. Saviour's, Borough.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	124
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	169
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	143
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	163
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	212
TOTAL. Males, 424. Females, 387. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	811

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 3 of the 5 persons who died of Small Pox had not been vaccinated.

‡ The above 8 cases of Death in Childbirth are entered thus:—"Inflammation of the brain, third day after parturition of twins, the 1st being stillborn," age 22; "childbirth," age 24; "loss of blood, and fear in natural parturition (inquest)," age 38; "puerperal mania, 15 days after childbirth," age 36; "puerperal fever," age 35; "puerperal peritonitis," age 18; "childbed, flooding before delivery," age 45; "inflammation of uterus, a fortnight after confinement," age 20.

General Register Office, July 12th, 1843.

§	Weeks ending July 8th	Weeks ending July 15 h*	July 1831-40.
Mean height of barometer	in. 29 836	in. 30.002	in 29.902
Rain (weekly)	.471	.738	.436
Mean Dryness	5°.6	4°.3	6°.9

* Wind N.W. 3 days; N.N.W. 2; S.2. Rain on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 15th July, 1843.

1843.

Temperature. §	Weeks ending July 8th	Weeks ending July 15th	July 1831-40.
Highest	86°	83°	87°
Lowest	56°	52°	46°
Daily Mean	69°	64°	65°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summrs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	6	..	..	6	25	27
Measles	28	..	..	‖ 28	27	23
Scarlatina	29	..	1	30	34	30
Hooping Cough	34	..	..	34	20	32
Croup	9	..	..	9	6	7
Thrush	4	..	..	4	8	5
Diarrhœa	6	..	1	7	21	9
Dysentery	2	1	..	3	3	2
Cholera	1	..	3	4	3	1
Influenza	1	..	2	3	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	15	15	6	¶ 36	33	37
Erysipelas	1	1	..	2	5	6
Syphilis	..	1	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	136	18	13	167	187	182
Cephalitis	8	2	1	11	12	11
Hydrocephalus	27	..	..	27	35	34
Apoplexy	..	..	8	8	15	17
Paralysis	..	5	6	11	12	14
Convulsions	38	1	..	39	63	57
Tetanus	..	..	..	..	.3	
Chorea	..	..	..	..	..	
Epilepsy	..	2	1	3	3	4
Insanity	..	1	..	1	.8	1
Delirium Tremens	..	3	..	3	1	1
Dis. of Brain, &c.	..	2	1	3	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	73	16	17	106	150	148
Laryngitis	..	2	..	2	.4	
Quinsey	..	..	..	..	1	1
Bronchitis	7	1	6	14	5	10
Pleurisy	..	..	..	..	1	1
Pneumonia	32	10	3	45	49	73
Hydrothorax	..	2	1	3	3	5
Asthma	..	4	6	10	8	24
Phthisis or Consumption	26	93	8	‡ 128	141	143
Dis. of Lungs, &c.	3	4	7	14	9	14
Diseases of the Lungs, and of the other Organs of Respiration	68	116	31	‡216	219	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	1	..	1	.5	.5
Dis. of Heart, &c.	2	18	3	23	15	17
Diseases of the Heart and Blood Vessels.	2	19	3	24	16	18
Teething	15	..	..	15	22	17
Gastritis—Enteritis	8	10	1	19	26	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	13	..	..	‡ 14	5	4
Worms	1	..	..	1	.3	
Ascites	1	1	..	2	.6	.
Ulceration (of Intest, &c.)	..	1	1	2	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	1	1	1	3	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	..	..	..	.4	
Hæmatemesis	..	..	..	..	.4	
Dis. of Stomach, &c.	2	5	1	8	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	1	1	2	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	..	4	3	7	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	41	25	9	‡ 76	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summrs 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	1	..	1	.3	.3
Cystitis	..	..	1	1	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	1	2	3	2	3
Diseases of the Kidneys, &c.	..	2	3	5	4	5
Childbed	..	5	..	** 5	5	7
Paramenia	..	1	..	1	.1	
Ovarian Dropsy	..	1	..	1	.3	.2
Dis. of Uterus, &c.	..	1	1	2	2	2
Childbed, Diseases of the Uterus, &c.	..	8	1	9	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	2	..	2	2	3
Dis. of Joints, &c.	2	3	..	5	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	5	..	7	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	..	1	1	.3	.3
Dis. of Skin, &c.	..	2	..	2	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	2	1	3	1	1
Inflammation	3	..	..	3	8	9
Hæmorrhage	2	1	..	3	3	3
Dropsy	..	8	7	15	29	34
Abscess	..	2	..	2	4	4
Mortification	..	3	3	6	4	4
Purpura	1	..	..	1	.3	
Scrofula	5	..	..	5	2	2
Carcinoma	..	2	1	3	7	7
Tumor	..	1	1	2	2	2
Gout	..	..	..	..	1	1
Atrophy	7	..	2	9	8	6
Debility	12	3	..	15	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	2	3	4	9	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	33	23	18	74	98	105
Old Age, or Natural Decay	..	..	57	57	53	68
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	3	8	1	12	22	24
Deaths by Violence, Privation, or Intemperance	3	8	1	12	23	25
Causes not specified	1	..	..	1	5	5
Deaths from all Causes	359	242	154	‡757	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 36 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 2 in St. George, Hanover Square; 4 in Westminster; 1 in St. Marylebone; 1 in St. Giles; 1 in the Strand; 1 in Clerkenwell; 3 in West London; 1 in City of London; 2 in Shoreditch; 1 in Bethnal Green; 1 in Whitechapel; 1 in St. George in the East; 3 in St. Olave's; 1 in Bermondsey; 1 in Newington; 2 in Lambeth; 2 in Camberwell; 1 in Greenwich; and 4 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 1 came from St. George in the East, 1 from St. Giles' Workhouse, and 1 from Aldersgate Workhouse.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	Average Weekly Deaths, 1838-39-40-1-2. 5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	131
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	136
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	158
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	160
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	172
TOTAL. Males, 423. Females, 334. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	757

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 4 of the persons who died of Small Pox had not been vaccinated; in one case the circumstance is not stated.

‡ The ages of 2 cases, one of Consumption another of Mesenteric disease, are not stated.

** The 5 cases of Death in Childbirth which appear in the present table, are entered thus:—"childbirth, age 35;" "exhaustion from difficult labour, 6 days after delivery, 27 years; "childbirth, inflammation of the womb, age 26;" "childbirth, hæmorrhage before delivery, age 23;" "inflammation of the uterus on the ninth day after delivery, age 27." Besides these, there is a case of inflammation of the womb, age 32; but whether it occurred in childbirth, is not mentioned.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth. See Statistical Nosology, No. 104.

General Register Office, July 19th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 22nd July, 1843.

§	Weeks ending July 15th	Weeks ending July 22nd*	July 1831-40.
Mean height of barometer §	in. 30.002	in. 29.855	in. 29.902
Rain (weekly)	.738	.477	.436
Mean Dryness	4°.3	7°.0	6°.9

* Wind W. 4 days; N.W. 1; S. 2. Rain on 1 day.

1843.

Temperature. §	Weeks ending July 15th	Weeks ending July 22nd	July 1831-40.
Highest....	83°	81°	87°
Lowest....	52°	50°	46°
Daily Mean	64°	66°	65°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	6	..	..	‖ 6	25	27
Measles	25	..	..	25	27	23
Scarlatina	36	1	..	37	34	30
Hooping Cough	23	..	..	‡ 24	20	32
Croup	3	..	..	3	6	7
Thrush	4	..	..	4	8	5
Diarrhœa	13	1	2	16	21	9
Dysentery	1	1	..	2	3	2
Cholera	1	2	..	3	3	1
Influenza	1	..	..	1	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	13	19	12	‡ ¶ 45	33	37
Erysipelas	2	1	..	3	5	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	1	..	..	1	.1	..
Epidemic, Endemic, and Contagious Diseases.	129	25	14	170	187	182
Cephalitis	10	1	..	11	12	11
Hydrocephalus	42	..	..	42	35	34
Apoplexy	1	5	6	12	15	17
Paralysis	..	4	6	10	12	14
Convulsions	35	..	..	35	63	57
Tetanus	1	..	..	1	.3	
Chorea	..	..	..	..	..	
Epilepsy	2	3	1	6	3	4
Insanity	..	..	1	1	.8	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	2	4	..	6	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	93	18	14	125	150	148
Laryngitis	..	..	..	..	.4	
Quinsey	..	..	..	..	1	1
Bronchitis	3	..	5	8	5	10
Pleurisy	..	2	..	2	1	1
Pneumonia	42	9	6	57	49	73
Hydrothorax	..	2	..	2	3	5
Asthma	..	5	3	8	8	24
Phthisis or Consumption	24	101	8	133	141	143
Dis. of Lungs, &c.	4	3	2	9	9	14
Diseases of the Lungs, and of the other Organs of Respiration	73	122	24	219	219	268
Pericarditis	..	2	1	3	.5	.5
Aneurism	..	1	..	1	.5	.5
Dis. of Heart, &c.	2	14	5	21	15	17
Diseases of the Heart and Blood Vessels.	2	17	6	25	16	18
Teething	15	..	..	15	22	17
Gastritis—Enteritis	9	7	5	21	26	18
Peritonitis	2	1	..	3	1	1
Tabes Mesenterica	8	..	..	8	5	4
Worms	..	..	..	..	.3	
Ascites	..	2	1	3	.6	.
Ulceration (of Intest, &c.)	..	2	..	2	1	1
Hernia	1	..	1	2	2	2
Colic or Ileus	1	..	1	2	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	1	..	1	.4	
Hæmatemesis	..	..	..	..	.4	
Dis. of Stomach, &c.	1	2	..	3	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	2	2	1	1
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c.	3	8	..	11	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	41	24	11	76	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	1	..	1	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	1	2	3	2	3
Diseases of the Kidneys, &c.	..	2	2	4	4	5
Childbed	..	4	..	** 4	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	6	1	7	8	9
Arthritis	1	..	..	1	..	
Rheumatism	..	2	..	2	2	3
Dis. of Joints, &c.	2	2	..	4	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	3	4	..	7	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	1	..	1	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	..	1	1	1
Inflammation	3	..	..	3	8	9
Hæmorrhage	1	..	..	1	3	3
Dropsy	5	10	6	21	29	34
Abscess	..	2	1	3	4	4
Mortification	..	1	3	4	4	4
Purpura	..	..	..	..	.3	
Scrofula	2	1	..	3	2	2
Carcinoma	..	8	3	11	7	7
Tumor	..	..	..	..	2	2
Gout	..	1	..	1	1	1
Atrophy	4	..	2	6	8	6
Debility	13	3	..	16	18	18
Malformations	2	..	..	2	.8	1
Sudden Deaths	1	6	2	9	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	31	32	17	80	98	105
Old Age, or Natural Decay	..	..	46	46	53	68
Intemperance	..	2	1	3	.7	.6
Privation	2	..	..	†† 2	.2	.5
Violent Deaths	8	12	3	23	22	24
Deaths by Violence, Privation, or Intemperance	10	14	4	28	23	25
Causes not specified	1	1	..	2	5	5
Deaths from all Causes	383	266	139	‡790	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 45 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover Square; 1 in St. Martin in the Fields; 4 in St. Marylebone; 1 in Islington; 1 in Hackney; 4 in St. Giles; 1 in Holborn; 1 in St. Luke; 3 in East London; 1 in West London; 5 in Shoreditch; 1 in Bethnal Green; 1 in Whitechapel; 1 in St. Olave; 3 in Newington; 5 in Lambeth; 3 in Camberwell; 1 in the Dreadnought Hospital Ship at Greenwich; and 6 in St. Pancras, of which 2 occurred in the Fever Hospital. It was ascertained that one of the patients who died in the Fever Hospital came from the Strand Union Workhouse, the other from the Lambeth Union Workhouse.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	113
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	167
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	153
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	180
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	177
TOTAL. Males, 425. Females, 365. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	790

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 4 of the 6 persons who died of Small Pox, had not been vaccinated; in one case the circumstance is not stated.

‡ The ages of 2 persons who died severally of Hooping Cough and Fever, are not stated.

†† Under *Privation* are the following:—"Debility from want of breast-milk," age 29 days; "exhaustion from starvation by neglect of the mother, (inquest)," age 9 weeks.

** The 4 cases of Death in Childbirth which appear in the present table, are entered thus:—"Childbirth, 3 days illness," age 21; "Puerperal Fever," age 32; "Flooding," age 37; and "Puerperal Mania," age 32.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth. See Statistical Nosology, No. 104.

General Register Office, July 26th, 1843.

§	Weeks ending July 22nd	Weeks ending July 29th*	July 1831-40.
Mean height of barometer	in. 29.853	in. 29.918	in. 29.902
Rain (weekly)	.477	.509	.436
Mean Dryness	7°.0	5°.8	6°.9

* Wind W. 4 days; S. 2; S.W. 1. Rain on 5 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 29th July, 1843.

1843.

Temperature. §	Weeks ending July 22nd	Weeks ending July 29th	July 1831-40.
Highest	81°	74°	87°
Lowest	50°	49°	46°
Daily Mean	66°	62°	65°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	5	..	..	‖ 5	25	27
Measles	27	..	..	27	27	23
Scarlatina	31	1	..	32	34	30
Hooping Cough	28	..	..	28	20	32
Croup	5	..	..	5	6	7
Thrush	3	..	..	3	8	5
Diarrhœa	13	2	3	18	21	9
Dysentery	..	1	..	1	3	2
Cholera	2	..	..	2	3	1
Influenza	..	..	1	1	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	6	15	3	¶ 24	33	37
Erysipelas	2	..	..	2	5	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	123	19	7	149	187	182
Cephalitis	8	2	..	10	12	11
Hydrocephalus	29	1	..	30	35	34
Apoplexy	1	4	5	10	15	17
Paralysis	..	5	8	13	12	14
Convulsions	42	1	..	43	63	57
Tetanus	..	..	..	..	.3	
Chorea	..	..	..	..	..	
Epilepsy	1	..	..	1	3	4
Insanity	..	..	1	1	.8	1
Delirium Tremens	..	3	..	3	1	1
Dis. of Brain, &c.	4	2	1	7	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	85	18	15	118	150	148
Laryngitis	1	1	..	2	.4	
Quinsey	1	..	..	1	1	1
Bronchitis	2	2	3	7	5	10
Pleurisy	2	..	1	3	1	1
Pneumonia	32	2	1	35	49	73
Hydrothorax	..	..	1	1	3	5
Asthma	..	8	2	10	8	24
Phthisis or Consumption	24	102	10	136	141	143
Dis. of Lungs, &c.	7	5	..	12	9	14
Diseases of the Lungs, and of the other Organs of Respiration	69	120	18	207	219	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	..	..	..	.5	.5
Dis. of Heart, &c.	5	8	4	17	15	17
Diseases of the Heart and Blood Vessels.	5	8	4	17	16	18
Teething	14	..	..	14	22	17
Gastritis—Enteritis	11	6	1	18	26	18
Peritonitis	..	1	1	2	1	1
Tabes Mesenterica	12	1	..	13	5	4
Worms	2	..	..	2	.3	
Ascites	..	..	..	..	.6	.
Ulceration (of Intest. &c.)	..	1	..	1	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	1	..	1	2	2	2
Intussusception	..	1	..	1	.8	
Stricture	..	..	1	1	.4	
Hæmatemesis	..	..	1	1	.4	
Dis. of Stomach, &c.	1	..	..	1	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	2	2	4	1	1
Jaundice	2	..	..	2	2	2
Dis. of Liver, &c.	3	3	1	7	8	7
Dis. of Spleen	..	1	..	1	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	46	16	8	70	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	1	..	1	2	3
Diseases of the Kidneys, &c.	..	1	..	1	4	5
Childbed	..	8	..	‡ 8	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	3	1	4	2	2
Childbed, Diseases of the Uterus, &c.	..	11	1	12	8	9
Arthritis	..	..	1	1	..	
Rheumatism	..	2	..	2	2	3
Dis. of Joints, &c.	3	..	..	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	3	2	1	6	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	..	..	1	1
Inflammation	3	..	..	3	8	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	4	28	13	45	29	34
Abscess	1	..	1	2	4	4
Mortification	..	5	..	5	4	4
Purpura	1	..	..	1	.3	
Scrofula	3	1	..	4	2	2
Carcinoma	..	8	4	12	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	10	1	2	13	8	6
Debility	13	2	..	15	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	2	..	4	6	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	38	47	24	109	98	105
Old Age, or Natural Decay	..	..	46	46	53	68
Intemperance	..	2	..	2	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	5	5	1	11	22	24
Deaths by Violence, Privation, or Intemperance	5	7	1	13	23	25
Causes not specified	..	..	1	1	5	5
Deaths from all Causes	..	..	..	..	848	903
Average Weekly Deaths, 1838-9-40-1-2.	374	249	126	749		903

¶ Of 24 deaths by TYPHUS, 2 occurred in the District of St. George, Hanover Square; 1 in St. Martin in the Fields; 2 in St. Marylebone; 1 in Islington; 1 in Strand; 1 in Clerkenwell; 1 in West London; 1 in Shoreditch; 1 in Bethnal Green; 2 in Whitechapel; 1 in Stepney; 1 in Bermondsey; 1 in St. George, Southwark; 2 in Newington; and 6 in St. Pancras, of which 4 occurred in the Fever Hospital. It was ascertained that of the 4 patients who died in the Fever Hospital, 1 came from St. Giles's, 2 from the Lambeth Union Workhouse; and 1 from St. Pancras Workhouse.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	98
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	129
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	138
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	182
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	202
TOTAL.	Males, 378. Females, 371. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	749

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‡ The ages of 2 persons who died severally of Hooping Cough and Fever, are not stated.

†† Under *Privation* are the following:—"Debility from want of breast-milk," age 29 days; "exhaustion from starvation by neglect of the mother, (inquest)," age 9 weeks.

‖ 3 of the 5 persons who died of Small Pox had not been vaccinated; in 2 cases the circumstance is not stated.

‡ The 8 cases of Death in Childbirth which appear in the present table, are entered thus:—"Childbirth, age 25; "puerperal peritonitis," age 28; "childbed," age 39; "flooding after premature labour," age 37; "collapse, 26 hours after parturition," age 42; "childbirth," age 32; "childbed, 18 hours after delivery, from exhaustion," age 32; and "childbed, 7 days after delivery, from exhaustion," age 22.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth, and in every case to state the length of time which occurs between delivery and death. See Statistical Nosology, No. 104.

General Register Office, August 2nd, 1843.

§	Weeks ending July 29th	Weeks ending Aug. 5th*	Aug. 1831-40.
Mean height of barometer	in. 29.918	in. 29.688	in. 29.872
‡Rain (weekly)	.509	.907	.343
Mean Dryness	5°.8	5°.4	5°.7

* Wind S. 5 days; W. 2. Rain on 3 days.

A TABLE OF THE MORTALITY IN THE Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 5th August, 1843.

1843.

Temperature. §	Weeks ending July 29th	Weeks ending Aug. 5th	Aug. 1831-40.
Highest....	74°	76°	84°
Lowest....	49°	54°	45°
Daily Mean	62°	64°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	6	..	..	‖ 6	25	27
Measles	21	..	..	21	27	23
Scarlatina	39	2	..	41	34	30
Hooping Cough	29	..	..	29	20	32
Croup	6	..	..	6	6	7
Thrush	3	..	..	3	8	5
Diarrhœa	9	..	3	12	21	9
Dysentery	5	..	..	5	3	2
Cholera	1	..	1	2	3	1
Influenza	..	1	..	1	.7	2
Ague	1	..	..	1	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	10	22	3	¶ ‡36	33	37
Erysipelas	1	1	1	3	5	6
Syphilis	2	1	..	3	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	133	27	8	‡169	187	182
Cephalitis	9	2	..	11	12	11
Hydrocephalus	31	..	..	31	35	34
Apoplexy	..	3	12	15	15	17
Paralysis	..	8	6	14	12	14
Convulsions	53	2	..	55	63	57
Tetanus	1	..	..	1	.3	
Chorea	..	..	..	..	..	
Epilepsy	..	6	1	7	3	4
Insanity	..	2	..	2	.8	1
Delirium Tremens	..	6	..	6	1	1
Dis. of Brain, &c.	6	6	3	‡16	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	100	35	22	‡158	150	148
Laryngitis	1	..	..	1	.4	
Quinsey	2	..	1	3	1	1
Bronchitis	1	4	3	8	5	10
Pleurisy	..	1	..	1	1	1
Pneumonia	26	4	4	34	49	73
Hydrothorax	..	2	..	2	3	5
Asthma	..	3	5	8	8	24
Phthisis or Consumption	21	98	7	126	141	143
Dis. of Lungs, &c.	2	5	..	7	9	14
Diseases of the Lungs, and of the other Organs of Respiration	53	117	20	190	219	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	1	..	1	.5	.5
Dis. of Heart, &c.	1	17	6	24	15	17
Diseases of the Heart and Blood Vessels.	1	18	6	25	16	18
Teething	17	..	..	17	22	17
Gastritis—Enteritis	10	4	..	14	26	18
Peritonitis	1	1	..	2	1	1
Tabes Mesenterica	8	..	..	8	5	4
Worms	1	..	..	1	.3	
Ascites	..	1	..	1	.6	..
Ulceration (of Intest, &c.)	..	1	1	2	1	1
Hernia	1	..	..	1	2	2
Colic or Ileus	1	..	..	1	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	..	..	..	.4	
Hæmatemesis	..	..	1	1	.4	
Dis. of Stomach, &c.	1	1	1	3	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	4	1	5	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	3	7	4	14	8	7
Dis. of Spleen	..	1	..	1	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	43	21	8	72	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	1	1	2	.4	.4
Dis. of Kidneys, &c.	..	1	1	2	2	3
Diseases of the Kidneys, &c.	..	2	2	4	4	5
Childbed	..	2	..	* * 2	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	1	1	2	2	2
Childbed, Diseases of the Uterus, &c.	..	3	1	4	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	3	..	3	2	3
Dis. of Joints, &c.	2	4	..	6	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	7	..	9	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	..	..	1	1
Inflammation	4	..	..	4	8	9
Hæmorrhage	..	3	1	4	3	3
Dropsy	3	6	9	18	29	34
Abscess	1	3	..	4	4	4
Mortification	..	..	2	2	4	4
Purpura	..	..	..	..	.3	
Scrofula	2	2	..	4	2	2
Carcinoma	..	9	6	15	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	5	2	2	9	8	6
Debility	24	3	..	27	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	2	1	4	7	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	42	29	24	95	98	105
Old Age, or Natural Decay	..	..	53	53	53	68
Intemperance	..	..	..	..	.7	.6
Privation	3	1	..	† † 4	.2	.5
Violent Deaths	10	16	7	33	22	24
Deaths by Violence, Privation, or Intemperance	13	17	7	37	23	25
Causes not specified	..	..	..	..	5	5
Deaths from all Causes	387	276	151	‡816	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 36 deaths by TYPHUS, 2 occurred in the District of Kensington; 1 in St. James's, Westminster; 2 in St. Marylebone; 1 in St. Giles's; 1 in Strand; 1 in Holborn; 1 in St. Luke; 4 in East London; 1 in West London; 1 in Bethnal Green; 1 in Whitechapel; 1 in St. George in the East; 2 in Stepney; 1 in Poplar; 2 in St. Olave; 2 in St. George, Southwark; 1 in Lambeth; 5 in Greenwich; and 6 in St. Pancras, the whole of which occurred in the Fever Hospital. It was ascertained that of the 6 patients who died in the Fever Hospital, 2 came from St. Giles's, 1 from Islington; 1 from East London Union Workhouse; 1 from Holborn Union Workhouse; and 1 from St. James's, Westminster.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	119
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	146
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	148
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	204
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	199
TOTAL.	Males, 453. Females, 363. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	816

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

‖ 2 of the 6 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

‡ The ages of one case of Typhus and another of Disease of the Brain, are not stated.

* * The 2 cases of death in childbirth which appear in the present table, are entered thus:—"peritoneal inflammation of the pyloric viscera after confinement, 3 months," age 30; and "debility after childbirth," age 45. NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 104.

† † Under *Privation* are the four following:—"death accelerated by want and privation (inquest)" age 53; "want of natural sustenance," age 11 weeks; "atrophy from want of breast-milk, age 10 weeks, and "debility from want of breast-milk," age 1 month.

General Register Office, August 10th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 12th August, 1843.

§	Weeks ending Aug. 5th	Weeks ending Aug. 12th*	Aug. 1831-40.
Mean height of barometer	in. 29.688	in. 30.100	in. 29.872
Rain (weekly)	.997	None	.343
Mean Dryness	5°.4	5°.0	5°.7

* Wind N. 1 day; S. 2; S.S.E. 1; N.W. 2; W. 1. Rain, None.

1843.

Temperature. §	Weeks ending Aug. 5th	Weeks ending Aug. 12th	Aug. 1831-40.
Highest....	76°	80°	84°
Lowest....	54°	53°	45°
Daily Mean	64°	65°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	6	1	..	‖ 7	25	27
Measles	25	..	..	25	27	23
Scarlatina	45	3	..	48	34	30
Hooping Cough	26	..	..	26	20	32
Croup	2	..	..	2	6	7
Thrush	5	..	..	5	8	5
Diarrhœa	23	1	3	27	21	9
Dysentery	1	1	1	3	3	2
Cholera	4	1	..	5	3	1
Influenza	2	..	1	3	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	2	..	..	2	.5	
Typhus	8	13	3	¶ 24	33	37
Erysipelas	..	3	1	4	5	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	150	23	9	182	187	182
Cephalitis	9	..	..	9	12	11
Hydrocephalus	35	..	..	35	35	34
Apoplexy	1	7	4	12	15	17
Paralysis	..	4	8	12	12	14
Convulsions	48	..	1	49	63	57
Tetanus	..	..	..	..	.3	
Chorea	..	..	..	..	..	
Epilepsy	..	4	1	5	3	4
Insanity	..	..	..	..	.8	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	5	5	4	14	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	98	22	18	138	150	148
Laryngitis	1	1	..	2	.4	
Quinsey	1	..	1	2	1	1
Bronchitis	1	1	5	7	5	10
Pleurisy	..	1	1	2	1	1
Pneumonia	31	2	2	35	49	73
Hydrothorax	1	1	1	3	3	5
Asthma	..	5	2	7	8	24
Phthisis or Consumption	23	107	7	‡ 138	141	143
Dis. of Lungs, &c.	3	4	1	8	9	14
Diseases of the Lungs, and of the other Organs of Respiration	61	122	20	204	219	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	2	..	2	.5	.5
Dis. of Heart, &c.	2	12	4	18	15	17
Diseases of the Heart and Blood Vessels.	2	14	4	20	16	18
Teething	20	..	..	20	22	17
Gastritis—Enteritis	16	5	3	24	26	18
Peritonitis	1	1	1	3	1	1
Tabes Mesenterica	7	1	..	8	5	4
Worms	..	..	..	..	.3	
Ascites	..	..	1	1	.6	.6
Ulceration (of Intest, &c.)	..	1	2	3	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	2	..	..	2	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	1	..	1	.4	
Hæmatemesis	..	2	..	2	.4	
Dis. of Stomach, &c.	2	2	..	4	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	..	..	1	1
Jaundice	1	2	2	5	2	2
Dis. of Liver, &c.	1	5	2	8	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	50	20	11	81	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	† Weekly Average during 5 Summers 1838-9-40-1-2.	† Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	1	1	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	1	1	.2	
Stone	..	1	..	1	.6	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	1	4	5	2	3
Diseases of the Kidneys, &c.	..	2	6	8	4	5
Childbed	..	5	..	* * 5	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	..	1	1	2	2
Childbed, Diseases of the Uterus, &c.	..	5	1	6	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	..	..	..	2	3
Dis. of Joints, &c.	1	1	..	2	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	1	..	2	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	2	2	.3	.4
Fistula	1	..	1	2	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	..	3	4	1	1
Inflammation	2	2	..	4	8	9
Hæmorrhage	..	3	..	3	3	3
Dropsy	2	13	11	26	29	34
Abscess	..	..	..	..	4	4
Mortification	1	1	2	4	4	4
Purpura	..	..	..	..	.3	
Scrofula	2	1	..	3	2	2
Carcinoma	..	7	3	10	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	5	..	..	5	8	6
Debility	10	2	..	12	18	18
Malformations	2	..	..	2	.8	1
Sudden Deaths	1	..	3	4	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	25	29	19	73	98	105
Old Age, or Natural Decay	..	..	60	60	53	68
Intemperance	..	1	..	1	.7	.6
Privation	2	..	..	† † 2	.2	.5
Violent Deaths	3	11	4	18	22	24
Deaths by Violence, Privation, or Intemperance	5	12	4	21	23	25
Causes not specified	..	..	1	‡ 2	5	5
Deaths from all Causes	393	250	156	‡801	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 24 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover-square; 2 in Westminster; 1 in St. Martin-in-the-Fields; 2 in St. Marylebone; 1 in St. Giles; 2 in the Strand; 1 in St. Luke; 1 in Shoreditch; 1 in Bethnal-green; 2 in Whitechapel; 2 in Stepney; 1 in St. Saviour; 1 in St. Olave; 1 in St. George, Southwark; 1 in Newington; 2 in Greenwich; and 1 in St. Pancras, which occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from Islington.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	118
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	139
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	151
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	196
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	197
TOTAL	Males. 412. Females. 389. (Weekly average 1838-9-40-1-2, Males, 461. Females. 442.)	1,870,727	903	846	801

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society.

‖ 5 of the 7 persons who died of Small Pox had not been vaccinated.

‡ The age of one person who died of *phthisis* is not stated, and that of another "found dead" was unknown.

* * The 5 cases of death in childbirth which appear in the present table, are entered thus:—"Uterine inflammation after confinement (3 weeks), age 28; puerperal typhus," age 25; puerperal fever, age 30; "paralysis, and fever consequent upon childbirth," age 28; and "childbirth, peritonitis (14 days), age 23.

† † NOTE.—The following cases are put to *privation*:—"Inanition from want of breast milk," and "tabes, from weaning."

General Register Office, August 16th, 1843.

§	Weeks ending Aug 12th	Aug. 19th*	Aug 1831-40.
Mean height of Barometer §	in. 30.100	in 29.968	in 29.872
Rain (weekly)	None	.074	.343
Mean Dryness	5°.0	2°.8	5°.7

* Wind N. 1 day; N.E. 2; E. 2; S.W. 1. Rain, on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 19th August, 1843.

1843.

Temperature. §	Weeks ending Aug. 12th	Aug. 19th	Aug. 1831-40.
Highest	80°	81°	84°
Lowest	53°	57°	45°
Daily Mean	65	68°	64°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average during 5 Summers 1838-9-40-1-2.	5 Years
Small Pox	7	1	..	‖ 8	25	27
Measles	25	..	..	25	27	23
Scarlatina	40	2	1	43	34	30
Hooping Cough	19	..	..	19	20	32
Croup	5	1	..	6	6	7
Thrush	14	..	..	14	8	5
Diarrhœa	31	1	2	‡ 34	21	9
Dysentery	1	1	8	†† 10	3	2
Cholera	..	1	..	1	3	1
Influenza	..	1	..	1	.7	2
Ague	1	..	1	2	.1	
Remittent Fever	1	..	..	1	.5	
Typhus	9	17	7	¶ 33	33	37
Erysipelas	1	1	..	2	5	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	155	26	19	200	187	182
Cephalitis	5	2	1	8	12	11
Hydrocephalus	31	..	..	31	35	31
Apoplexy	1	5	11	17	15	17
Paralysis	..	4	9	13	12	14
Convulsions	51	..	..	51	63	57
Tetanus	..	..	..	..	..3	
Chorea	..	..	..	..	..	
Epilepsy	..	1	..	1	3	4
Insanity	..	1	..	1	.8	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	2	2	2	6	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	90	16	23	129	150	148
Laryngitis	1	..	..	1	.4	
Quinsey	1	1	..	2	1	1
Bronchitis	..	1	..	1	5	10
Pleurisy	..	..	..	..	1	1
Pneumonia	24	6	4	34	49	73
Hydrothorax	..	2	5	7	3	5
Asthma	..	3	4	7	8	21
Phthisis or Consumption	28	92	3	123	111	113
Dis. of Lungs, &c.	3	6	1	10	9	14
Diseases of the Lungs, and of the other Organs of Respiration	57	111	17	185	219	268
Pericarditis	..	1	..	1	.5	.5
Aneurism	..	..	..	..	.5	.5
Dis. of Heart, &c.	3	11	7	21	15	17
Diseases of the Heart and Blood Vessels.	3	12	7	22	16	18
Teething	16	..	..	16	22	17
Gastritis—Enteritis	14	2	4	20	26	18
Peritonitis	1	2	..	3	1	1
Tabes Mesenterica	8	1	..	9	5	4
Worms	..	..	..	..	.3	
Ascites	..	1	..	1	.6	.
Ulceration (of Intest, &c.)	2	..	..	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	..	..	2	2	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	2	..	2	..4	
Hæmatemesis	..	3	..	3	.4	
Dis. of Stomach, &c.	3	1	2	6	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	..	..	1	1
Jaundice	1	3	..	4	2	2
Dis. of Liver, &c.	..	3	3	6	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	45	19	11	75	78	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average during 5 Summers 1838-9-40-1-2	5 Years
Nephritis	..	..	..	..	..3	..4
Ischuria	..	..	..	..	.1	
Diabetes	..	1	..	1	..5	..2
Cystitis	..	..	..	..	.2	
Stone	..	..	1	1	.6	.1
Stricture	..	1	..	1	.4	.4
Dis. of Kidneys, &c.	..	4	..	4	2	3
Diseases of the Kidneys, &c.	..	6	1	7	4	5
Childbed	..	4	..	* * 4	5	7
Paramenia	..	..	1	1	.1	
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	4	1	5	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	..	..	..	2	3
Dis. of Joints, &c.	1	..	..	1	3	2
Rheumatism, Diseases of the Bones, Joints, &c.	1	..	..	1	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	.	
Ulcer	..	..	..	..	.3	..4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	..	..	1	1	1
Inflammation	3	3	1	7	8	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	4	13	9	26	29	34
Abscess	..	..	1	1	4	4
Mortification	2	2	2	6	4	4
Purpura	..	..	..	..	.3	
Scrofula	1	..	..	1	2	2
Carcinoma	..	10	4	14	7	7
Tumor	..	..	..	..	2	2
Gout	..	1	1	2	1	1
Atrophy	6	..	1	7	8	6
Debility	22	2	..	24	18	18
Malformations	..	..	..	..	..8	1
Sudden Deaths	1	2	2	5	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	39	35	21	95	98	105
Old Age, or Natural Decay	..	..	51	51	53	68
Intemperance	..	1	..	1	.7	..6
Privation	..	..	..	..	.2	..5
Violent Deaths	7	12	2	21	22	24
Deaths by Violence, Privation, or Intemperance	7	13	2	22	23	25
Causes not specified	2	..	..	2	5	5
Deaths from all Causes	400	242	153	795	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 33 deaths by TYPHUS, 1 occurred in the District of St. Martin-in-the-Fields; 3 in St. Marylebone; 1 in Islington; 4 in St. Giles; 2 in the Strand; 2 in Clerkenwell; 2 in St. Luke; 3 in Shoreditch; 1 in Whitechapel; 2 in Stepney; 1 in Poplar; 1 in St. Saviour; 2 in Bermondsey; 1 in Lambeth; 1 in Camberwell; 1 in Greenwich (in the Dreadnought Hospital Ship); and 5 in St. Pancras, the whole of which occurred in the Fever Hospital. It was ascertained that of the 5 patients who died in the Fever Hospital, 1 came from St. Giles'; 1 from St. George's, Southwark; 1 from St. Saviour's, Borough; 1 from St. James', Clerkenwell; and 1 from St. Pancras' Workhouse.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	115
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	166
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	163
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	179
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	172
TOTAL. Males, 392. Females 403. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	795

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bone; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society.

‖ 1 of the 8 persons who died of Small Pox had not been vaccinated; in 6 cases the circumstance is not stated.

‡ One case of diarrhœa is stated to have been caused by improper diet, age 2 months.

†† Eight of the 10 cases of dysentery occurred in the Union Workhouse at East Greenwich, all of which were above 60 years of age.

* * The 4 cases of death in childbirth which appear in the present table, are entered thus:—"Uterine hæmorrhage, 3rd attack before labour, 8th month of uterogestation, undelivered," age 43; "debility from childbirth, 11 days after delivery," age 45; "inflammation of nervous membrane of the bowels after parturition" (*post mortem*), age 19; and "childbirth, flooding," age 40.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 101.

General Register Office, August 23rd, 1843.

§	Weeks ending Aug. 19th	Aug. 26th*	Aug. 1831-40.
an height barometer	in. 29.968	in. 29.729	in. 29.872
in (weekly)	.074	1.765	.343
an Dryness	2°.8	4°.6	5°.7

* Wind S. 5 days ; N.W. 2.
Rain, on 3 days.

A TABLE OF THE MORTALITY
IN THE
Metropolis,*
SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 26th August, 1843.

1843.

Temperature. §	Weeks ending Aug. 19th	Aug. 26th	Aug. 1831-40.
Highest....	81°	81°	84°
Lowest....	57°	53°	45°
Daily Mean	68°	64°	64°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	† Weekly Average during 5 Summrs 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Small Pox	4	..	..	‖ 4	25	27
Measles	25	..	..	25	27	23
Scarlatina	34	..	..	34	34	30
Hooping Cough	15	..	..	15	20	32
Croup	8	..	..	8	6	7
Thrush	6	..	..	6	8	5
Diarrhœa	30	2	1	33	21	9
Dysentery	5	2	4	†† 11	3	2
Cholera	2	1	3	6	3	1
Influenza	..	..	..	..	.7	2
Ague	..	..	1	1	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	6	23	4	¶ 33	33	37
Erysipelas	..	1	..	1	5	6
Syphilis	..	1	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	135	30	13	178	187	182
Cephalitis	7	1	..	8	12	11
Hydrocephalus	32	..	..	32	35	34
Apoplexy	1	6	8	15	15	17
Paralysis	1	3	8	12	12	14
Convulsions	71	..	..	71	63	57
Tetanus	..	..	..	..	.3	
Chorea	..	..	..	..	..	
Epilepsy	1	2	..	3	3	4
Insanity	..	1	..	1	.8	1
Delirium Tremens	..	2	..	2	1	1
Dis. of Brain, &c.	1	4	..	5	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	114	19	16	149	150	148
Laryngitis	..	..	..	..	.4	
Quinsey	3	..	..	3	1	1
Bronchitis	2	1	4	7	5	10
Pleurisy	..	1	..	1	1	1
Pneumonia	31	4	1	36	49	73
Hydrothorax	..	3	1	4	3	5
Asthma	..	2	5	7	8	24
Phthisis or Consumption	30	105	10	145	141	143
Dis. of Lungs, &c.	4	4	4	12	9	14
Diseases of the Lungs, and of the other Organs of Respiration	70	120	25	215	219	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	..	..	..	.5	.5
Dis. of Heart, &c.	1	10	5	16	15	17
Diseases of the Heart and Blood Vessels.	1	10	5	16	16	18
Teething	25	..	..	25	22	17
Gastritis—Enteritis	16	3	1	20	26	18
Peritonitis	..	..	1	1	1	1
Tabes Mesenterica	9	2	..	11	5	4
Worms	..	..	..	..	.3	
Ascites	..	1	1	2	.6	.
Ulceration (of Intest, &c.)	3	1	2	6	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	1	..	2	2	2
Intussusception	1	..	..	1	.8	
Stricture	..	..	..	..	.4	
Hæmatemesis	..	1	..	1	.4	
Dis. of Stomach, &c.	3	2	3	8	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	1	1	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	1	4	2	7	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	59	16	12	87	78	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2.	5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	1	2	3	2	3
Diseases of the Kidneys, &c.	..	1	2	3	4	5
Childbed	..	8	..	* * 8	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	1	..	1	.3	.2
Dis. of Uterus, &c.	..	1	1	2	2	2
Childbed, Diseases of the Uterus, &c.	..	10	1	11	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	..	3	3	2	3
Dis. of Joints, &c.	..	3	..	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	3	3	6	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	..	..	1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	..	..	1	1	1
Inflammation	..	..	..	..	8	9
Hæmorrhage	1	2	..	3	3	3
Dropsy	2	15	8	25	29	34
Abscess	1	1	..	2	4	4
Mortification	..	3	1	4	4	4
Purpura	..	..	..	..	.3	
Scrofula	..	1	..	1	2	2
Carcinoma	1	3	4	8	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	1	1	1	1
Atrophy	8	..	1	9	8	6
Debility	21	1	..	22	18	18
Malformations	..	..	..	..	.8	1
Sudden Deaths	3	11	5	19	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	37	37	20	94	98	105
Old Age, or Natural Decay	..	..	45	45	53	68
Intemperance	..	..	..	..	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	7	25	1	‡ 35	22	24
Deaths by Violence, Privation, or Intemperance	7	25	1	35	23	25
Causes not specified	2	..	..	2	5	5
Deaths from all Causes	426	271	143	‡842	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 33 deaths by TYPHUS, 2 occurred in the District of Kensington; 1 in Chelsea; 1 St. George, Hanover-square; 1 in St. Martin-in-the-Fields; 3 in St. Marylebone; 3 in St. Giles; 2 in the Strand; 2 in Shoreditch; 2 in Bethnal-green; 1 in Whitechapel; 1 in St. George-in-the-East; 1 in Stepney; 1 in St. Saviour; 3 in St. George, Southwark; 3 in Lambeth; 1 in Greenwich; and 5 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital, 1 came from the Lambeth Union Workhouse; 1 from the Whitechapel Union Workhouse; and 1 from St. George's, Middlesex.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	125
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	139
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	166
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	199
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	213
TOTAL. Males, 433. Females, 409. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	842

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890: and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society.

‖ 3 of the 4 persons who died of Small Pox were unvaccinated; in 1 case the circumstance is not stated.

‡ The ages of 2 persons in deaths by *violence* were unknown.

* * The 8 cases of death in childbirth which appear in the present table, are entered thus:—"Rupture of the uterus soon after parturition" age 36; "internal flooding, produced by spontaneous rupture of the uterus, 3 days after delivery," age 36; "ulceration and rupture of the uterus, the latter during labour and escape of the child into the abdomen, (*post mortem*)," age 37; "puerperal peritonitis," age 27; "pleuritic inflammation with peripneumonia, 11 days after childbirth," age 18; "debility from childbirth, 5 days after delivery," age 30; "childbirth, from exhaustion, 4 days after delivery (a fibrous tumor, weighing about 6lbs., was attached to the lower part of the uterus, producing frequent expulsive pains), *post mortem*," age 32; and "hæmorrhage subsequent to childbirth," age 27.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death in childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 104.

†† Five cases of dysentery occurred in the Union Workhouse at Greenwich.

General Register Office, August 30th, 1843.

§	Weeks ending Aug. 26th	Sept 2nd*	Aug. 1831-40.
Mean height of barometer §	in. 29.729	in. 30.114	in 29.872
Rain (weekly)	1.765	.036	.343
Mean Dryness	4°.6	3°.3	5°.7

* Wind, S. 3 days; S.W. 1; E. 2; N.N.W. 1. Rain, on 1 day.

A TABLE OF THE MORTALITY IN THE Metropolis,*

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd September, 1843.

1843.

Temperature. §	Weeks ending Aug. 26th	Sept. 2nd	Aug. 1831-40.
Highest....	81°	78°	84°
Lowest....	53°	55°	45°
Daily Mean	64°	66°	64°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Summrs	Weekly Average† during 5 Years 1838-9-40-1-2.
Small Pox	4	..	..	‖ 4	25	27
Measles	29	..	..	29	27	23
Scarlatina	37	2	..	39	34	30
Hooping Cough	24	..	..	24	20	32
Croup	3	..	..	3	6	7
Thrush	9	..	..	9	8	5
Diarrhœa	44	2	7	53	21	9
Dysentery	3	3	10	†† 16	3	2
Cholera	3	2	..	‡ 6	3	1
Influenza	1	..	..	1	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	9	18	6	¶ 33	33	37
Erysipelas	2	..	..	2	5	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	169	27	23	‡ 220	187	182
Cephalitis	9	1	2	12	12	11
Hydrocephalus	31	..	..	31	35	34
Apoplexy	4	7	7	18	15	17
Paralysis	..	3	7	10	12	14
Convulsions	62	..	1	63	63	57
Tetanus	..	1	..	1	.3	
Chorea	..	..	..	..	..	
Epilepsy	..	3	..	3	3	4
Insanity	..	1	..	1	.8	1
Delirium Tremens	..	..	..	..	1	1
Dis. of Brain, &c.	2	4	2	8	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	108	20	19	147	150	148
Laryngitis	1	..	..	1	.4	
Quinsey	2	..	..	2	1	1
Bronchitis	..	1	1	2	5	10
Pleurisy	..	..	..	..	1	1
Pneumonia	37	6	1	44	49	73
Hydrothorax	1	3	..	4	3	5
Asthma	..	6	8	14	8	24
Phthisis or Consumption	36	100	6	142	141	143
Dis. of Lungs, &c.	5	2	3	10	9	14
Diseases of the Lungs, and of the other Organs of Respiration	82	118	19	219	219	268
Pericarditis	1	..	..	1	.5	.5
Aneurism	..	3	..	3	.5	.5
Dis. of Heart, &c.	5	9	7	21	15	17
Diseases of the Heart and Blood Vessels.	6	12	7	25	16	18
Teething	24	..	..	24	22	17
Gastritis—Enteritis	16	8	5	29	26	18
Peritonitis	..	..	1	1	1	1
Tabes Mesenterica	9	..	..	9	5	4
Worms	1	..	..	1	.3	
Ascites	..	1	..	1	.6	.
Ulceration (of Intest, &c.)	..	3	1	4	1	1
Hernia	1	..	..	1	2	2
Colic or Ileus	..	2	1	3	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	..	..	..	.4	
Hæmatemesis	..	..	..	..	.4	
Dis. of Stomach, &c.	7	3	1	11	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	1	1	1	1
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c.	1	3	1	5	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	60	21	12	93	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average† during 5 Summrs	Weekly Average† during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	4	4	8	2	3
Diseases of the Kidneys, &c.	..	4	4	8	4	5
Childbed	..	10	..	** 10	5	7
Paramenia	..	1	..	1	.1	
Ovarian Dropsy	..	1	..	1	.3	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	14	..	14	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	3	..	3	2	3
Dis. of Joints, &c.	3	2	..	5	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	3	5	..	8	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	..	1	1	1
Inflammation	..	..	..	..	8	9
Hæmorrhage	..	..	1	1	3	3
Dropsy	2	10	12	24	29	34
Abscess	2	..	..	2	4	4
Mortification	2	1	3	6	4	4
Purpura	..	..	..	..	.3	
Scrofula	5	2	..	7	2	2
Carcinoma	..	1	3	4	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	15	1	5	21	8	6
Debility	30	1	..	31	18	18
Malformations	2	..	..	2	.8	1
Sudden Deaths	2	4	1	7	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	60	20	25	105	98	105
Old Age, or Natural Decay	..	..	44	44	53	68
Intemperance	..	1	..	1	.7	.6
Privation	3	..	..	‡‡ 3	.2	.5
Violent Deaths	4	9	2	‡ 16	22	24
Deaths by Violence, Privation, or Intemperance	7	10	2	‡ 20	23	25
Causes not specified	2	3	..	5	5	5
Deaths from all Causes	497	255	155	‡ 909	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 32 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in St. George, Hanover-square; 1 in Westminster; 6 in St. Marylebone; 1 in Islington; 1 in Hackney; 1 in St. Giles; 1 in St. Luke; 2 in Shoreditch; 1 in Bethnal-green; 1 in Whitechapel; 2 in St. George-in-the-East; 1 in Poplar; 2 in St. Saviour; 1 in St. Olave; 2 in Bermondsey; 1 in St. George, Southwark; 1 in Lambeth; 2 in Greenwich; and 3 in St. Pancras, of which 2 occurred in the Fever Hospital. It was ascertained that both the patients who died in the Fever Hospital came from St. Saviour's, Borough. One case of *mumps* is placed under this head for the sake of convenience.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	151
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	169
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	160
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	222
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	207
TOTAL	Males, 489. Females, 420. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	909

* Under the term Metropolis are comprised the 33 Districts herein mentioned, which include the City of London *within*, and *without* the Walls, the City and Liberties of Westminster, the *Out Parishes* within the Bills of Mortality; — and the Parishes of St. Mary-le-bone; St. Pancras; Kensington; Fulham; Hammersmith; St. Luke, Chelsea; Paddington; St. Mary, Stoke Newington; St. Leonard, Bromley; St. Mary-le-bow; Camberwell; Greenwich; St. Nicholas, and St. Paul, Deptford; and Woolwich. The Population as enumerated in 1831, was 1,594,890; and in June 1841, 1,870,727.

† The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ The Meteorological Observations are given as observed by Mr Roberton, at the apartments of the Royal Society.

‖ 2 of the 4 persons who died of Small Pox were unvaccinated; in the remaining cases the circumstance is not stated.

‡ The ages of 2 cases, one of cholera, and another of violence, are not stated.

** The 10 cases of death in childbirth which appear in the present table, are entered thus:—"Puerperal fever, 14 days after delivery, 4 days' illness," age 21; "puerperal fever," age 27; "peritoneal inflammation, 10 days after delivery," age 26; "peritoneal inflammation, 9 days after delivery," age 28; "puerperal fever," 15 days after delivery," age 24; childbirth, flooding," age 43; "inflammation of the bowels, 9 days after childbirth," age 36; "childbirth," age 18; "flooding in childbirth," age 37; and "entero-peritonitis, 29 days after childbirth," age 40.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death after childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 104.

†† 9 of the 16 cases of dysentery occurred in the Union Workhouse at Greenwich.

‡‡ Under *privation* are placed, "emaciation from defective nutrition," age 3 months, and 2 cases of "want of breastmilk."

General Register Office, September 6th, 1843.

†	Weeks ending Sept 2nd	Weeks ending Sept. 9th*	Sept. 1831-40.
ean height barometer	in. 30.114	30.336	in 29.813
in (weekly)	.036	..	.436
an Dryness	3°.3	3°.7	4°.3

Wind, N. 2 ds.; N.N.W. 1; N.W. 1; 1; E. 1; E.N.E. 1. Rain, None.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 9nd September, 1843.

1843.

Temperature. †	Weeks ending Sept. 2nd	Weeks ending Sept. 9th	Sept. 1831. 40.
Highest....	78°	78°	76°
Lowest....	55°	54°	41°
Daily Mean	66°	66°	58°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	9	..	..	§ 9	25	27
Measles	17	..	..	17	27	23
Scarlatina	41	..	..	41	34	30
Hooping Cough	26	..	..	26	20	32
Croup	5	..	..	5	6	7
Thrush	13	..	..	13	8	5
Diarrhœa	40	3	8	51	21	9
Dysentery	2	3	7	** 12	3	2
Cholera	4	1	1	6	3	1
Influenza	1	..	..	1	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	14	26	5	¶ 45	33	37
Erysipelas	2	1	1	4	5	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	175	34	22	231	187	182
Cephalitis	5	1	1	7	12	11
Hydrocephalus	32	..	..	32	35	34
Apoplexy	2	4	4	10	15	17
Paralysis	..	1	10	11	12	14
Convulsions	56	..	..	56	63	57
Tetanus	..	..	..	..	.3	
Chorea	..	..	..	..	..	
Epilepsy	1	2	..	3	3	4
Insanity	..	..	..	..	.8	1
Delirium Tremens	..	3	..	3	1	1
Dis. of Brain, &c.	3	3	2	8	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	99	14	17	130	150	148
Laryngitis	..	..	..	..	.4	
Quinsey	1	..	..	1	1	1
Bronchitis	2	..	1	3	5	10
Pleurisy	..	2	..	2	1	1
Pneumonia	32	1	..	‖ 34	49	73
Hydrothorax	2	2	1	5	3	5
Asthma	..	2	4	6	8	24
Phthisis or Consumption	52	90	4	146	141	143
Dis. of Lungs, &c.	2	6	2	10	9	14
Diseases of the Lungs, and of the other Organs of Respiration	91	103	12	‖ 207	219	268
Pericarditis	..	1	1	2	.5	.5
Aneurism	..	..	..	..	.5	.5
Dis. of Heart, &c.	2	8	4	14	15	17
Diseases of the Heart and Blood Vessels.	2	9	5	16	16	18
Teething	26	..	..	26	22	17
Gastritis—Enteritis	23	3	2	28	26	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	10	..	..	10	5	4
Worms	1	..	..	1	.3	
Ascites	..	..	1	1	.6	.
Ulceration (of Intest, &c.)	1	3	..	4	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	..	..	1	2	2
Intussusception	..	..	..	..	.8	
Stricture	..	..	..	..	.4	
Hæmatemesis	..	..	..	..	.4	
Dis. of Stomach, &c.	3	3	4	10	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	1	1	1	1
Jaundice	1	2	1	4	2	2
Dis. of Liver, &c.	1	7	3	11	8	7
Dis. of Spleen	..	..	..	..	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	67	19	12	98	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	..	..	..	.4	.4
Dis. of Kidneys, &c.	..	4	2	‖ 7	2	3
Diseases of the Kidneys, &c.	..	4	2	‖ 7	4	5
Childbed	..	7	..	‡ 7	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	..	1	1	.3	.2
Dis. of Uterus, &c.	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	10	1	11	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	1	..	1	2	3
Dis. of Joints, &c.	1	3	..	4	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	4	..	5	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.3	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	1	..	..	1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	1	..	2	1	1
Inflammation	..	..	..	..	8	9
Hæmorrhage	..	..	..	..	3	3
Dropsy	3	2	7	12	29	34
Abscess	..	..	..	..	4	4
Mortification	1	..	2	3	4	4
Purpura	1	..	..	1	.3	
Scrofula	3	2	..	5	2	2
Carcinoma	..	10	7	17	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	6	1	4	11	8	6
Debility	18	1	..	19	18	18
Malformations	2	1	..	3	.8	1
Sudden Deaths	1	6	2	9	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	35	24	22	81	98	105
Old Age, or Natural Decay	..	..	71	71	53	68
Intemperance	..	..	1	1	.7	.6
Privation	..	1	..	†† 1	.2	.5
Violent Deaths	7	12	..	19	22	24
Deaths by Violence, Privation, or Intemperance	7	13	1	21	23	25
Causes not specified	..	..	..	..	5	5
Deaths from all Causes	478	235	165	‖880	848	903
Average Weekly Deaths, 1838_9_40_1_2.	428	307	167			903

¶ Of 45 deaths by TYPHUS, 2 occurred in the District of Chelsea; 1 in St. George, Hanover-square; 1 in Westminster; 1 in St. Martin in the Fields; 1 in St. James, Westminster; 2 in St. Marylebone; 1 in Islington; 2 in St. Giles; 3 in Strand; 1 in Holborn; 1 in Clerkenwell; 2 in East London; 2 in West London; 4 in Shoreditch; 3 in Bethnal-green; 1 in Whitechapel; 4 in St. George in the East; 2 in Stepney; 1 in Poplar; 2 in St. Saviour; 1 in St. Olave; 1 in Lambeth; 1 in Camberwell; 1 in Greenwich; and 4 in St. Pancras, of which 3 occurred in the Fever Hospital. It was ascertained that of the 3 patients who died in the Fever Hospital 1 came from St. George in the East; 1 from St. Giles; and 1 from Poland-street.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	141
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	156
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	160
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	182
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	241
TOTAL	Males, 460. Females, 420. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	880

* The Weekly Average for 1838, 1839, 1840, 1841 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

§ 7 of the 9 persons who died of Small Pox had not been vaccinated.

‖ The ages in 2 cases, one of pneumonia, and another of disease of the kidneys, are not stated.

‡ The 7 cases of death after childbirth which appear in the present table, are entered thus:—"childbirth," age 31; "puerperal fever and convulsions, 4 days after delivery," age 20; "puerperal fever, 9 days after delivery, 2 days' illness," age 23; "rupture of the uterus during labour," age 42; "puerperal fever, 6 days after delivery," age 23; "excessive debility, 5 hours after delivery," age 37; and "childbed," age 25. Besides these, there is the following, "paralysis, 5 months, 1st attack following parturition," age 40.

NOTE.—The Registrars are requested to direct the particular attention of informants to the causes of death after childbirth, and in every case to state the length of time which occurs between delivery and death.—See Statistical Nosology No. 104.

** 10 cases of *dysentery* occurred in the Union Workhouse at Greenwich.

†† The following case occurs under *privation*, "atrophy, from imperfect nutrition," age 22.

General Register Office, September 13th, 1843.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 16th September, 1843.

†	Weeks ending Sept 9th	Weeks ending Sept. 16th	Sept. 1831-40.
Mean height of barometer	in. 30.248	in. 29.964	in. 29.813
Rain (weekly	..	.250	.436
Mean Dryness	3°.7	4°.3	4°.3

* Wind, E. 3 days; N.E. 1; N.N.E. 1; E.N.E 1; N.W. 1. Rain, on 1 day.

1843.

Temperature. †	Weeks ending Sept. 9th	Weeks ending Sept. 16th	Sept. 1831. 40.
Highest....	78°	74°	76°
Lowest....	54°	54°	41°
Daily Mean	66°	65°	58°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	5	..	..	§ 5	25	27
Measles	32	..	..	32	27	23
Scarlatina	47	1	..	48	34	30
Hooping Cough	15	..	..	15	20	32
Croup	6	..	..	6	6	7
Thrush	11	..	..	11	8	5
Diarrhœa	54	4	11	* * 69	21	9
Dysentery	4	3	..	* * 7	3	2
Cholera	2	1	1	* * 4	3	1
Influenza	..	..	..	..	.7	2
Ague	..	..	..	..	.1	
Remittent Fever	1	..	..	1	.5	
Typhus	11	24	1	¶ 36	33	37
Erysipelas	3	3	..	6	5	6
Syphilis	1	..	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	192	36	13	241	187	182
Cephalitis	9	6	..	15	12	11
Hydrocephalus	41	..	..	41	35	34
Apoplexy	3	6	7	16	15	17
Paralysis	1	11	9	21	12	14
Convulsions	74	..	..	74	63	57
Tetanus	..	1	..	1	.3	
Chorea	..	..	..	..	..	
Epilepsy	..	2	1	3	3	4
Insanity	..	..	..	..	.8	1
Delirium Tremens	..	1	..	1	1	1
Dis. of Brain, &c.	..	2	3	5	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	128	29	20	177	150	148
Laryngitis	..	..	..	..	.4	
Quinsey	3	1	..	4	1	1
Bronchitis	4	..	3	7	5	10
Pleurisy	..	1	..	1	1	1
Pneumonia	28	4	..	32	49	73
Hydrothorax	2	..	3	5	3	5
Asthma	..	1	5	6	8	24
Phthisis or Consumption	39	101	9	149	141	143
Dis. of Lungs, &c.	4	1	1	6	9	14
Diseases of the Lungs, and of the other Organs of Respiration	80	109	21	210	219	268
Pericarditis	..	..	..	..	.5	.5
Aneurism	..	1	..	1	.5	.5
Dis. of Heart, &c.	..	12	3	15	15	17
Diseases of the Heart and Blood Vessels.	..	13	3	16	16	18
Teething	19	..	..	19	22	17
Gastritis—Enteritis	23	6	1	30	26	18
Peritonitis	1	1	..	2	1	1
Tabes Mesenterica	14	1	..	15	5	4
Worms	..	..	..	..	.3	
Ascites	..	..	..	..	.6	.
Ulceration (of Intest, &c.)	1	..	1	2	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	..	..	..	..	2	2
Intussusception	1	..	..	1	.8	
Stricture	..	..	..	..	.4	
Hæmatemesis	..	..	..	..	.4	
Dis. of Stomach, &c.	7	2	2	11	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	1	..	1	1	1
Jaundice	..	..	3	3	2	2
Dis. of Liver, &c.	..	11	1	12	8	7
Dis. of Spleen	1	..	..	1	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	67	23	8	98	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	1	1	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	1	1	.2	
Stone	..	..	..	..	.6	.4
Stricture	..	1	1	2	.4	.4
Dis. of Kidneys, &c.	..	..	..	..	2	3
Diseases of the Kidneys, &c.	..	1	3	4	4	5
Childbed	..	2	..	‡ 2	5	7
Paramenia	..	2	..	2	.1	
Ovarian Dropsy	..	..	..	..	.3	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	6	..	6	8	9
Arthritis	..	..	..	..	..	
Rheumatism	1	2	..	3	2	3
Dis. of Joints, &c.	1	2	2	5	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	4	2	8	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	2	..	2	.3	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	2	..	2	1	1
Inflammation	2	..	..	2	8	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	1	11	7	19	29	34
Abscess	1	1	..	2	4	4
Mortification	..	2	3	5	4	4
Purpura	..	1	..	1	.3	
Scrofula	1	..	..	1	2	2
Carcinoma	..	5	8	13	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	12	..	1	13	8	6
Debility	15	..	..	15	18	18
Malformations	2	..	..	2	.8	1
Sudden Deaths	1	3	3	7	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	35	26	22	83	98	105
Old Age, or Natural Decay	..	..	44	44	53	68
Intemperance	..	..	..	..	.7	.6
Privation	1	..	..	† † 1	.2	.5
Violent Deaths	8	7	2	17	22	24
Deaths by Violence, Privation, or Intemperance	9	7	2	18	23	25
Causes not specified	2	6	..	8	5	5
Deaths from all Causes	515	262	138	915	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 36 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 3 in St. Marylebone; 2 in Islington; 4 in St. Giles; 2 in Strand; 1 in Clerkenwell; 1 in St. Luke; 1 in West London; 1 in Shoreditch; 4 in Bethnal-green; 1 in Stepney; 1 in Poplar; 1 in St. Olave; 1 in Camberwell; 1 in Rotherhithe; 3 in Greenwich; and 6 in St. Pancras, of which 5 occurred in the Fever Hospital. It was ascertained that of the 5 patients who died in the Fever Hospital, 1 came from Whitechapel Union Workhouse; 1 from St. Giles; 1 from St. Saviour, Borough; 1 from St. George in the East; and 1 from Chelsea.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	151
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	152
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	200
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	189
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	223
TOTAL	Males, 471. Females, 444. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	846	915

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

§ 4 of the 5 persons who died of Small Pox had not been vaccinated, of which, 1 case is registered: "small pox unvaccinated, the mother having it 8 days after confinement," age, 1 month. In 1 case the circumstance is not stated.

‡ The 2 cases of death after childbirth which appear in the present table, are entered thus:—"From protracted syncope, 10 days after childbirth, (*p. mort.*)" age 30; and "inflammation of the bowels, 5 days after childbirth," age 33.

* * 3 cases of dysentery occurred in the Union Workhouse at Greenwich. 267 cases of *diarrhœa*, 59 of *dysentery*, and 28 of *cholera*, have been registered in the Metropolis during 6 weeks, from the 5th of August to the 16th of September.

† † The following case is included under *privation*: "debility, want of breastmilk," age 2 months.

General Register Office, September 20th, 1843.

†	Weeks ending Sept. 16th	Sept. 23rd*	Sept. 1831-40.
Mean height of barometer	in. 29.264	in. 30.195	in. 29.813
†Rain (weekly)	.250	.197	.436
Mean Dryness	4°.3	4°.5	4°.3

* Wind, N. 3 days; N.E. 1; E. 1; S.S.W. 1; S.S.E. 1. Rain, on 1 day.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd September, 1843.

1843.

Temperature. †	Weeks ending Sept. 16th	Sept. 23rd	Sept. 1831. 40.
Highest	74°	78°	78°
Lowest	54°	54°	54°
Daily Mean	65°	66°	66°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	4	..	..	§ 4	25	27
Measles	38	..	..	38	27	23
Scarlatina	63	1	..	64	34	30
Hooping Cough	21	..	..	21	20	32
Croup	4	..	..	4	6	7
Thrush	16	..	..	16	8	5
Diarrhœa	49	3	7	59	21	9
Dysentery	7	10	11	** 28	3	2
Cholera	5	5	1	11	3	1
Influenza	1	..	..	1	..7	2
Ague	..	..	..	..	..1	
Remittent Fever	..	1	..	1	..5	
Typhus	8	20	5	¶ 33	33	37
Erysipelas	1	..	2	3	5	6
Syphilis	..	..	..	..	..5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	217	40	26	283	187	182
Cephalitis	11	2	..	13	12	11
Hydrocephalus	39	..	..	39	35	34
Apoplexy	1	7	5	13	15	17
Paralysis	1	8	11	20	12	14
Convulsions	54	..	..	54	63	57
Tetanus	..	..	..	..	..3	
Chorea	..	..	..	..	..	
Epilepsy	..	..	1	1	3	4
Insanity	..	1	1	2	.8	1
Delirium Tremens	..	4	..	4	1	1
Dis. of Brain, &c.	5	4	1	10	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	111	26	19	156	150	148
Laryngitis	..	..	..	..	..4	
Quinsey	1	..	..	1	1	1
Bronchitis	3	1	2	6	5	10
Pleurisy	..	..	..	..	1	1
Pneumonia	32	7	3	42	49	73
Hydrothorax	..	1	1	2	3	5
Asthma	..	2	4	6	8	24
Phthisis or Consumption	27	96	4	‖ 129	141	143
Dis. of Lungs, &c.	4	2	1	7	9	14
Diseases of the Lungs, and of the other Organs of Respiration	67	109	15	‖193	219	268
Pericarditis	..	2	..	2	..5	.5
Aneurism	..	..	..	..	..5	..5
Dis. of Heart, &c.	4	6	2	12	15	17
Diseases of the Heart and Blood Vessels.	4	8	2	14	16	18
Teething	28	..	..	28	22	17
Gastritis—Enteritis	26	7	4	37	26	18
Peritonitis	1	..	..	1	1	1
Tabes Mesenterica	11	1	..	12	5	4
Worms	..	..	..	..	..3	
Ascites	..	1	..	1	..6	..
Ulceration (of Intest, &c.)	4	1	..	5	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	3	2	6	2	2
Intussusception	1	1	..	2	..8	
Stricture	..	..	..	..	..4	
Hæmatemesis	..	1	..	1	..4	
Dis. of Stomach, &c.	6	2	1	9	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	1	..	1	1	1
Jaundice	1	4	1	6	2	2
Dis. of Liver, &c.	2	5	2	9	8	7
Dis. of Spleen	..	..	1	1	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	81	28	11	120	78	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	1	..	1	..3	..4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	..3	..3
Cystitis	..	1	..	1	.2	
Stone	..	..	..	..	..6	..4
Stricture	..	..	1	1	..4	..4
Dis. of Kidneys, &c.	..	2	..	2	2	3
Diseases of the Kidneys, &c.	..	4	1	5	4	5
Childbed	..	7	..	‡ 7	5	7
Paramenia	..	1	..	1	..1	
Ovarian Dropsy	..	..	..	..	..3	..2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	8	..	8	8	9
Arthritis	..	..	..	..	..	
Rheumatism	..	4	1	5	2	3
Dis. of Joints, &c.	3	1	..	4	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	3	5	1	9	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	..3	..4
Fistula	..	..	..	..	..3	..3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	..	..	1	1
Inflammation	2	..	..	2	8	9
Hæmorrhage	1	2	..	3	3	3
Dropsy	2	11	12	25	29	34
Abscess	..	..	..	..	4	4
Mortification	..	..	2	2	4	4
Purpura	..	..	..	..	..3	
Scrofula	2	1	..	3	2	2
Carcinoma	..	11	6	17	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	23	..	..	†† 23	8	6
Debility	20	2	..	22	18	18
Malformations	3	..	..	3	..8	1
Sudden Deaths	2	2	2	6	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	55	29	22	106	98	105
Old Age, or Natural Decay	..	..	55	55	53	68
Intemperance	..	1	..	1	.7	..6
Privation	..	..	..	..	..2	..5
Violent Deaths	7	19	4	30	22	24
Deaths by Violence, Privation, or Intemperance	7	20	4	31	23	25
Causes not specified	1	2	..	3	5	5
Deaths from all Causes	546	279	156	‖983	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 33 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 1 in St. Marylebone; 1 in Islington; 1 in St. Giles; 1 in Strand; 1 in St. Luke; 1 in West London; 1 in City of London; 1 in Shoreditch; 2 in Whitechapel; 1 in Stepney; 1 in St. Saviour; 3 in St. Olave; 1 in Bermondsey; 2 in St. George, Southwark; 1 in Newington; 1 in Camberwell; 1 in Rotherhithe; 2 in Greenwich; and 7 in St. Pancras, of which 5 occurred in the Fever Hospital. It was ascertained that of the 5 patients who died in the Fever Hospital, 1 came from St. James's, Westminster; 1 from St. Giles; 1 from St. George in the East; 1 from the London Union Workhouse; and 1 from the London Female Penitentiary.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	135
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	159
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	199
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	221
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	269
TOTAL. Males, 483. Females, 500. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	983

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

† The Meteorological Observations are given as observed by Mr. Roberton, at the apartments of the Royal Society.

§ 3 of the 4 persons who died of Small Pox had not been vaccinated; in 1 case the circumstance is not stated.

‖ The ages in 2 cases of *phthisis* are not stated.

‡ The 7 cases of death after childbirth which appear in the present table, are entered thus:—"Childbed fever," age 28; "childbirth, (9 hours)" age 45; "childbirth," age 24; "puerperal fever, 3 weeks after childbirth," age 21; "childbirth," age 25; "miscarriage," age 41; and "exhaustion in childbirth, induced by general debility," age 21. Besides these, there is the following: "phthisis (6 months) abortion (5 days)" age 36.

** 14 cases of *dysentery* occurred in the Union Workhouse at Greenwich. 326 cases of diarrhœa, 87 of *dysentery*, and 39 of *cholera*, have been registered in the Metropolis during 7 weeks, from the 6th of August to the 23rd of September.

†† The 3 following cases are included under *atrophy*: "debility from birth, with imperfect nutrition," age 9 days; "debility, want of breastmilk," age 2 weeks; and "atrophy, from want of breastmilk," age 6 weeks.

General Register Office, September 27th, 1843.

†	Weeks ending Sept. 23rd	Sept. 30th*	Sept. 1831-40.
Mean height of barometer	in. 30.195	in. 29.981	in. 29.813
Rain (weekly)	.197	.238	.436
Mean Dryness	4°.5	4°.2	4°.3

* Wind, N. 2 days; N.W. 1; W. 2; W.S.W. 1; S. 1. Rain, on 1 day.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th September, 1843.

1843.

Temperature. †	Weeks ending Sept. 23rd	Sept. 30th	Sept. 1831-40.
Highest	78°	66°	78°
Lowest	54°	41°	54°
Daily Mean	66°	54°	66°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2.	5 Years
Small Pox	5	1	..	§ 6	25	27
Measles	30	..	..	30	27	23
Scarlatina	52	2	..	54	34	30
Hooping Cough	28	..	..	28	20	32
Croup	5	..	..	5	6	7
Thrush	13	..	..	13	8	5
Diarrhœa	53	4	10	67	21	9
Dysentery	8	5	9	** 22	3	2
Cholera	5	1	..	†† 6	3	1
Influenza	..	..	..	..	.7	2
Ague	1	..	..	1	.1	
Remittent Fever	..	..	..	..	.5	
Typhus	17	9	3	¶ 29	33	37
Erysipelas	4	1	..	5	5	6
Syphilis	..	..	1	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	221	23	23	267	187	182
Cephalitis	13	1	..	14	12	11
Hydrocephalus	52	1	..	53	35	34
Apoplexy	1	11	6	18	15	17
Paralysis	..	3	7	10	12	14
Convulsions	55	..	..	55	63	57
Tetanus	..	..	..	..	.3	
Chorea	..	..	..	..	..	
Epilepsy	..	4	..	4	3	4
Insanity	..	1	1	2	.8	1
Delirium Tremens	..	3	..	3	1	1
Dis. of Brain, &c.	4	3	4	‖ 12	8	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	125	27	18	‖ 171	150	148
Laryngitis	..	..	..	..	.4	
Quinsey	2	..	..	2	1	1
Bronchitis	4	1	1	6	5	10
Pleurisy	1	1	..	2	1	1
Pneumonia	45	4	1	50	49	73
Hydrothorax	..	3	..	3	3	5
Asthma	..	6	6	12	8	24
Phthisis or Consumption	44	97	3	144	141	143
Dis. of Lungs, &c.	3	6	3	12	9	14
Diseases of the Lungs, and of the other Organs of Respiration	99	118	14	231	219	268
Pericarditis	..	2	1	3	.5	.5
Aneurism	..	..	1	1	.5	.5
Dis. of Heart, &c.	2	16	9	27	15	17
Diseases of the Heart and Blood Vessels.	2	18	11	31	16	18
Teething	35	..	..	35	22	17
Gastritis—Enteritis	23	3	2	28	26	18
Peritonitis	2	..	..	2	1	1
Tabes Mesenterica	12	..	..	12	5	4
Worms	3	..	..	3	.3	
Ascites	..	1	..	1	.6	..
Ulceration (of Intest, &c.)	2	..	2	4	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	..	2	3	2	2
Intussusception	1	..	1	2	.8	
Stricture	..	..	1	1	.4	
Hæmatemesis	..	..	1	1	.4	
Dis. of Stomach, &c.	4	1	5	10	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	1	..	1	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	1	9	2	12	8	7
Dis. of Spleen	..	1	..	1	.1	
Diseases of the Stomach, Liver, and other Organs of Digestion.	84	17	17	118	78	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average during 5 Summrs 1838-9-40-1-2	5 Years
Nephritis	..	..	..	..	.3	.4
Ischuria	..	..	..	..	.1	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.2	
Stone	..	1	..	1	.6	.4
Stricture	..	1	..	1	.4	.4
Dis. of Kidneys, &c.	..	1	1	2	2	3
Diseases of the Kidneys, &c.	..	3	1	4	4	5
Childbed	..	6	..	‡ 6	5	7
Paramenia	..	..	..	..	.1	
Ovarian Dropsy	..	1	..	1	.3	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	8	9
Arthritis	..	..	1	1	..	
Rheumatism	..	..	1	1	2	3
Dis. of Joints, &c.	..	4	..	4	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	4	2	6	5	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	1	..	1	.3	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	..	1	1	1
Inflammation	4	..	1	5	8	9
Hæmorrhage	..	3	..	3	3	3
Dropsy	3	11	9	23	29	34
Abscess	1	1	..	2	4	4
Mortification	..	..	3	3	4	4
Purpura	..	..	..	..	.3	
Scrofula	1	..	1	2	2	2
Carcinoma	..	5	4	9	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	20	..	1	†† 21	8	6
Debility	21	4	..	25	18	18
Malformations	3	..	..	3	.8	1
Sudden Deaths	5	8	3	16	11	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	58	32	22	112	98	105
Old Age, or Natural Decay	..	..	49	49	53	68
Intemperance	..	1	..	1	.7	.6
Privation	..	..	..	..	.2	.5
Violent Deaths	11	27	2	40	22	24
Deaths by Violence, Privation, or Intemperance	11	28	2	41	23	25
Causes not specified	2	1	..	3	5	5
Deaths from all Causes	602	281	159	‖ 1043	848	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 29 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in Chelsea; 3 in St. George, Hanover-square; 1 in St. Martin-in-the-Fields; 2 in Strand; 1 in East London; 1 in West London; 1 in City of London; 3 in Shoreditch; 3 in Bethnal-green; 2 in Whitechapel; 4 in Stepney; 1 in St. Saviour; 2 in Camberwell; 1 in Greenwich; and 2 in St. Pancras, of which 1 occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from St. Mary's, Islington

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Summers	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	124	143
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	151	190
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	172	184
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	197	270
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	202	256
TOTAL. Males, 544. Females, 499. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	846	1043

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ 5 of the 6 persons who died of Small Pox had not been vaccinated.

‖ Tha age of one person who died of *cerebral disease* is not stated.

‡ The 6 cases of death after childbirth which appear in the present table are entered thus:—"Puerperal fever," age 16; "puerperal peritonitis," age 25; "puerperal fever, 10 days after delivery, 3 days' illness," age 32; "puerperal fever, the third day after confinement," age 19; "childbed," age 26; and "childbirth, 4 days after delivery, from obstruction and consequent inflammation of the bowels," age 23.

** 14 deaths by *dysentery* occurred in the Union Workhouse at Greenwich, of which one is registered "consumption,—dysentery 3 weeks." 63 deaths by *dysentery* have occurred in the Greenwich Workhouse during 7 weeks, from the 13th of August to the 30th of September.

†† Under *cholera* are included 2 cases of "cholera brought on by want of proper sustenance," ages respectively 7 months and 1½ year. Under *atrophy* are the following cases:—"atrophy from want of breast milk," age 14 weeks; and "debility from want of breast milk," age 3 months.

General Register Office, October 4th, 1843.

†	Weeks ending Sept. 30th	Oct. 7th*	Oct. 1831-40.
Mean height of barometer	in. 29.981	in. 29.913	in. 29.877
Rain (weekly)	.238	.277	.406
Mean Dryness	4°.2	4°.5	3°.3

* Wind, W. 3 days; S.W. 2; S. 1; W.S.W. 1. Rain, on 2 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 7th October, 1843.

1843.

Temperature. †	Weeks ending Sept. 30th	Oct. 7th	Oct. 1831. 40.
Highest....	66°	70°	70°
Lowest....	41°	53°	30°
Daily Mean	54°	62°	52°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	8	..	..	§ 8	28	27
Measles	39	..	..	39	26	23
Scarlatina	43	..	..	43	41	30
Hooping Cough	35	..	..	35	27	32
Croup	4	..	..	4	8	7
Thrush	17	..	..	17	4	5
Diarrhœa	48	6	10	** 64	6	9
Dysentery	7	2	12	†† 21	2	2
Cholera	2	..	2	4	.4	1
Influenza	1	..	..	1	1	2
Ague	..	..	..	..	.3	
Remittent Fever	..	..	..	..	.3	
Typhus	10	12	5	¶ 27	32	37
Erysipelas	1	4	1	6	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	215	24	30	269	183	182
Cephalitis	5	3	..	8	11	11
Hydrocephalus	42	2	..	44	30	34
Apoplexy	2	8	8	18	18	17
Paralysis	..	4	10	14	15	14
Convulsions	56	..	1	‖ 58	52	57
Tetanus	..	..	..	..	.4	
Chorea	..	..	..	..	..	
Epilepsy	1	2	..	3	4	4
Insanity	..	1	1	2	1	1
Delirium Tremens	..	3	1	4	2	1
Dis. of Brain, &c.	5	7	2	14	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	111	30	23	‖165	140	148
Laryngitis	..	..	..	..	.4	
Quinsey	2	1	..	3	2	1
Bronchitis	6	2	1	9	11	10
Pleurisy	..	..	..	..	2	1
Pneumonia	58	5	4	67	90	73
Hydrothorax	..	..	4	4	5	5
Asthma	..	2	2	4	25	24
Phthisis or Consumption	35	99	3	‖ 138	131	143
Dis. of Lungs, &c.	4	5	2	11	12	14
Diseases of the Lungs, and of the other Organs of Respiration	105	114	16	‖236	278	268
Pericarditis	..	1	..	1	.6	.5
Aneurism	..	2	..	2	.7	.5
Dis. of Heart, &c.	4	9	5	18	19	17
Diseases of the Heart and Blood Vessels.	4	12	5	21	20	18
Teething	30	..	..	30	16	17
Gastritis—Enteritis	21	6	2	29	15	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	19	..	..	19	4	4
Worms	5	..	..	5	.4	
Ascites	..	1	..	1	.7	..
Ulceration (of Intest, &c.)	..	1	2	3	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	..	2	..	2	2	2
Intussusception	..	..	..	..	.4	
Stricture	..	..	..	..	.5	
Hæmatemesis	..	1	..	1	.3	
Dis. of Stomach, &c.	5	7	2	14	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	3	1	4	1	1
Jaundice	1	1	1	3	2	2
Dis. of Liver, &c.	..	5	3	8	8	7
Dis. of Spleen	..	1	..	1	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	81	30	11	122	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	1	..	..	1	.5	.4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	.3	.4
Stricture	..	..	..	..	.6	.4
Dis. of Kidneys, &c.	..	4	2	6	3	3
Diseases of the Kidneys, &c.	1	4	2	7	5	5
Childbed	..	7	..	‡ 7	8	7
Paramenia	..	1	..	1	.2	
Ovarian Dropsy	..	1	..	1	.2	.2
Dis. of Uterus, &c.	..	4	3	7	2	2
Childbed, Diseases of the Uterus, &c.	..	13	3	16	10	9
Arthritis	..	..	1	1	..	
Rheumatism	..	1	1	2	3	3
Dis. of Joints, &c.	2	..	..	2	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	1	2	5	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	1	1	.4	.4
Fistula	..	..	1	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	2	2	1	1
Inflammation	5	..	..	5	9	9
Hæmorrhage	1	4	2	7	3	3
Dropsy	3	12	12	27	36	34
Abscess	1	..	..	1	3	4
Mortification	..	..	2	2	4	4
Purpura	..	..	..	..	.2	
Scrofula	2	..	..	2	2	2
Carcinoma	..	9	3	12	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	10	..	4	** 14	5	6
Debility	31	3	..	34	18	18
Malformations	2	1	..	3	.8	1
Sudden Deaths	3	3	2	8	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	58	32	25	115	106	105
Old Age, or Natural Decay	..	..	73	73	69	68
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	8	13	2	23	23	24
Deaths by Violence, Privation, or Intemperance	8	13	2	23	24	25
Causes not specified	1	1	..	2	8	5
Deaths from all Causes	586	274	194	‖1056	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 27 deaths by TYPHUS, 1 occurred in the District of Kensington; 2 in Chelsea; 2 in St. George, Hanover-square; 2 in Westminster; 1 in St. Marylebone; 2 in Strand; 1 in Clerkenwell; 2 in St. Luke; 1 in St. George in the East; 5 in Stepney; 1 in St. Saviour; 2 in Lambeth; 1 in Camberwell; and 4 in St. Pancras, of which 1 occurred in the Fever Hospital. It was ascertained that the patient who died in the Fever Hospital came from Peckham Union Workhouse.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	170
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	152
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	234
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	237
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	263
TOTAL	Males, 511. Females, 515. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	1056

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Winters by 65.

§ 5 of the 8 persons who died of Small Pox had not been vaccinated; in one case the circumstance is not stated, and one is registered "small pox (during vaccination)" age 1 month.

‖ In 2 cases, 1 of convulsions and 1 of consumption, the ages are not stated.

‡ The 7 cases of death after childbirth which appear in the present table are entered thus:—"Childbirth (8 days after confinement)," age 37; "hæmorrhage consequent on miscarriage (4 days intervening)," age 28; "inflammation of the lungs, 2 days after childbirth," age 25; "childbirth (4 days after delivery) from ruptured uterus," age 37; "erysipelas and exhaustion, 4 days after delivery," age 21; "childbirth, 4 days after delivery, from flooding," age 37; and "childbirth (5 hours), exhaustion from debility," age 40. The following case may be added: "premature confinement, having some months previously been thrown from a cart," age 40.

** The following case is included under *diarrhœa*, "atrophy, with diarrhœa, from want of breast-milk (3 weeks)," age 10 weeks. Under *atrophy* "want of natural sustenance," age 3 weeks.

†† 6 cases of death by *dysentery* occurred in the Union Workhouse at Greenwich.

NOTE.—A considerable number of deaths on which inquests had been held, in the district of Greenwich, [illegible] Coroner, have not been included in the present Bill, as having occurred previous to the 1st of October.

General Register Office, October 11th, 1843.

†	Weeks ending Oct. 7th	Weeks ending Oct. 14th	Oct. 1831-40.
Mean height of barometer	in. 29.913	in. 29.502	in 29.877
Rain (weekly)	277	.902	.406
Mean Dryness	4*.5	3* 1	3*.3

* Wind, N.1 day; S.1; W 1; S.W.2; W.S.W. 2. Rain, on 6 days.

A TABLE OF THE MORTALITY IN THE Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 14th October, 1843.

1843.

Temperature. †	Weeks ending Oct. 7th	Weeks ending Oct. 14th	Oct. 1831. 40.
Highest	70°	66°	70°
Lowest	53°	39°	30°
Daily Mean	62°	52°	52°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	6	..	..	§ 6	28	27
Measles	33	..	..	33	36	23
Scarlatina	52	1	1	54	41	30
Hooping Cough	28	..	..	28	27	32
Croup	6	..	..	6	8	7
Thrush	8	..	..	8	4	5
Diarrhœa	30	6	7	43	6	9
Dysentery	6	5	6	** 17	2	2
Cholera	1	1	2	4	.4	1
Influenza	..	1	..	1	1	2
Ague	..	..	..	..	.3	
Remittent Fever	..	..	..	..	.3	
Typhus	12	12	7	¶ ‖ 32	32	37
Erysipelas	4	1	..	5	6	6
Syphilis	1	1	..	2	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	187	28	23	‖ 239	283	282
Cephalitis	10	4	1	15	11	11
Hydrocephalus	32	..	..	32	30	34
Apoplexy	1	9	4	14	18	17
Paralysis	..	8	14	22	15	14
Convulsions	50	..	..	50	52	57
Tetanus	..	..	..	..	.4	
Chorea	..	..	..	..	..	
Epilepsy	..	1	1	2	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	5	3	..	8	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	98	27	20	145	140	148
Laryngitis	1	1	..	2	.4	
Quinsey	..	..	..	..	2	1
Bronchitis	2	1	2	5	11	10
Pleurisy	1	1	1	3	2	1
Pneumonia	70	6	4	80	90	73
Hydrothorax	..	1	2	3	5	5
Asthma	..	4	7	11	25	24
Phthisis or Consumption	37	87	4	128	131	143
Dis. of Lungs, &c.	6	9	3	18	12	14
Diseases of the Lungs, and of the other Organs of Respiration	117	110	23	250	278	268
Pericarditis	..	..	..	..	.6	.5
Aneurism	..	..	..	..	.7	.5
Dis. of Heart, &c.	3	10	4	17	19	17
Diseases of the Heart and Blood Vessels.	3	10	4	17	20	18
Teething	29	..	..	29	16	17
Gastritis—Enteritis	14	4	2	20	15	18
Peritonitis	1	2	..	3	1	1
Tabes Mesenterica	18	1	..	19	4	4
Worms	..	..	..	..	.4	
Ascites	..	..	..	..	.7	.
Ulceration (of Intest, &c.)	1	..	..	1	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	..	2	1	3	2	2
Intussusception	..	..	..	..	.4	
Stricture	1	..	..	1	.5	
Hæmatemesis	..	..	..	..	.3	
Dis. of Stomach, &c.	3	1	3	7	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	..	..	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	..	2	3	5	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	67	13	9	89	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.5	.4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	.3	.4
Stricture	..	..	1	1	.6	.4
Dis. of Kidneys, &c.	1	2	1	4	3	3
Diseases of the Kidneys, &c.	1	2	2	5	5	5
Childbed	..	3	..	‡ 3	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	2	2	4	2	2
Childbed, Diseases of the Uterus, &c.	..	5	2	7	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	..	..	..	3	3
Dis. of Joints, &c.	..	5	1	6	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	5	1	6	6	6
Carbuncle	..	..	1	1	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	1	1	2	.4	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	2	2	4	1	1
Inflammation	3	1	..	4	9	9
Hæmorrhage	..	2	1	3	3	3
Dropsy	6	11	11	28	36	34
Abscess	1	2	..	3	3	4
Mortification	..	1	..	1	4	4
Purpura	1	..	..	1	.2	
Scrofula	1	..	..	1	2	2
Carcinoma	..	2	1	3	7	7
Tumor	1	..	..	1	2	2
Gout	..	1	1	2	1	1
Atrophy	16	1	..	†† 17	5	6
Debility	20	2	..	22	18	18
Malformations	3	..	..	3	.8	1
Sudden Deaths	1	1	4	6	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	53	24	18	95	106	105
Old Age, or Natural Decay	..	..	66	66	69	68
Intemperance	..	1	1	2	.6	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	4	13	4	‖ 22	23	24
Deaths by Violence, Privation, or Intemperance	4	14	5	‖ 24	24	25
Causes not specified	2	1	..	3	8	5
Deaths from all Causes	532	241	175	‖ 950	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Of 32 deaths by TYPHUS, 1 occurred in the District of Kensington; 1 in Chelsea; 1 in St. George, Hanover-square; 1 in Westminster; 1 in St. Martin-in-the-Fields; 2 in St. James, Westminster; 1 in St Marylebone; 1 in Islington; 2 in Hackney; 1 in St. Giles; 1 in Holborn; 2 in St. Luke; 2 in West London; 1 in Shoreditch; 3 in St. George in the East; 2 in Stepney; 1 in Bermondsey; 1 in Lambeth; 1 in Greenwich; and 6 in St. Pancras, the whole of which occurred in the Fever Hospital. It was ascertained that of the 6 patients who died in the Fever Hospital, 2 came from St. Andrew's, Holborn; 1 from St. Giles; 1 from St. Martin-in-the-Fields; 1 from Clerkenwell; and 1 from St. Pancras Workhouse.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	147
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	159
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	182
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	225
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	237
TOTAL	Males, 509. Females, 441. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	950

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations are given as made by Mr. Roberton at the Apartments of the Royal Society.

§ 5 of the 6 persons who died of Small Pox had not been vaccinated.

‖ In 2 cases, 1 of *Typhus*, and 1 of *Drowning*, the ages are not stated.

‡ The 3 cases of death after childbirth which appear in the present table are entered thus:—"Puerperal peritonis," age 20; "Puerperal Fever, (5 days after delivery)" age 29; and "Childbirth, (4 days after delivery)" age 32; to which may be added, "Consumption, (3 days after Childbirth)" age 34.

** 6 cases of death by *dysentery* occurred in the Union Workhouse at Greenwich.

†† Under *atrophy* are included 2 cases of "want of breast-milk, (the mother having died in childbirth)" respective ages, 9 days and 10 days, and "decline, from want of breast-milk," age 1 year.

NOTE.—Inquests to a considerable number, which occurred in a former part of the year in the district of Greenwich, but which were only returned during the last fortnight, have not been included in the Bill of last week, nor in the present. The Coroner had omitted to forward them in due time.

General Register Office, October 18th, 1843.

†	Weeks ending Oct. 14th	Oct. 21st*	Oct. 1831-40.
Mean height of barometer	in. 29.502	in. 29.848	in 29.877
†Rain (weekly)	.972	.598	.406
Mean Dryness	3°.1	2°.8	3°.3

* Wind, N. 1 day; N.N.W. 1; S. 2; W. 1; W.N.W. 2. Rain, on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 21st October, 1843.

1843.

Temperature. †	Weeks ending Oct. 14th	Oct. 21st	Oct. 1831. 40.
Highest	66°	52°	70°
Lowest	39°	33°	30°
Daily Mean	52°	42°	52°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average* during 5 Autumns 1838-9-40-1-2.	5 Years
Small Pox	8	..	..	§ 8	28	27
Measles	30	..	..	30	26	23
Scarlatina	56	2	..	58	41	30
Hooping Cough	47	..	..	47	27	32
Croup	13	..	..	13	8	7
Thrush	8	1	..	9	4	5
Diarrhœa	27	3	11	41	6	9
Dysentery	7	8	1	** 16	2	2
Cholera	1	1	..	2	.4	1
Influenza	1	..	..	1	1	2
Ague	..	..	..	..	.3	
Remittent Fever	..	..	..	..	.3	
Typhus	13	21	7	¶ 41	32	37
Erysipelas	3	1	..	4	6	6
Syphilis	..	1	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	214	38	19	271	183	182
Cephalitis	11	2	..	13	11	11
Hydrocephalus	34	1	..	35	30	34
Apoplexy	1	10	7	18	18	17
Paralysis	..	3	5	8	15	14
Convulsions	62	..	..	62	52	57
Tetanus	..	1	..	1	.4	
Chorea	..	..	..	..	..	
Epilepsy	1	3	..	4	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	4	1	3	8	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	113	22	15	150	140	148
Laryngitis	2	..	..	2	.4	
Quinsey	2	1	..	3	2	1
Bronchitis	3	5	6	14	11	10
Pleurisy	..	..	..	..	2	1
Pneumonia	94	4	2	100	90	73
Hydrothorax	2	1	4	7	5	5
Asthma	..	4	4	8	25	24
Phthisis or Consumption	33	122	10	165	131	143
Dis. of Lungs, &c.	5	11	5	21	12	14
Diseases of the Lungs, and of the other Organs of Respiration	141	148	31	320	278	268
Pericarditis	..	..	..	..	.6	.5
Aneurism	..	1	..	1	.7	.5
Dis. of Heart, &c.	5	10	4	19	19	17
Diseases of the Heart and Blood Vessels.	5	11	4	20	20	18
Teething	24	..	..	24	16	17
Gastritis—Enteritis	16	7	2	25	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	11	..	..	11	4	4
Worms	..	..	..	..	.4	
Ascites	1	1	1	3	.7	.
Ulceration (of Intest, &c.)	1	..	..	1	1	1
Hernia	..	2	1	3	2	2
Colic or Ileus	..	1	..	1	2	2
Intussusception	..	..	..	..	.4	
Stricture	..	..	1	1	.5	
Hæmatemesis	..	..	..	..	.3	
Dis. of Stomach, &c.	5	3	1	9	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	1	..	..	1	1	1
Jaundice	1	..	..	1	2	2
Dis. of Liver, &c.	2	4	5	11	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	62	18	11	91	59	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average* during 5 Autumns 1838-9-40-1-2.	5 Years
Nephritis	..	..	..	..	.5	.4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.4	
Stone	..	..	1	1	.3	.4
Stricture	..	..	..	..	.6	.4
Dis. of Kidneys, &c.	..	2	3	5	3	3
Diseases of the Kidneys, &c.	..	2	4	6	5	5
Childbed	..	9	..	‖ 9	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	11	1	12	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	..	1	1	3	3
Dis. of Joints, &c.	..	4	1	5	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	4	2	6	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	1	1	.4	.4
Fistula	..	..	1	1	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	2	2	1	1
Inflammation	4	..	..	4	9	9
Hæmorrhage	1	4	..	5	3	3
Dropsy	9	12	12	33	36	34
Abscess	4	2	..	†† 6	3	4
Mortification	2	..	2	4	4	4
Purpura	..	1	..	1	.2	
Scrofula	6	1	..	7	2	2
Carcinoma	1	11	3	15	7	7
Tumor	1	..	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	12	1	..	†† 13	5	6
Debility	12	4	..	16	18	18
Malformations	2	..	..	2	.8	1
Sudden Deaths	3	9	3	15	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	57	45	20	122	106	105
Old Age, or Natural Decay	..	..	80	80	69	68
Intemperance	..	..	1	1	.6	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	3	8	1	‡ 13	23	24
Deaths by Violence, Privation, or Intemperance	3	8	2	‡14	24	25
Causes not specified	1	1	..	‡12	8	5
Deaths from all Causes	596	308	191	‡1106	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ The note on Typhus is discontinued, as the number of deaths from that cause has been near the average for some time.

** 3 deaths from *dysentery* occurred in the Union Workhouse at Greenwich.

†† Under *abscess* the following case is included: "Abscesses and insufficient nutrition after an illness of 40 days," age 7 months. Under *atrophy*: 2 cases of "atrophy from want of breast-milk," aged respectively 1 month and 5 weeks.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	144
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	‡ 187
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	215
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	263
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	297
TOTAL. Males, 572. Females, 534. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1106

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations are given as made by Mr. Roberton at the Apartments of the Royal Society.

§ 6 of the 8 persons who died of Small Pox had not been vaccinated; in 2 cases the circumstance is not stated.

‖ The 9 cases of death in childbirth which appear in the present table are entered thus:—"Diarrhœa, accompanied by inflammation (puerperal)" age 22; "puerperal fever, 10 days after delivery (3 days' illness)," age 28; "uterine hæmorrhage, the result of a miscarriage," age 32; "fever and premature childbirth," age 30; childbirth (flooding)," age 30; "childbirth," age 33; "childbed, 9 hours after delivery," age 35; "childbed (undelivered), age 27; and "childbirth, flooding, (3 hours)," age 33.

‡ The age in 1 case of *drowning* is not stated. The return from the district of Christ Church, St. Marylebone, has not been received this week in consequence of the death of the Registrar, but an average of 10 has been taken from the 6 weeks preceding, and placed to the head of "Causes not specified."

General Register Office, October 25th, 1843.

†	Weeks ending Oct. 21st	Weeks ending Oct. 28th*	Oct. 1831-40.
Mean height of barometer	in. 29.848	in. 29.631	in. 29.877
Rain (weekly)	.598	.549	.406
Mean Dryness	2°.8	2°.8	3°.3

* Wind, N. 2 days; S. 3; W. 1; S. W. 1. Rain, on 3 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 28th October, 1843.

1843.

Temperature. †	Weeks ending Oct. 21st	Weeks ending Oct. 28th	Oct. 1831. 40.
Highest....	52°	57°	70°
Lowest....	33°	36°	30°
Daily Mean	42°	48°	52°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	13	..	..	§ 13	28	27
Measles	33	1	..	34	26	23
Scarlatina	55	3	..	58	41	30
Hooping Cough	28	..	..	28	27	32
Croup	10	..	..	10	8	7
Thrush	11	..	..	11	4	5
Diarrhœa	20	..	11	31	6	9
Dysentery	5	3	3	¶ 11	2	2
Cholera	..	..	..	..	..4	1
Influenza	1	1	..	2	1	2
Ague	..	..	..	..	..3	
Remittent Fever	..	..	..	..	.3	
Typhus	8	25	3	36	32	37
Erysipelas	3	1	..	4	6	6
Syphilis	..	..	1	1	..5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	187	34	18	239	183	182
Cephalitis	7	..	..	7	11	11
Hydrocephalus	30	1	1	32	30	34
Apoplexy	2	13	10	25	18	17
Paralysis	..	8	8	16	15	14
Convulsions	60	1	1	62	52	57
Tetanus	..	1	..	1	..4	
Chorea	..	..	..	..	..	
Epilepsy	1	1	1	3	4	4
Insanity	1	1	..	2	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	3	3	3	9	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	104	29	24	157	140	148
Laryngitis	2	..	1	3	.4	
Quinsey	1	..	..	1	2	1
Bronchitis	10	6	10	26	11	10
Pleurisy	..	..	..	..	2	1
Pneumonia	121	15	9	145	90	73
Hydrothorax	..	4	2	6	5	5
Asthma	1	12	15	28	25	24
Phthisis or Consumption	24	106	2	** 132	131	143
Dis. of Lungs, &c.	4	6	3	13	12	14
Diseases of the Lungs, and of the other Organs of Respiration	163	149	42	354	278	268
Pericarditis	2	..	..	2	..6	.5
Aneurism	..	..	..	..	..7	..5
Dis. of Heart, &c.	1	12	5	18	19	17
Diseases of the Heart and Blood Vessels.	3	12	5	20	20	18
Teething	24	..	..	24	16	17
Gastritis—Enteritis	10	5	1	16	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	11	1	..	12	4	4
Worms	1	..	..	1	..4	
Ascites	..	1	1	2	..7	..
Ulceration (of Intest, &c.)	..	1	..	1	1	1
Hernia	1	4	..	5	2	2
Colic or Ileus	1	1	1	3	2	2
Intussusception	..	..	..	..	..4	
Stricture	..	..	..	..	..5	
Hæmatemesis	..	..	..	..	..3	
Dis. of Stomach, &c.	..	4	1	5	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	2	..	2	1	1
Jaundice	..	1	1	2	2	2
Dis. of Liver, &c.	1	..	4	5	8	7
Dis. of Spleen	..	1	..	1	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	49	21	9	79	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	..5	..4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	..3	..3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	..3	.4
Stricture	..	3	..	3	..6	..4
Dis. of Kidneys, &c.	..	4	..	4	3	3
Diseases of the Kidneys, &c.	..	7	..	7	5	5
Childbed	..	8	..	‖ 8	8	7
Paramenia	..	1	..	1	.2	
Ovarian Dropsy	..	..	..	..	..2	.2
Dis. of Uterus, &c.	1	2	1	4	2	2
Childbed, Diseases of the Uterus, &c.	1	11	1	13	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	1	1	..	2	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	2	..	3	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	..4	..4
Fistula	..	..	1	1	..3	..3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	1	1	1	1
Inflammation	5	..	..	5	9	9
Hæmorrhage	..	3	1	4	3	3
Dropsy	10	20	11	41	36	34
Abscess	..	3	..	3	3	4
Mortification	1	..	3	4	4	4
Purpura	..	..	..	..	..2	
Scrofula	3	1	..	4	2	2
Carcinoma	..	9	6	15	7	7
Tumor	..	..	1	1	2	2
Gout	..	..	..	..	1	1
Atrophy	12	..	3	** 15	5	6
Debility	19	4	..	23	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	4	4	3	‡ 12	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	55	44	28	128	106	105
Old Age, or Natural Decay	..	..	76	76	69	68
Intemperance	..	..	..	..	.6	..6
Privation	..	..	..	..	.5	..5
Violent Deaths	8	6	5	19	23	24
Deaths by Violence, Privation, or Intemperance	8	6	5	19	24	25
Causes not specified	..	1	..	‡20	8	5
Deaths from all Causes	571	316	209	‡1116	908	903
Average Weekly Deaths, 1838_9_40_1_2.	428	307	167			903

¶ 4 cases of death from *dysentery* occurred in the Union Workhouse at Greenwich.

** Under *phthisis*, the following case is included: "debility from insufficient nutriment—consumption," a female, age 52. Under *atrophy*, "atrophia ablactatorum" under 1 year.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	159
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	‡ 174
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	‡ 223
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	269
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	291
TOTAL	Males, 567. Females, 549. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	1116

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations are given as made by Mr. Roberton at the Apartments of the Royal Society.

§ 8 of the 13 persons who died of small pox had not been vaccinated; in 2 cases the circumstance is not stated, and 1 is registered as follows; "small pox after previous vaccination which did not take (16 days)," age 5 years.

‖ The 8 cases of death after childbirth which appear in the present table, are entered thus:—" puerperal fever, 8 days (2 days illness)," age 40; " peritonitis, 6 days after abortion," age 29; " puerperal convulsions, 4 hours after delivery," age 39; " childbed," age 37; puerperal fever," age 18; " natural death in childbirth (inquest)," age 44; " childbed," age 17; and " premature labour—exertion from previous pneumonia," age 35.

‡ In 1 case "*found dead (inquest)*" the age is not stated. The returns from Christ Church, St. Mary-le-bone, and St. Andrew (east) Holborn, have not been received this week in consequence of the office of Registrar being vacant in those districts, but averages of 10 for the former, and 9 for the latter, have been taken from 6 weeks preceding, and placed to the head of " *causes not specified.*"

General Register Office, November 2nd, 1843.

†	Weeks ending Oct. 28th	Weeks ending Nov. 4th*	Oct. 1831-40.
Mean height of barometer	in. 29.631	in. 29.566	in. 29.827
Rain (weekly)	.549	1.434	.466
Mean Dryness	28.8	18.9	32.3

* Wind, N. 1 day; N. W. 1; S. 4; S. E. 1; W. 1. Rain, on 4 days.

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 4th November, 1843.

1843.

Temperature †	Weeks ending Oct. 28th	Weeks ending Nov. 4th	Oct. 1831-40
Highest	51	52	61
Lowest	40	38	30
Daily Mean	45	45	52

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	2	..	..	§ 2	28	27
Measles	34	..	..	34	26	23
Scarlatina	64	1	1	66	41	30
Hooping Cough	51	..	..	51	27	32
Croup	11	..	..	11	8	7
Thrush	3	..	..	3	4	5
Diarrhœa	13	2	4	19	6	9
Dysentery	1	2	4	†† 7	2	2
Cholera	..	..	1	1	.4	1
Influenza	4	1	1	6	1	2
Ague	..	..	..	..	.3	
Remittent Fever	..	1	..	1	.3	
Typhus	13	20	8	41	32	37
Erysipelas	..	3	2	5	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	196	30	21	247	183	182
Cephalitis	10	2	..	12	11	11
Hydrocephalus	30	1	..	31	30	31
Apoplexy	..	9	6	15	18	17
Paralysis	..	6	5	11	15	14
Convulsions	66	..	..	66	52	57
Tetanus	..	..	..	..	.4	
Chorea	..	..	..	..	..	
Epilepsy	..	2	..	2	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	4	..	4	2	1
Dis. of Brain, &c.	3	2	..	5	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	109	26	11	146	140	148
Laryngitis	..	..	..	..	.4	
Quinsey	1	..	..	1	2	1
Bronchitis	8	3	5	16	11	10
Pleurisy	1	..	..	1	2	1
Pneumonia	113	18	9	140	90	73
Hydrothorax	2	1	3	6	5	5
Asthma	..	8	15	23	25	24
Phthisis or Consumption	29	90	7	126	131	143
Dis. of Lungs, &c.	2	2	4	‡ 9	12	14
Diseases of the Lungs, and of the other Organs of Respiration	156	122	43	‡322	278	268
Pericarditis	..	..	..	..	.6	.5
Aneurism	..	2	..	2	.7	.5
Dis. of Heart, &c.	3	15	5	23	19	17
Diseases of the Heart and Blood Vessels.	3	17	5	25	20	18
Teething	20	..	..	20	16	17
Gastritis—Enteritis	8	7	2	17	15	18
Peritonitis	..	2	..	2	1	1
Tabes Mesenterica	8	..	..	8	4	4
Worms	1	..	..	1	.4	
Ascites	..	1	..	1	.7	.
Ulceration (of Intest, &c.)	1	1	..	2	1	1
Hernia	..	2	1	3	2	2
Colic or Ileus	..	1	1	2	2	2
Intussusception	..	1	..	1	.4	
Stricture	..	..	..	..	.5	
Hæmatemesis	..	..	..	..	.3	
Dis. of Stomach, &c.	3	1	2	6	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	..	..	1	1
Jaundice	..	..	..	..	2	2
Dis. of Liver, &c.	..	4	1	5	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	41	20	7	68	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	..	..	..	.5	.4
Ischuria	1	..	..	1	.2	
Diabetes	1	..	..	1	.3	.3
Cystitis	..	..	..	..	.1	
Stone	..	..	..	..	.3	.1
Stricture	1	..	1	2	.6	.1
Dis. of Kidneys, &c.	..	1	1	2	1	3
Diseases of the Kidneys, &c.	3	1	2	6	5	5
Childbed	..	8	..	‖ 8	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	1	1	2	.2	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	11	1	12	10	9
Arthritis	..	..	..	..	..	
Rheumatism	1	3	..	4	3	3
Dis. of Joints, &c.	1	..	..	1	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	3	..	5	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	1	1	.1	.1
Diseases of the Skin, Cellular Tissue, &c.	..	..	1	1	1	1
Inflammation	3	1	..	4	9	9
Hæmorrhage	1	1	1	3	3	3
Dropsy	4	5	12	21	26	24
Abscess	1	1	..	2	3	4
Mortification	..	4	2	6	4	4
Purpura	..	..	..	..	.2	
Scrofula	2	..	..	2	2	2
Carcinoma	..	3	2	10	7	7
Tumor	..	2	..	2	2	2
Gout	..	..	..	..	1	1
Atrophy	20	..	3	¶ 23	5	6
Debility	17	4	..	21	18	16
Malformations	2	..	..	2	.8	1
Sudden Deaths	3	5	10	18	15	11
Dropsy, Cancer, and other Diseases of Uncertain Seat	53	31	30	114	106	105
Old Age, or Natural Decay	..	..	84	84	69	68
Intemperance	..	..	..	..	.6	.6
Privation	..	1	..	¶ 1	.5	.5
Violent Deaths	5	13	..	** 18	23	21
Deaths by Violence, Privation, or Intemperance	5	14	..	19	24	25
Causes not specified	2	..	..	‡ 11	8	5
Deaths from all Causes	570	275	205	‡ 1060	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	167			903

¶ Under *privation*, the following case has been included; "exhaustion from want," a female, age 59 years. Under *atrophy*, "debility from want of breast milk resulting from the poverty and destitution of the parents," age 3 weeks; and "inanition from want of breast milk" 2 cases a male under 1 year, and a female, 3 months.

** The following cases are placed to *violence*, "inflammation of the throat from a fishbone sticking there, (illness 1 week)" age 12; "and apoplexy brought on by an overdose of infants' cordial, (inquest)" age 3 days.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	155
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	219
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	‡ 211
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	229
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	246
TOTAL. Males, 525. Females, 535. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1060

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations are given as made by Mr. Roberton at the Apartments of the Royal Society.

§ The 2 persons who died of small pox, had not been vaccinated.

‖ The 8 cases of death after childbirth which appear in the present Table, are entered thus:—"Ovarian dropsy, 6th day after premature parturition (8 months) *post mort.*" age 35; "childbirth," age 39; "peritonitis, 1 day after delivery," age 26; "peritonitis, 6 days after delivery," age 29; "childbirth, 12 hours after delivery," age 21; "childbirth," age 43; "childbirth, 14 days after delivery," age 29, and childbirth, flooding," age 20 years. The following occur in addition to the above: diseased heart (childbed 6 days after delivery") age 35, and typhoid fever in the puerperal state, 6 days' illness," age 33.

‡ In 1 case of disease of the lungs, the age is not stated. The returns from Christ Church, St. Marylebone, have been received this week, comprising 18 males and 21 females, but 20 of these cases have not been included in the present Bill,—a proportion equivalent to the average inserted in the Bills during the 2 weeks in which no return was received. It continues necessary to substitute an average of 9 for the return from St. Andrew (East) Holborn, which has not been received in consequence of the office of Registrar being vacant in that district.

†† 3 cases of death from *dysentery* occurred in the Union Workhouse at Greenwich.

General Register Office, November 8th, 1843.

	Weeks ending Nov. 4th	Nov. 11th*	Nov. 1831-40.
Mean height of barometer	in. 29.506	†	in. 29.725
Rain (weekly)	1.454		.417
Mean Dryness	1°.9		2°.1

* Wind,
Rain,

A TABLE OF THE MORTALITY
IN THE
Metropolis,
SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 11th November, 1843.

1843.

Temperature. †	Weeks ending Nov. 4th	Nov. 11th	Nov. 1831-40.
Highest	59°	†	62°
Lowest	38°		28°
Daily Mean	48°		45°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	7	..	..	§ 7	28	27
Measles	32	..	..	32	26	23
Scarlatina	58	2	..	60	41	30
Hooping Cough	30	..	..	30	27	32
Croup	8	..	..	8	8	7
Thrush	5	..	..	5	4	5
Diarrhœa	7	2	3	12	6	9
Dysentery	..	..	1	1	2	2
Cholera	..	..	1	1	..4	1
Influenza	3	..	..	3	1	2
Ague	..	..	..	..	..3	
Remittent Fever	..	..	..	..	.3	
Typhus	17	15	2	34	32	37
Erysipelas	1	1	..	2	6	6
Syphilis	2	..	..	2	..5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	170	20	7	197	183	182
Cephalitis	12	3	..	15	11	11
Hydrocephalus	36	..	1	37	30	34
Apoplexy	1	10	8	19	18	17
Paralysis	..	6	7	13	15	14
Convulsions	65	..	1	66	52	57
Tetanus	..	..	..	..	..4	
Chorea	..	..	..	..	..	
Epilepsy	1	2	..	3	4	4
Insanity	..	2	..	2	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	6	3	1	10	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	121	27	18	166	140	148
Laryngitis	..	1	..	1	.4	
Quinsey	2	..	..	2	2	1
Bronchitis	10	3	5	18	11	10
Pleurisy	..	2	..	2	2	1
Pneumonia	126	15	9	150	90	73
Hydrothorax	..	4	1	5	5	5
Asthma	..	5	17	22	25	24
Phthisis or Consumption	26	101	7	134	131	143
Dis. of Lungs, &c.	3	6	1	10	12	14
Diseases of the Lungs, and of the other Organs of Respiration	167	137	40	344	278	268
Pericarditis	..	..	..	..	..6	..5
Aneurism	..	..	..	..	..7	..5
Dis. of Heart, &c.	6	19	5	30	19	17
Diseases of the Heart and Blood Vessels.	6	19	5	30	20	18
Teething	20	..	..	20	16	17
Gastritis—Enteritis	10	7	..	17	15	18
Peritonitis	1	..	..	1	1	1
Tabes Mesenterica	12	..	..	12	4	4
Worms	..	..	..	..	..4	
Ascites	..	1	1	2	..7	..
Ulceration (of Intest, &c.)	1	1	..	2	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	..	3	..	3	2	2
Intussusception	..	..	..	..	..4	
Stricture	..	..	..	..	..5	
Hæmatemesis	..	..	1	1	..3	
Dis. of Stomach, &c.	5	..	1	6	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	..	..	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	..	1	1	2	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	49	14	4	67	59	62

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	1	..	1	..5	..4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	..3	..3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	..3	..4
Stricture	..	..	..	..	..6	..4
Dis. of Kidneys, &c.	1	4	1	6	3	3
Diseases of the Kidneys, &c.	1	5	1	7	5	5
Childbed	..	9	..	‖ 9	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	..	..	..	..2	..2
Dis. of Uterus, &c.	..	..	..	..	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	..	1	1	3	3
Dis. of Joints, &c.	..	..	..	..	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	..	1	1	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	1	..	..	1	..	
Ulcer	..	..	..	..	..4	..4
Fistula	..	1	1	2	..3	..3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	1	1	3	1	1
Inflammation	2	..	..	2	9	9
Hæmorrhage	..	1	..	1	3	3
Dropsy	4	17	10	31	36	34
Abscess	..	1	..	1	3	4
Mortification	..	..	2	2	4	4
Purpura	..	..	..	..	..2	
Scrofula	2	1	..	3	2	2
Carcinoma	..	9	2	11	7	7
Tumor	..	1	..	1	2	2
Gout	..	..	..	..	1	1
Atrophy	12	1	2	‡ 15	5	6
Debility	21	5	..	26	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	2	2	6	10	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	44	38	22	104	106	105
Old Age, or Natural Decay	..	..	68	68	69	68
Intemperance	..	1	..	1	.6	..6
Privation	..	..	..	..	..5	..5
Violent Deaths	5	11	1	17	23	24
Deaths by Violence, Privation, or Intemperance	5	12	1	18	24	25
Causes not specified	2	..	..	2	8	5
Deaths from all Causes	566	282	168	1016	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	169			903

‡ The following case is included under *atrophy*: "debility from want of breast milk," a female, 7 weeks.

NOTE.—Of 168 persons included in the present bill who died at 60 years and upwards, 68 died at 60 years of age and under 70; 63 at 70 years, and under 80; 32 at 80 years, and under 90, and the following are the respective ages of the remaining five: 90 years, 91 years, 93 years, 100 years and 102 years. Of these five, 4 were females.

		Population, Enumerated, 1841.	Average weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	126
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	196
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	202
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	215
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	277
TOTAL. Males, 524. Females, 492. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1016

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Temperature for the week ending Nov. 11 is necessarily omitted, in consequence of the sudden death of Mr. Roberton, Assistant Secretary to the Royal Society, by whom the Observations were made.

§ 6 of the persons who died of small pox, had not been vaccinated; in 1 case the circumstance is not stated.

‖ The 9 cases of death after childbirth which appear in the present Table, are entered thus:—"puerperal fever," age 32; "inflammation of the heart after childbirth (16 days)," age 34; exhaustion from protracted miscarriage," age 31; "puerperal fever, 5 days after delivery," age 30; "dropsy and childbirth 2 days after delivery," age 30; "childbed, rupture of the uterus," age 41; "puerperal mania," "childbed fever," age 45; and "childbed fever," age 27. To these may be added "consumption, (10 months) parturition (5 weeks)" age 25.

General Register Office, November 15th, 1843.

	Weeks ending Nov. 11th	Weeks ending Nov. 18th*	Nov. 1831-40.
Mean height of barometer	†		in. 29.726
*Rain (weekly)			.417
Mean Dryness			2?.1

* Wind,
Rain,

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 18th November, 1843.

1843.

Temperature. †	Weeks ending Nov. 11th	Weeks ending Nov. 18th	Nov. 1831. 40.
Highest....	†		62?
Lowest....			28?
Daily Mean			45?

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	6	1	..	§ 7	28	27
Measles	40	..	..	40	26	23
Scarlatina	49	2	..	51	41	30
Hooping Cough	25	..	..	25	27	32
Croup	12	..	..	12	8	7
Thrush	8	..	..	8	4	5
Diarrhœa	9	2	4	15	6	9
Dysentery	1	4	4	‡ 9	2	2
Cholera	..	..	..	..	.4	1
Influenza	2	..	2	4	1	2
Ague	2	..	..	2	.3	
Remittent Fever	1	..	..	1	.3	
Typhus	13	22	7	42	32	37
Erysipelas	3	3	4	10	6	6
Syphilis	..	1	..	1	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	171	35	21	227	183	182
Cephalitis	13	1	..	14	11	11
Hydrocephalus	38	..	..	38	30	34
Apoplexy	1	12	12	25	18	17
Paralysis	1	9	12	22	15	14
Convulsions	56	..	..	56	52	57
Tetanus	..	1	..	1	.4	
Chorea	..	..	..	..	..	
Epilepsy	..	1	1	2	4	4
Insanity	..	1	..	1	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	5	4	..	9	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	114	31	25	170	140	148
Laryngitis	..	..	..	..	.4	
Quinsey	3	..	..	3	2	1
Bronchitis	8	11	9	28	11	10
Pleurisy	..	2	1	3	2	1
Pneumonia	171	18	10	199	90	73
Hydrothorax	1	2	5	8	5	5
Asthma	1	15	17	33	25	24
Phthisis or Consumption	40	114	17	171	131	143
Dis. of Lungs, &c.	6	6	2	14	12	14
Diseases of the Lungs, and of the other Organs of Respiration	230	168	61	459	278	268
Pericarditis	1	1	..	2	.6	.5
Aneurism	..	..	..	..	.7	.5
Dis. of Heart, &c.	4	11	13	28	19	17
Diseases of the Heart and Blood Vessels.	5	12	13	30	20	18
Teething	23	..	..	23	16	17
Gastritis—Enteritis	12	3	..	15	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	7	..	..	7	4	4
Worms	..	..	..	..	.4	
Ascites	..	3	1	4	.7	.
Ulceration (of Intest, &c.)	..	1	..	1	1	1
Hernia	..	2	1	3	2	2
Colic or Ileus	1	2	..	3	2	2
Intussusception	..	..	1	1	.4	
Stricture	..	..	..	..	.5	
Hæmatemesis	..	1	..	1	.3	
Dis. of Stomach, &c.	..	..	3	3	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	..	..	1	1
Jaundice	..	1	1	2	2	2
Dis. of Liver, &c.	..	7	4	11	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	43	21	11	75	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	..	..	..	.5	.4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	1	..	1	.4	
Stone	..	..	..	..	.3	.4
Stricture	..	..	2	2	.6	.4
Dis. of Kidneys, &c.	1	2	3	6	3	3
Diseases of the Kidneys, &c.	1	3	5	9	5	5
Childbed	..	4	..	‖ 4	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	3	2	5	2	2
Childbed, Diseases of the Uterus, &c.	..	7	2	9	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	2	..	2	3	3
Dis. of Joints, &c.	3	4	2	9	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	3	6	2	11	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	1	..	1	.4	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	1	1	..	2	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	1	2	..	3	1	1
Inflammation	1	..	..	1	9	9
Hæmorrhage	..	2	2	4	3	3
Dropsy	4	16	13	33	36	34
Abscess	3	..	..	3	3	4
Mortification	5	1	4	10	4	4
Purpura	..	..	..	..	.2	
Scrofula	..	1	1	2	2	2
Carcinoma	2	7	4	13	7	7
Tumor	..	..	1	1	2	2
Gout	..	1	1	2	1	1
Atrophy	6	..	2	¶ 8	5	6
Debility	19	7	..	26	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	..	1	2	3	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	41	36	30	107	106	105
Old Age, or Natural Decay	..	..	100	100	69	68
Intemperance	..	1	..	1	.6	.6
Privation	1	..	..	¶ 1	.5	.5
Violent Deaths	8	13	5	26	23	24
Deaths by Violence, Privation, or Intemperance	9	14	5	28	24	25
Causes not specified	1	1	..	2	8	5
Deaths from all Causes	619	336	275	1230	908	903
Average Weekly Deaths, 1838_9_40_1_2.	428	307	169			903

¶ Under *privation*, the following case is included: "exhaustion from want of nutriment—died from starvation, (inquest)" a male, age 5 months. Under *atrophy*, "debility from want of breast-milk," age 16 days; atrophy from want of breast-milk," under 1 year; and under *diarrhœa* "debility from want of breast milk—teething and diarrhœa," age 11 months.

NOTE. Eight persons are included in the present Bill who died at 90 years and upwards.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	183
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	230
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	224
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	285
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	308
TOTAL.	Males, 615. Females, 615. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	1230

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Metrological Observations at the Apartments of the Royal Society, have not been resumed.

§ 4 of 6 persons who died of small pox, were unvaccinated; the following case is included under the same head, "atrophy and diarrhœa after chicken pox," age 5 months.

‖ The 4 cases of death after childbirth which appear in the present Table, are entered thus:—"puerperal fever," 10 days after delivery, (4 days' illness)," age 37; "puerperal fever, 9 days after delivery," age 21; "puerperal fever, 12 days after delivery," age 23; and inflammation of the chest, 15 days after childbirth," age 20;

‡ 2 cases of death from *dysentery* occurred in the the Union Workhouse at Greenwich. 87 deaths from *dysentery* have occurred in the Workhouse at Greenwich, during 14 weeks from the 13th of August to the 18th of November.

General Register Office, November 22nd, 1843.

	Weeks ending Nov. 18th	Weeks ending Nov. 25th*	Nov. 1831-40.
Mean height of barometer	†		in. 29.726
†Rain (weekly)			.417
Mean Dryness			2°.1

* Wind,
Rain,

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 25th November, 1843.

1843.

Temperature. †	Weeks ending Nov. 18th	Weeks ending Nov. 25th	Nov. 1831-40.
Highest	†		62°
Lowest			28°
Daily Mean			45°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	8	3	..	§ 11	28	27
Measles	41	..	..	41	26	23
Scarlatina	60	1	..	61	41	30
Hooping Cough	45	..	..	45	27	32
Croup	7	..	..	7	8	7
Thrush	5	..	..	5	4	5
Diarrhœa	8	..	5	13	6	9
Dysentery	..	2	..	2	2	2
Cholera	1	..	..	1	..4	1
Influenza	6	2	..	8	1	2
Ague	..	..	..	..	..3	
Remittent Fever	2	1	..	3	.3	
Typhus	17	21	2	40	32	37
Erysipelas	1	2	1	4	6	6
Syphilis	..	..	..	..	..5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	201	32	8	241	183	182
Cephalitis	5	..	1	6	11	11
Hydrocephalus	43	..	..	43	30	34
Apoplexy	1	7	11	19	18	17
Paralysis	..	10	15	25	15	14
Convulsions	57	1	..	58	52	57
Tetanus	..	2	..	2	..4	
Chorea	..	..	..	..	..	
Epilepsy	..	1	..	1	4	4
Insanity	..	3	1	4	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	8	5	6	19	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	114	31	34	179	140	148
Laryngitis	2	1	1	4	.4	
Quinsey	3	..	..	3	2	1
Bronchitis	19	10	9	38	11	10
Pleurisy	..	1	1	2	2	1
Pneumonia	153	15	4	172	90	73
Hydrothorax	2	2	2	6	5	5
Asthma	..	19	23	42	25	24
Phthisis or Consumption	29	103	9	141	131	143
Dis. of Lungs, &c.	4	3	3	10	12	14
Diseases of the Lungs, and of the other Organs of Respiration	212	154	52	418	278	268
Pericarditis	1	..	..	1	..6	.5
Aneurism	..	1	1	2	..7	.5
Dis. of Heart, &c.	2	18	12	32	19	17
Diseases of the Heart and Blood Vessels.	3	19	13	35	20	18
Teething	18	..	..	18	16	17
Gastritis—Enteritis	7	6	3	16	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	6	1	..	7	4	4
Worms	..	..	..	..	..4	
Ascites	..	..	..	..	..7	..
Ulceration (of Intest, &c.)	1	2	..	3	1	1
Hernia	..	..	1	1	2	2
Colic or Ileus	..	2	1	3	2	2
Intussusception	..	..	..	..	..4	
Stricture	..	1	..	1	..5	
Hæmatemesis	..	..	1	1	..3	
Dis. of Stomach, &c.	2	3	1	6	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	1	1	1	1
Jaundice	..	2	1	3	2	2
Dis. of Liver, &c.	1	6	1	8	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	35	24	10	69	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Nephritis	..	4	..	4	..5	..4
Ischuria	1	..	..	1	.2	
Diabetes	..	..	1	1	..3	..3
Cystitis	..	..	1	1	.4	
Stone	..	..	..	..	..3	.4
Stricture	..	..	..	..	..6	..4
Dis. of Kidneys, &c.	..	2	3	5	3	3
Diseases of the Kidneys, &c.	1	6	5	12	5	5
Childbed	..	4	..	‖ 4	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	1	..	1	..2	..2
Dis. of Uterus, &c.	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	7	1	8	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	4	2	6	3	3
Dis. of Joints, &c.	2	1	..	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	2	5	2	9	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	1	..	1	..4	..4
Fistula	..	..	..	..	..3	..3
Dis. of Skin, &c.	..	1	..	1	.4	..3
Diseases of the Skin, Cellular Tissue, &c.	..	2	..	2	1	1
Inflammation	1	..	1	2	9	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	6	18	14	38	36	34
Abscess	..	1	..	1	3	4
Mortification	2	1	2	5	4	4
Purpura	..	..	..	..	..2	
Scrofula	1	1	..	2	2	2
Carcinoma	..	7	6	13	7	7
Tumor	..	..	..	..	2	2
Gout	..	2	1	3	1	1
Atrophy	11	..	1	¶ 12	5	6
Debility	11	6	..	17	18	18
Malformations	4	..	..	4	..8	1
Sudden Deaths	6	5	3	14	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	42	43	28	113	106	105
Old Age, or Natural Decay	..	..	81	81	69	68
Intemperance	..	..	..	..	.6	..6
Privation	..	1	1	¶ 2	..5	..5
Violent Deaths	8	6	4	18	23	24
Deaths by Violence, Privation, or Intemperance	8	7	5	20	24	25
Causes not specified	..	1	..	1	8	5
Deaths from all Causes	618	331	239	1188	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	169			903

¶ Under *privation* are included:—"Debility, caused by long standing privation," a male, age 60; "general decay, aggravated by extreme privation," a male, age 53. Under *atrophy*, 3 cases, "from the want of breast-milk," age 4 days, 32 days, and 10 weeks. Under disease of kidneys, "extravasation of urine," a male, age 50; and under "heart anæmia, produced by ossification of the arteries," age 43.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	177
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	194
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	236
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	306
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	275
TOTAL	Males, 625. Females, 563. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	1188

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have not been resumed.

§ 8 of 11 persons who died of small pox, had not been vaccinated.

‖ The 4 cases of death after childbirth which appear in the present Table, are entered thus:—"childbirth," age 32; "hæmorrhage during childbirth placenta presentation, death 1 hour after delivery," age 39; "puerperal fever, 10 days after delivery," age 32; "jaundice, followed by flooding and premature labour," age 31.

General Register Office, November 29th, 1843.

	Weeks ending Nov. 25th	Weeks ending Dec. 2nd*	Nov. 1831-40.
Mean height of barometer	†		in. 29.726
+Rain (weekly)			.417
Mean Dryness			2°.1

* Wind,
Rain,

A TABLE OF THE MORTALITY IN THE Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 2nd December, 1843.

1843.

Temperature. †	Weeks ending Nov. 25th	Weeks ending Dec. 2nd	Nov. 1831-40.
Highest....	†		62°
Lowest....			28°
Daily Mean			45°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	3	..	..	§ 3	28	27
Measles	52	..	..	52	26	23
Scarlatina	59	..	..	59	41	30
Hooping Cough	27	..	..	27	27	32
Croup	4	..	..	4	8	7
Thrush	6	..	..	6	4	5
Diarrhœa	6	..	3	9	6	9
Dysentery	..	2	1	3	2	2
Cholera	..	1	..	1	.4	1
Influenza	1	..	..	1	1	2
Ague	..	..	..	..	.3	
Remittent Fever	1	..	..	1	.3	
Typhus	16	20	5	41	32	37
Erysipelas	..	4	3	7	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	1	..	..	1	.1	..
Epidemic, Endemic, and Contagious Diseases.	176	27	12	215	183	182
Cephalitis	16	1	..	17	11	11
Hydrocephalus	37	1	..	38	30	34
Apoplexy	1	7	7	15	18	17
Paralysis	..	7	16	23	15	14
Convulsions	62	..	1	63	52	57
Tetanus	1	..	..	1	.4	
Chorea	..	..	..	..	..	
Epilepsy	..	2	2	4	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	3	5	1	9	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	120	25	27	172	140	148
Laryngitis	1	..	..	1	.4	
Quinsey	3	..	..	3	2	1
Bronchitis	13	8	17	38	11	10
Pleurisy	2	1	3	6	2	1
Pneumonia	145	18	8	171	90	73
Hydrothorax	..	2	2	4	5	5
Asthma	..	9	16	25	25	24
Phthisis or Consumption	30	96	6	132	131	143
Dis. of Lungs, &c.	5	7	7	19	12	14
Diseases of the Lungs, and of the other Organs of Respiration	199	141	59	399	278	268
Pericarditis	..	..	..	..	.6	.5
Aneurism	..	..	..	..	.7	.5
Dis. of Heart, &c.	4	15	7	26	19	17
Diseases of the Heart and Blood Vessels.	4	15	7	26	20	18
Teething	14	..	..	14	16	17
Gastritis—Enteritis	4	6	2	12	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	7	..	..	7	4	4
Worms	..	..	..	..	.4	
Ascites	..	2	..	2	.7	.
Ulceration (of Intest, &c.)	1	3	..	4	1	1
Hernia	..	1	..	1	2	2
Colic or Ileus	1	2	1	4	2	2
Intussusception	..	1	..	1	.4	
Stricture	..	..	..	..	.5	
Hæmatemesis	..	..	1	1	.3	
Dis. of Stomach, &c.	1	1	..	2	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	1	..	1	1	1
Jaundice	..	..	2	2	2	2
Dis. of Liver, &c.	1	2	1	4	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	29	20	7	56	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	..	1	1	.5	.4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	.3	.4
Stricture	..	..	..	..	.6	.4
Dis. of Kidneys, &c.	..	3	..	3	3	3
Diseases of the Kidneys, &c.	..	3	1	4	5	5
Childbed	..	6	..	‖ 6	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	2	1	3	2	2
Childbed, Diseases of the Uterus, &c.	..	8	1	9	10	9
Arthritis	1	..	..	1	..	
Rheumatism	..	4	..	4	3	3
Dis. of Joints, &c.	2	1	..	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	3	5	..	8	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	1	1	.4	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	1	..	1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	1	2	1	1
Inflammation	4	..	..	4	9	9
Hæmorrhage	1	2	..	3	3	3
Dropsy	6	11	9	26	36	34
Abscess	..	..	..	..	3	4
Mortification	3	1	1	5	4	4
Purpura	..	1	..	1	.2	
Scrofula	..	..	..	..	2	2
Carcinoma	..	6	2	8	7	7
Tumor	..	..	..	..	2	2
Gout	..	1	1	2	1	1
Atrophy	12	..	1	¶ 13	5	6
Debility	10	5	..	15	18	18
Malformations	1	..	..	1	.8	1
Sudden Deaths	7	6	5	18	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	44	33	19	96	106	105
Old Age, or Natural Decay	..	..	72	72	69	68
Intemperance	..	1	..	1	.6	.6
Privation	1	..	..	‡ 1	.5	.5
Violent Deaths	11	5	7	23	23	24
Deaths by Violence, Privation, or Intemperance	12	6	7	25	24	25
Causes not specified	2	..	1	3	8	5
Deaths from all Causes	589	284	214	1087	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	169			903

Note.—Under the same head as *typhus* is classified, "Mercurial fever, a male, age 42; under *enteritis*, "duodenitis," a male, age 62; under *disease of brain, &c.*, "polypus in the ear and abscess on the brain," a female, age 20; under *disease of skin, &c.*, "Elephantiasis and scirrhus tumour in the pelvis," (*post mort.*) age 44; and under *purpura*, "scurvy," a male, age 20.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	154
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	198
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	211
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	257
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	267
TOTAL. Males, 572. Females, 515. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1087

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have not been resumed.

§ Of 3 persons who died of small pox, "1 had not been vaccinated;" 1 "died after previous vaccination;" and in 1 case the circumstance was not stated.

‖ The 6 cases of death after childbirth which appear in the present Table, are entered thus:—"Inflammation of the abdomen after childbirth, 3 days," age 26; "puerperal fever after childbirth, 5 days," age 32; "exhaustion from protracted labour, 30 days after childbirth," age 40; "flooding after childbirth," age 23: "phlegmasia dolens, 7th day after parturition," age 38; "brain fever succeeding childbirth," age 35.

¶ Under atrophy, 3 cases "from want of breast milk," ages 7 days, 3 weeks, and 1 month.

‡ Under privation, "natural death accelerated by want and privation," a male, age 1 year and 10 months.

General Register Office, December 6th, 1843.

	Weeks ending Dec. 2nd	Dec. 9th*	Nov. 1831-40.
Mean height of barometer	†		in. 29.726
†Rain (weekly)			.417
Mean Dryness			2°.1

* Wind,
Rain,

A TABLE OF THE MORTALITY
IN THE
Metropolis,
SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 9th December, 1843.

1843.

Temperature. †	Weeks ending Dec. 2nd	Dec. 9th	Nov. 1831. 40.
Highest....	†		62°
Lowest....			28°
Daily Mean			45°

Causes of Death.	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average* during 5 Autumns 1838-9-40-1-2.	5 Years
Small Pox	12	..	..	§ 12	28	27
Measles	26	..	..	26	26	23
Scarlatina	46	1	..	47	41	30
Hooping Cough	36	..	..	36	27	32
Croup	13	..	..	13	8	7
Thrush	4	..	..	4	4	5
Diarrhœa	3	..	..	3	6	9
Dysentery	1	1	1	3	2	2
Cholera	..	..	..	..	.4	1
Influenza	5	..	..	5	1	2
Ague	..	..	..	..	.3	
Remittent Fever	..	..	..	..	.3	
Typhus	15	12	2	29	32	37
Erysipelas	1	3	..	4	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	162	17	3	182	183	182
Cephalitis	10	..	..	10	11	11
Hydrocephalus	24	..	..	24	30	34
Apoplexy	5	5	8	18	18	17
Paralysis	..	7	12	19	15	14
Convulsions	57	..	..	57	52	57
Tetanus	..	..	..	..	.4	
Chorea	..	..	..	..	..	
Epilepsy	..	4	1	5	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	4	3	..	7	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	100	20	21	141	140	148
Laryngitis	..	1	..	1	.4	
Quinsey	1	..	..	1	2	1
Bronchitis	12	7	14	33	11	10
Pleurisy	1	2	..	3	2	1
Pneumonia	127	16	9	152	90	73
Hydrothorax	..	8	1	9	5	5
Asthma	..	16	17	33	25	24
Phthisis or Consumption	18	94	14	126	131	143
Dis. of Lungs, &c.	5	5	7	17	12	14
Diseases of the Lungs, and of the other Organs of Respiration	164	149	62	375	278	268
Pericarditis	..	3	..	3	.6	.5
Aneurism	..	1	..	1	.7	.5
Dis. of Heart, &c.	3	8	15	26	19	17
Diseases of the Heart and Blood Vessels.	3	12	15	30	20	18
Teething	11	..	..	11	16	17
Gastritis—Enteritis	9	3	1	13	15	18
Peritonitis	..	2	1	3	1	1
Tabes Mesenterica	12	..	..	12	4	4
Worms	..	..	..	..	.4	
Ascites	..	..	..	..	.7	.
Ulceration (of Intest, &c.)	..	3	..	3	1	1
Hernia	..	..	1	‡ 1	2	2
Colic or Ileus	..	..	1	1	2	2
Intussusception	1	..	..	1	.4	
Stricture	..	..	1	1	.5	
Hæmatemesis	1	..	..	1	.3	
Dis. of Stomach, &c.	1	1	1	3	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	2	1	3	1	1
Jaundice	1	3	1	5	2	2
Dis. of Liver, &c.	..	5	3	8	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	36	19	11	66	59	62

Causes of Death	Age 0 to 15	15 to 60	60 and upwards	Total	Weekly Average* during 5 Autumns 1838-9-40-1-2	5 Years
Nephritis	..	..	..	..	.5	.4
Ischuria	..	..	..	..	.2	
Diabetes	..	1	..	1	.3	.3
Cystitis	1	..	..	1	.4	
Stone	..	..	..	..	.3	.4
Stricture	..	..	..	..	.6	.4
Dis. of Kidneys, &c.	..	2	2	4	3	3
Diseases of the Kidneys, &c.	1	3	2	6	5	5
Childbed	..	7	..	‖ 7	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	9	..	9	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	1	..	..	1	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	1	..	2	6	6
Carbuncle	1	..	1	2	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.4	.4
Fistula	..	1	..	1	.3	.3
Dis. of Skin, &c.	1	..	..	‡ 1	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	2	1	1	4	1	1
Inflammation	1	..	..	1	9	9
Hæmorrhage	..	4	..	4	3	3
Dropsy	4	15	7	26	36	34
Abscess	1	..	..	1	3	4
Mortification	1	1	4	6	4	4
Purpura	..	1	..	1	.2	
Scrofula	4	..	..	4	2	2
Carcinoma	..	6	3	9	7	7
Tumor	..	..	..	..	2	2
Gout	..	2	1	3	1	1
Atrophy	4	..	..	4	5	6
Debility	8	1	..	9	18	18
Malformations	..	..	..	..	.8	1
Sudden Deaths	1	6	5	12	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	24	36	20	80	106	105
Old Age, or Natural Decay	..	..	68	68	69	68
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	4	6	3	‡ 13	23	24
Deaths by Violence, Privation, or Intemperance	4	6	3	13	24	25
Causes not specified	3	4	..	¶ 11	8	5
Deaths from all Causes	500	277	206	987	908	903
Average Weekly Deaths, 1838_9_40_1_2.	428	307	169			903

‡ Under *hernia*, the following case is included: "strangulated umbilical hernia (operation, 4 days)," age 70 years. Under *disease of the skin*, "ichthyosis," age 2 years; and under *violence*, "an overdose of opium (inquest)" age 1 year.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	153
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	165
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	¶ 176
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	222
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	271
TOTAL	Males, 512. Females, 475. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)	1,870,727	903	908	987

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

§ 11 of the 12 persons who died of small pox, had not been vaccinated.

‖ The 7 cases of death after childbirth which appear in the present Table, are entered thus:—"Exhaustion from severe labour," age 29; "sudden collapse after protracted childbirth (36 hours)" age 37; "puerperal convulsions 6 hours after delivery," age 29; "inflammation from childbirth (15 days after delivery)" age 22; "childbed," age 38; "puerperal fever (3 weeks after delivery—10 days' illness)" age 22; and "puerperal fever," age 26.

¶ No return having been received from the District of Old Street, St. Luke, in consequence of the resignation of the Registrar, an average of 4 has been taken from 6 weeks preceding, and added to the head of *Causes not specified.*

General Register Office, December 14th, 1843.

	Weeks ending Dec. 9th	Weeks ending Dec. 16th*	Dec. 1831-40.
Mean height of barometer	†		in 29.901
Rain (weekly)			235
Mean Dryness			1·8

* Wind,
Rain,

A TABLE OF THE MORTALITY
IN THE
Metropolis,
SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES
Registered in the WEEK ending Saturday, the 16th December, 1843.

1843.

Temperature. †	Weeks ending Dec. 9th	Weeks ending Dec. 16th	Dec. 1831. 40.
Highest....	†		56°
Lowest....			21°
Daily Mean			41°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	7	3	..	§ 10	28	27
Measles	38	..	..	38	26	23
Scarlatina	44	2	..	46	41	30
Hooping Cough	40	1	..	41	27	32
Croup	11	..	..	11	8	7
Thrush	4	..	..	4	4	5
Diarrhœa	4	..	2	6	6	9
Dysentery	2	..	..	2	2	2
Cholera	..	..	..	..	..4	1
Influenza	1	..	..	1	1	2
Ague	1	..	..	1	..3	
Remittent Fever	..	1	..	1	.3	
Typhus	7	18	4	29	32	37
Erysipelas	2	2	..	4	6	6
Syphilis	..	..	..	..	..5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	161	27	6	194	183	182
Cephalitis	13	..	..	13	11	11
Hydrocephalus	44	2	..	46	30	34
Apoplexy	..	8	9	17	18	17
Paralysis	..	9	11	20	15	14
Convulsions	47	1	..	48	52	57
Tetanus	..	..	..	..	..4	
Chorea	..	..	..	..	..	
Epilepsy	..	2	..	2	4	4
Insanity	..	5	..	5	1	1
Delirium Tremens	..	1	..	1	2	1
Dis. of Brain, &c.	1	5	1	7	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	105	33	21	159	140	148
Laryngitis	..	..	..	..	..4	
Quinsey	1	..	..	1	2	1
Bronchitis	5	4	7	16	11	10
Pleurisy	..	..	..	..	2	1
Pneumonia	98	7	3	108	90	73
Hydrothorax	1	2	1	4	5	5
Asthma	1	12	19	¶ 33	25	24
Phthisis or Consumption	21	88	9	118	131	143
Dis. of Lungs, &c.	9	7	4	20	12	14
Diseases of the Lungs, and of the other Organs of Respiration	136	120	43	¶ 300	278	268
Pericarditis	2	..	..	2	.6	.5
Aneurism	..	1	..	1	..7	.5
Dis. of Heart, &c.	2	8	8	18	19	17
Diseases of the Heart and Blood Vessels.	4	9	8	21	20	18
Teething	16	..	..	16	16	17
Gastritis—Enteritis	9	3	..	12	15	18
Peritonitis	1	2	..	3	1	1
Tabes Mesenterica	5	..	..	5	4	4
Worms	2	..	..	‡ 2	..4	
Ascites	..	1	1	2	..7	.
Ulceration (of Intest, &c.)	..	2	..	2	1	1
Hernia	..	..	..	..	2	2
Colic or Ileus	1	2	..	3	2	2
Intussusception	..	1	..	1	..4	
Stricture	..	..	..	..	..5	
Hæmatemesis	..	..	..	..	..3	
Dis. of Stomach, &c.	1	3	1	5	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	1	1	1	1
Jaundice	..	..	1	1	2	2
Dis. of Liver, &c.	..	5	..	5	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	35	19	4	58	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	..	1	1	..5	..4
Ischuria	..	..	..	..	.2	
Diabetes	..	2	..	2	..3	..3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	..3	.4
Stricture	..	..	..	..	..6	.4
Dis. of Kidneys, &c.	1	1	..	2	3	3
Diseases of the Kidneys, &c.	1	3	1	5	5	5
Childbed	..	7	..	‖ 7	8	7
Paramenia	..	1	..	1	.2	
Ovarian Dropsy	..	..	..	..	..2	..2
Dis. of Uterus, &c.	..	..	1	1	2	2
Childbed, Diseases of the Uterus, &c.	..	8	1	9	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	3	..	3	3	3
Dis. of Joints, &c.	..	3	..	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	..	6	..	6	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	1	..	1	..4	.4
Fistula	..	..	..	..	..3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	1	..	1	1	1
Inflammation	4	..	..	4	9	9
Hæmorrhage	..	2	..	2	3	3
Dropsy	6	14	6	26	36	34
Abscess	2	1	..	3	3	4
Mortification	1	3	2	6	4	4
Purpura	..	..	..	..	..2	
Scrofula	3	4	..	7	2	2
Carcinoma	..	6	2	8	7	7
Tumor	1	..	..	1	2	2
Gout	..	..	1	1	1	1
Atrophy	15	1	..	‡ 16	5	6
Debility	19	4	..	23	18	18
Malformations	4	..	..	4	..8	1
Sudden Deaths	2	5	4	11	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	57	40	15	112	106	105
Old Age, or Natural Decay	..	..	71	71	69	68
Intemperance	..	..	1	1	.6	..6
Privation	..	..	..	..	..5	..5
Violent Deaths	11	8	2	21	23	24
Deaths by Violence, Privation, or Intemperance	11	8	3	22	24	25
Causes not specified	..	5	..	¶ 9	8	5
Deaths from all Causes	510	279	173	¶ 967	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	169			903

‡ Under *worms*, are included 2 cases of "infantile fever," a male under 1 year, and a female, 2 years. Under *atrophy*, "want of breast milk," a female 6 weeks.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	126
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	165
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	205
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	235
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	236
TOTAL. Males, 491. Females, 476. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	967

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

§ 7 of the 10 persons who died of small pox, had not been vaccinated; of the remaining cases one is registered "small pox after vaccination three times, but without effect," age 3 years; one is "doubtful whether vaccinated," age 38 years; and in one, the circumstance is not mentioned.

‖ The 7 cases of death after childbirth which appear in the present Table, are entered thus: "puerperal fever," age 21; "debility after childbirth," age 36; "childbed with overflowing of blood," age 31; "childbirth, flooding, 1 hour after delivery," age 40; "puerperal fever 2 days after delivery," age 19; "flooding," age 22; and "childbirth from exhaustion, half an hour after delivery," age 35. To these may be added "*phthisis* 5 weeks after childbirth," age 28.

¶ The age in one case of Asthma is not stated. No return having been received this week from the District of Old Street, St. Luke, in consequence of the resignation of the Registrar, an average of 4 has been taken from 6 weeks preceding, and added to the head of *Causes not specified*.

General Register Office, December 20th, 1843.

	Weeks ending Dec. 16th	Weeks ending Dec. 23rd*	Dec. 1831-40.
Mean height of barometer	†		in. 29.901
Rain (weekly)			.235
Mean Dryness			1°.8

* Wind,
Rain,

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 23rd December, 1843.

1843.

Temperature. †	Weeks ending Dec. 16	Weeks ending Dec. 23rd	Dec. 1831. 40.
Highest....	†		56°
Lowest....			21°
Daily Mean			41°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	11	..	..	§ 11	28	27
Measles	29	..	..	29	26	23
Scarlatina	48	1	..	49	41	30
Hooping Cough	39	..	..	39	27	32
Croup	14	..	1	15	8	7
Thrush	3	..	..	3	4	5
Diarrhœa	2	2	1	5	6	9
Dysentery	1	3	1	5	2	2
Cholera	..	..	..	..	.4	1
Influenza	1	1	..	2	1	2
Ague	..	..	..	..	.3	
Remittent Fever	..	1	..	1	.3	
Typhus	10	12	3	25	32	37
Erysipelas	3	3	..	6	6	6
Syphilis	1	1	..	2	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	162	24	6	192	183	182
Cephalitis	7	3	..	10	11	11
Hydrocephalus	36	1	..	37	30	34
Apoplexy	3	7	7	17	18	17
Paralysis	..	12	8	20	15	14
Convulsions	43	..	..	43	52	57
Tetanus	..	1	..	1	.4	
Chorea	..	..	..	..	..	
Epilepsy	1	..	..	1	4	4
Insanity	1	..	..	1	1	1
Delirium Tremens	..	2	..	2	2	1
Dis. of Brain, &c.	5	3	..	8	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	96	29	15	140	140	148
Laryngitis	..	..	..	..	.4	
Quinsey	1	..	..	1	2	1
Bronchitis	9	6	6	21	11	10
Pleurisy	..	2	..	2	2	1
Pneumonia	111	15	4	‡ 131	90	73
Hydrothorax	2	3	5	10	5	5
Asthma	..	11	15	26	25	24
Phthisis or Consumption	16	98	7	121	131	143
Dis. of Lungs, &c.	3	8	6	17	12	14
Diseases of the Lungs, and of the other Organs of Respiration	142	143	43	‡ 329	278	268
Pericarditis	1	1	..	2	.6	.5
Aneurism	..	..	..	..	.7	.5
Dis. of Heart, &c.	2	6	11	19	19	17
Diseases of the Heart and Blood Vessels.	3	7	11	21	20	18
Teething	20	..	..	20	16	17
Gastritis—Enteritis	10	8	3	21	15	18
Peritonitis	..	1	..	1	1	1
Tabes Mesenterica	7	1	..	8	4	4
Worms	1	..	..	†† 1	.4	
Ascites	..	1	1	2	.7	.
Ulceration (of Intest, &c.)	..	1	..	1	1	1
Hernia	..	2	..	2	2	2
Colic or Ileus	1	1	..	2	2	2
Intussusception	..	..	..	..	.4	
Stricture	..	..	..	..	.5	
Hæmatemesis	..	..	..	..	.3	
Dis. of Stomach, &c.	1	2	3	6	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	..	..	..	1	1
Jaundice	..	1	..	1	2	2
Dis. of Liver, &c.	1	4	1	6	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	41	22	8	71	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	1	..	1	.5	.4
Ischuria	..	..	1	1	.2	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	.3	.4
Stricture	..	..	1	1	.6	.4
Dis. of Kidneys, &c.	..	1	2	3	3	3
Diseases of the Kidneys, &c.	..	2	4	6	5	5
Childbed	..	12	..	‖ 12	8	7
Paramenia	..	..	..	..	.2	
Ovarian Dropsy	..	1	..	1	.2	.2
Dis. of Uterus, &c.	..	2	..	2	2	2
Childbed, Diseases of the Uterus, &c.	..	15	..	15	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	1	1	1	3	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	2	1	4	6	6
Carbuncle	..	..	1	1	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	1	1	1	1
Inflammation	..	..	1	1	9	9
Hæmorrhage	1	3	2	6	3	3
Dropsy	4	7	8	19	36	34
Abscess	1	..	..	1	3	4
Mortification	1	..	1	2	4	4
Purpura	..	..	..	..	.2	
Scrofula	1	..	..	1	2	2
Carcinoma	..	10	4	14	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	10	1	..	†† 11	5	6
Debility	12	2	..	14	18	18
Malformations	2	..	..	2	.8	1
Sudden Deaths	4	10	7	21	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	36	33	23	92	106	105
Old Age, or Natural Decay	..	..	55	55	69	68
Intemperance	..	..	1	1	.6	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	8	10	4	††† 24	23	24
Deaths by Violence, Privation, or Intemperance	8	10	5	†25	24	25
Causes not specified	3	..	..	¶ 17	8	5
Deaths from all Causes	492	287	172	‡ 968	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	169			903

‡ The ages of 1 person who died of *pneumonia*, and 2 who died from *violence*, are not stated.

†† Under *worms*, is included 1 case of "infantile fever," age 2 years. Under *atrophy*, "debility from want of breast milk," age 4 months, and "starvation—never having been able to swallow food or drink," (inquest) age 4 days; and under *violence*, "over dose of laudanum taken to allay pain" a female, age 57.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	126
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	185
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	194
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	224
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	¶ 239
TOTAL. Males, 478. Females, 490. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	968

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

§ 9 of the 11 persons who died of small pox, had not been vaccinated, In 2 cases the circumstance is not stated.

‖ The 12 cases of death after childbirth which appear in the present Table, are entered thus: "childbirth," age 30; "childbirth,' age 28; "puerperal fever 4 days after delivery," age 34; "hæmorrhage in childbirth," age 30; "affection of the heart some years—flooding after childbirth (stillborn) 4 days," age 40; "uterine hæmorrhage, 1 day," age 31; "puerperal fever," age 19; "disease of the bowels 5 days after delivery," age 27; "puerperal fever," age 27; "puerperal peritonitis, 10 days (*post mort.*)" age 22; "inflammation, from childbirth 2 days after delivery," age 26; and "childbed, flooding and convulsions, 2 hours after delivery," age 38.

¶ No return having been received this week from the District of St. Peter, Walworth, in consequence of the dismissal of the Registrar, an average of 14 has been taken from 6 weeks preceding, and added to the head of *Causes not specified.*

General Register Office, December 27th, 1843.

	Weeks ending Dec. 23rd	Weeks ending Dec. 30th*	Dec. 1831-40.
Mean height of barometer	†		in. 29.901
†Rain (weekly)			.235
Mean Dryness			1°.8

* Wind,
Rain,

A TABLE OF THE MORTALITY

IN THE

Metropolis,

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

Registered in the WEEK ending Saturday, the 30th December, 1843.

1843.

Temperature. †	Weeks ending Dec. 23rd	Weeks ending Dec. 30th	Dec. 1831. 40.
Highest....	†		56°
Lowest....			21°
Daily Mean			41°

Causes of Death.	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2.
Small Pox	14	2	..	§ 16	28	27
Measles	27	..	..	27	26	23
Scarlatina	53	1	..	54	41	30
Hooping Cough	32	..	..	32	27	32
Croup	12	..	..	12	8	7
Thrush	3	..	..	3	4	5
Diarrhœa	3	1	..	4	6	9
Dysentery	..	3	1	4	2	2
Cholera	..	..	..	..	.4	1
Influenza	2	2	..	4	1	2
Ague	1	1	..	2	.3	
Remittent Fever	..	..	..	..	.3	
Typhus	18	12	2	‡ 33	32	37
Erysipelas	1	3	1	5	6	6
Syphilis	..	..	..	..	.5	1
Hydrophobia	..	..	..	..	.1	..
Epidemic, Endemic, and Contagious Diseases.	166	25	4	‡196	183	182
Cephalitis	9	2	1	12	11	11
Hydrocephalus	26	..	..	26	30	34
Apoplexy	3	16	6	25	18	17
Paralysis	..	11	6	17	15	14
Convulsions	59	2	..	61	52	57
Tetanus	..	..	..	..	.4	
Chorea	..	1	..	1	..	
Epilepsy	..	2	1	3	4	4
Insanity	..	..	..	..	1	1
Delirium Tremens	..	..	..	..	2	1
Dis. of Brain, &c.	2	9	1	†† 12	7	9
Diseases of the Brain, Spinal Marrow, Nerves and Senses.	99	43	15	157	140	148
Laryngitis	..	..	..	..	.4	
Quinsey	3	1	..	4	2	1
Bronchitis	8	5	11	24	11	10
Pleurisy	..	..	..	..	2	1
Pneumonia	71	21	7	99	90	73
Hydrothorax	..	1	6	7	5	5
Asthma	..	9	23	32	25	24
Phthisis or Consumption	17	86	8	111	131	143
Dis. of Lungs, &c.	6	5	2	13	12	14
Diseases of the Lungs, and of the other Organs of Respiration	105	128	57	290	278	268
Pericarditis	1	..	..	1	.6	.5
Aneurism	..	..	..	..	.7	.5
Dis. of Heart, &c.	2	14	7	23	19	17
Diseases of the Heart and Blood Vessels.	3	14	7	24	20	18
Teething	14	..	..	14	16	17
Gastritis—Enteritis	3	11	4	18	15	18
Peritonitis	..	..	..	..	1	1
Tabes Mesenterica	7	..	..	7	4	4
Worms	1	..	..	1	.4	
Ascites	..	2	..	2	.7	.
Ulceration (of Intest, &c.)	2	2	2	6	1	1
Hernia	..	1	1	2	2	2
Colic or Ileus	1	1	..	2	2	2
Intussusception	..	1	..	1	.4	
Stricture	..	1	..	1	.5	
Hæmatemesis	..	..	..	..	.3	
Dis. of Stomach, &c.	..	5	2	7	4	6
Dis. of Pancreas	..	..	..	..	..	
Hepatitis	..	2	2	4	1	1
Jaundice	..	2	..	2	2	2
Dis. of Liver, &c.	..	2	1	3	8	7
Dis. of Spleen	..	..	..	..	..	
Diseases of the Stomach, Liver, and other Organs of Digestion.	28	30	12	70	59	62

Causes of Death	Age 0 to 15	Age 15 to 60	Age 60 and upwards	Total	Weekly Average during 5 Autumns 1838-9-40-1-2.	Weekly Average during 5 Years 1838-9-40-1-2
Nephritis	..	1	..	1	.5	.4
Ischuria	..	..	..	..	.2	
Diabetes	..	..	..	..	.3	.3
Cystitis	..	..	..	..	.4	
Stone	..	..	..	..	.3	.4
Stricture	..	1	1	2	.6	.4
Dis. of Kidneys, &c.	..	4	2	6	3	3
Diseases of the Kidneys, &c.	..	6	3	9	5	5
Childbed	..	9	..	‖ 9	8	7
Paramenia	..	1	..	1	.2	
Ovarian Dropsy	..	..	..	..	.2	.2
Dis. of Uterus, &c.	..	3	..	3	2	2
Childbed, Diseases of the Uterus, &c.	..	13	..	13	10	9
Arthritis	..	..	..	..	..	
Rheumatism	..	1	..	1	3	3
Dis. of Joints, &c.	1	1	..	2	3	3
Rheumatism, Diseases of the Bones, Joints, &c.	1	2	..	3	6	6
Carbuncle	..	..	..	..	..	
Phlegmon	..	..	..	..	..	
Ulcer	..	..	..	..	.4	.4
Fistula	..	..	..	..	.3	.3
Dis. of Skin, &c.	..	..	..	..	.4	.3
Diseases of the Skin, Cellular Tissue, &c.	..	..	..	..	1	1
Inflammation	3	..	..	†† 3	9	9
Hæmorrhage	..	3	1	4	3	3
Dropsy	6	18	4	28	36	34
Abscess	3	1	..	4	3	4
Mortification	2	3	3	8	4	4
Purpura	..	..	..	..	.2	
Scrofula	2	..	..	2	2	2
Carcinoma	..	5	1	6	7	7
Tumor	..	..	..	..	2	2
Gout	..	..	..	..	1	1
Atrophy	6	1	2	9	5	6
Debility	18	2	..	20	18	18
Malformations	6	..	..	6	.8	1
Sudden Deaths	8	6	5	19	15	14
Dropsy, Cancer, and other Diseases of Uncertain Seat	54	39	16	109	106	105
Old Age, or Natural Decay	..	..	73	73	69	68
Intemperance	..	..	..	..	.6	.6
Privation	..	..	..	..	.5	.5
Violent Deaths	15	23	8	‡‡ 46	23	24
Deaths by Violence, Privation, or Intemperance	15	23	8	46	24	25
Causes not specified	1	..	1	¶‡ 17	8	5
Deaths from all Causes	472	323	196	‡1007	908	903
Average Weekly Deaths, 1838-9-40-1-2.	428	307	169			903

‡ In one case of *typhus*, and another "*found dead*," the ages are not stated.

†† Under *inflammation*, the following case is included: "inflammation, and want of natural sustenance," age 11 days; and under *violence*, "accidental overdose of syrup of poppies," age 14 days, and "overdose of laudanum accidentally administered," age 1 year. Under *disease of the brain, nerves, &c.*, one case of "tic douloureux (half an hour)," age 58.

The present table contains the death of a male, who died at the age of 100 years and 9 months.

		Population, Enumerated, 1841.	Average Weekly Deaths, 1838-39-40-1-2. 5 Years	5 Autumns	Deaths in the Week.
West Districts.	Kensington; Chelsea; St. George, Hanover Square; Westminster; St. Martin in the Fields; St. James	300,705	135	130	124
North Districts.	St. Mary-le-bone; St. Pancras; Islington; Hackney	365,660	162	162	184
Central Districts.	St. Giles and St. George; Strand; Holborn; Clerkenwell; St. Luke; East London; West London; City of London	373,806	184	183	225
East Districts.	Shoreditch; Bethnal Green; Whitechapel; St. George in the East; Stepney; Poplar	392,496	203	206	232
South Districts.	St. Saviour; St. Olave; Bermondsey; St. George, Southwark; Newington; Lambeth; Camberwell; Rotherhithe; Greenwich	438,060	219	227	¶ 242
TOTAL. Males, 516. Females, 491. (Weekly average 1838-9-40-1-2, Males, 461. Females, 442.)		1,870,727	903	908	1007

* The Weekly Average for 1838, 1839, 1840, 1841, 1842, was obtained by dividing the Deaths in the 5 years by 260, and the Deaths in the 5 Autumns by 65.

† The Meteorological Observations at the Apartments of the Royal Society, have been discontinued.

§ The deaths from small pox are on the increase in the Metropolis. Of the 15 persons who died from this disease, 11 had not been vaccinated; in one case the circumstance is not stated. Under the same head the following case is included: "hydrocephalus, chicken pox, water pox (20 days after vaccination)" age 3 months.

‖ The 9 cases of death after childbirth which appear in the present Table are entered thus: "putrid fever after childbearing (inquest)" age 25; "puerperal fever," age 27; "puerperal apoplexy, 10 hours after delivery," age 20; "puerperal fever, 3 days after delivery," age 23; "dropsy, 3 days after childbirth," age 27; "flooding after childbirth," age 26; "childbirth, 9 days after confinement," age 41; "childbirth, 15 days—typhus fever, 4 days," age 26; and "peritonitis, 18 days after delivery (*post. mort.*)" age 21.

¶ No return having been received this week from the District of St. Peter, Walworth, in consequence of the dismissal of the Registrar, an average of 14 has been taken from 6 weeks preceding, and added to the head of *Causes not specified.*

General Register Office, January 4th, 1844.

Metropolis.

SHEWING THE NUMBER OF DEATHS FROM ALL CAUSES

During the WEEK ending Saturday, the 20th December, 1913.

Causes of Death.	0 to 15	15 to 60	60 and upwards	Total	0 to 1	1 to 15	15 to 60	60 and upwards	Total
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]